

---

---

**Open XML Paper Specification**



**COPYRIGHT PROTECTED DOCUMENT**

© Ecma International 2009

## Contents

<b>1. SCOPE</b> .....	<b>1</b>
<b>2. CONFORMANCE</b> .....	<b>3</b>
<b>2.1 Requirements Terminology</b> .....	<b>3</b>
<b>2.2 Implementation Conformance</b> .....	<b>3</b>
<b>2.3 Instantiating Error Conditions</b> .....	<b>4</b>
<b>3. NORMATIVE REFERENCES</b> .....	<b>5</b>
<b>4. DEFINITIONS</b> .....	<b>7</b>
<b>5. NOTATIONAL CONVENTIONS</b> .....	<b>11</b>
<b>5.1 Document Conventions</b> .....	<b>11</b>
<b>5.2 Diagrams</b> .....	<b>11</b>
<b>6. ACRONYMS AND ABBREVIATIONS</b> .....	<b>13</b>
<b>7. GENERAL DESCRIPTION</b> .....	<b>15</b>
<b>8. OPENXPS DOCUMENT FORMAT</b> .....	<b>17</b>
<b>8.1 How This Standard Is Organized</b> .....	<b>17</b>
<b>8.2 Package</b> .....	<b>19</b>
<b>9. PARTS AND RELATIONSHIPS</b> .....	<b>21</b>
<b>9.1 Fixed Payload</b> .....	<b>21</b>
9.1.1 Fixed Payload Relationships .....	24
9.1.2 FixedDocumentSequence Part .....	25
9.1.3 FixedDocument Part .....	25
9.1.4 FixedPage Part .....	26
9.1.5 Image Parts .....	26
9.1.6 Thumbnail Parts .....	32
9.1.7 Font Parts .....	33
9.1.8 Remote Resource Dictionary Parts .....	37
9.1.9 PrintTicket Parts .....	37
9.1.10 SignatureDefinitions Part .....	38
9.1.11 DocumentStructure Part .....	38
9.1.12 StoryFragments Part .....	39
<b>9.2 Part Naming Recommendations</b> .....	<b>39</b>
<b>9.3 OpenXPS Document Markup</b> .....	<b>41</b>
9.3.1 Support for Versioning and Extensibility .....	42
9.3.2 XML Usage .....	42
9.3.3 Markup Model .....	43
9.3.4 Whitespace .....	45
9.3.5 Language .....	45
<b>10. DOCUMENTS</b> .....	<b>47</b>
<b>10.1 &lt;FixedDocumentSequence&gt; Element</b> .....	<b>47</b>
10.1.1 <DocumentReference> Element .....	47
<b>10.2 &lt;FixedDocument&gt; Element</b> .....	<b>48</b>
10.2.1 <PageContent> Element .....	48
10.2.2 <PageContent.LinkTargets> Element .....	49
10.2.3 <LinkTarget> Element .....	50

- 10.3 <FixedPage> Element..... 51**
  - 10.3.1 BleedBox Attribute ..... 52
  - 10.3.2 ContentBox Attribute ..... 53
  - 10.3.3 Media Orientation and Scaling ..... 53
- 10.4 <Canvas> Element ..... 54**
- 10.5 <Path> Element ..... 57**
- 10.6 <Glyphs> Element..... 58**
- 11. GRAPHICS..... 59**
- 11.1 <Path> Element ..... 60**
  - 11.1.1 <Path.Data> Element ..... 64
  - 11.1.2 <Path.Fill> Element..... 65
  - 11.1.3 <Path.Stroke> Element..... 66
- 11.2 Geometries and Figures ..... 67**
  - 11.2.1 Geometries ..... 68
  - 11.2.2 Figures..... 70
  - 11.2.3 Abbreviated Geometry Syntax ..... 80
- 12. TEXT ..... 87**
- 12.1 <Glyphs> Element..... 88**
  - 12.1.1 Glyph Metrics ..... 93
  - 12.1.2 Mapping Code Units to Glyphs ..... 94
  - 12.1.3 Indices Attribute ..... 97
  - 12.1.4 UnicodeString Attribute ..... 100
  - 12.1.5 StyleSimulations Attribute ..... 100
  - 12.1.6 IsSideways Attribute..... 101
  - 12.1.7 DeviceFontName Attribute ..... 106
  - 12.1.8 xml:lang Attribute ..... 107
  - 12.1.9 CaretStops Attribute..... 107
  - 12.1.10 Optimizing Glyph Markup..... 107
  - 12.1.11 Glyph Markup Examples ..... 108
- 12.2 <Glyphs.Fill> Element ..... 111**
- 13. BRUSHES..... 113**
- 13.1 <SolidColorBrush> Element ..... 113**
- 13.2 <ImageBrush> Element..... 115**
- 13.3 <VisualBrush> Element ..... 118**
  - 13.3.1 <VisualBrush.Visual> Element..... 120
- 13.4 Common Attributes for Tiling Brushes ..... 121**
  - 13.4.1 Viewbox, Viewport, ViewboxUnits, and ViewportUnits Attributes ..... 122
  - 13.4.2 TileMode Attribute ..... 126
- 13.5 <LinearGradientBrush> Element ..... 137**
  - 13.5.1 SpreadMethod Attribute ..... 139
  - 13.5.2 <LinearGradientBrush.GradientStops> Element..... 142
- 13.6 <RadialGradientBrush> Element ..... 143**
  - 13.6.1 SpreadMethod Attribute ..... 146
  - 13.6.2 <RadialGradientBrush.GradientStops> Element..... 149
- 13.7 <GradientStop> Element ..... 149**
- 13.8 Using a Brush as an Opacity Mask ..... 150**
- 14. COMMON PROPERTIES ..... 155**
- 14.1 Opacity ..... 156**
- 14.2 Resources and Resource References ..... 156**
  - 14.2.1 <FixedPage.Resources> Element ..... 157

14.2.2	<Canvas.Resources> Element .....	158
14.2.3	<ResourceDictionary> Element.....	159
14.2.4	Resource References.....	162
14.2.5	Scoping Rules for Resolving Resource References .....	163
14.2.6	Support for Markup Compatibility.....	164
<b>14.3</b>	<b>Clipping.....</b>	<b>164</b>
14.3.1	<Canvas.Clip> Element.....	164
14.3.2	<Path.Clip> Element.....	165
14.3.3	<Glyphs.Clip> Element .....	167
<b>14.4</b>	<b>Positioning Content .....</b>	<b>167</b>
14.4.1	<MatrixTransform> Element .....	168
14.4.2	<Canvas.RenderTransform> Element.....	171
14.4.3	<Path.RenderTransform> Element .....	172
14.4.4	<Glyphs.RenderTransform> Element .....	173
14.4.5	<PathGeometry.Transform> Element.....	174
14.4.6	<ImageBrush.Transform> Element .....	175
14.4.7	<VisualBrush.Transform> Element .....	176
14.4.8	<LinearGradientBrush.Transform> Element .....	179
14.4.9	<RadialGradientBrush.Transform> Element .....	180
<b>14.5</b>	<b>OpacityMask.....</b>	<b>182</b>
14.5.1	<Canvas.OpacityMask> Element .....	182
14.5.2	<Path.OpacityMask> Element.....	183
14.5.3	<Glyphs.OpacityMask> Element .....	185
<b>15</b>	<b>COLOR.....</b>	<b>187</b>
<b>15.1</b>	<b>Color Support .....</b>	<b>187</b>
15.1.1	sRGB Color Space.....	187
15.1.2	scRGB Color Space .....	188
15.1.3	Gray Color Space .....	188
15.1.4	CMYK Color Space .....	188
15.1.5	N-Channel Color Spaces .....	188
15.1.6	Named Color for Spot Colors and N-tone Images .....	188
15.1.7	Identifying Output-Ready Color Spaces Using ICC Profiles .....	188
15.1.8	ICC Profiles .....	188
<b>15.2</b>	<b>Vector Color Syntax .....</b>	<b>189</b>
15.2.1	sRGB Color Syntax .....	191
15.2.2	scRGB Color Syntax .....	191
15.2.3	Grayscale syntax.....	191
15.2.4	CMYK Color Syntax .....	192
15.2.5	N-Channel Color Syntax .....	192
15.2.6	Named Color Syntax .....	193
<b>15.3</b>	<b>Colors in Raster Images.....</b>	<b>194</b>
15.3.1	sRGB Raster Images .....	194
15.3.2	scRGB Raster Images.....	195
15.3.3	Gray Raster Images.....	195
15.3.4	CMYK Raster Images.....	196
15.3.5	N-channel Raster Images.....	197
15.3.6	Named Color Raster Images.....	198
15.3.7	Images and Color Profile Association .....	198
<b>15.4</b>	<b>Registration Marks for Color Separations.....</b>	<b>200</b>
<b>15.5</b>	<b>Alpha and Gradient Blending .....</b>	<b>201</b>
<b>15.6</b>	<b>Color Rendering Intent .....</b>	<b>201</b>
<b>16</b>	<b>DOCUMENT STRUCTURE AND INTERACTIVITY.....</b>	<b>203</b>
<b>16.1</b>	<b>Document Structure Markup.....</b>	<b>203</b>
16.1.1	DocumentStructure Part .....	203
16.1.2	StoryFragments Part .....	209
<b>16.2</b>	<b>Hyperlinks.....</b>	<b>221</b>
16.2.1	Hyperlink Activation.....	221

- 16.2.2 Hyperlink Addressing .....222
- 16.2.3 Name Attribute .....222
- 16.2.4 FixedPage.NavigateUri Attribute .....223
- 16.3 Selection ..... 224**
- 16.4 Accessibility ..... 224**
  - 16.4.1 Reading Order .....224
  - 16.4.2 Screen Reader Applications.....225
  - 16.4.3 Text Alternatives for Graphics and Images .....225
- 17. OPENXPS DOCUMENT PACKAGE FEATURES ..... 227**
- 17.1 Interleaving Optimizations ..... 227**
  - 17.1.1 Empty PrintTicket.....228
  - 17.1.2 Optimizing Interleaving Order .....228
  - 17.1.3 Consuming Interleaved Packages.....231
  - 17.1.4 Consumers with Resource Constraints .....231
  - 17.1.5 Interleaving Optimizations and Digital Signatures .....233
- 17.2 Digital Signatures..... 234**
  - 17.2.1 Signature Policy .....234
  - 17.2.2 Signature Definitions .....237
- 17.3 Core Properties ..... 241**
- 18. RENDERING RULES ..... 243**
- 18.1 Coordinate System and Rendering Placement ..... 243**
  - 18.1.1 Page Dimensions.....243
  - 18.1.2 Rounding of Coordinates .....243
  - 18.1.3 Transforms .....244
  - 18.1.4 Pixel Center Location, Pixel Placement, and Pixel Inclusion .....244
  - 18.1.5 Maximum Placement Error .....245
  - 18.1.6 Pixel Placement for Glyphs.....245
  - 18.1.7 Abutment of Shapes .....245
  - 18.1.8 Clipping Behavior .....245
- 18.2 Implementation Limits ..... 246**
- 18.3 Gradient Computations ..... 247**
  - 18.3.1 All Gradients .....247
  - 18.3.2 Linear Gradients .....249
  - 18.3.3 Radial Gradients .....251
- 18.4 Opacity Computations..... 254**
  - 18.4.1 Pre-Multiplied Alpha and Superluminous Colors .....256
- 18.5 Composition Rules ..... 257**
  - 18.5.1 Optimization Guidelines.....258
  - 18.5.2 Composition Examples .....259
- 18.6 Stroke Rendering..... 262**
  - 18.6.1 Stroke Edge Parallelization .....262
  - 18.6.2 Phase Control .....262
  - 18.6.3 Symmetry of Stroke Drawing Algorithms .....262
  - 18.6.4 Rules for Dash Cap Rendering .....263
  - 18.6.5 Rules for Line Cap Rendering .....265
  - 18.6.6 Line Caps for Dashed Strokes.....266
  - 18.6.7 Rules for Line Join Rendering .....267
  - 18.6.8 Rules for Degenerate Line and Curve Segments .....271
  - 18.6.9 Stroking and Fill Rule.....272
  - 18.6.10 Mixing Stroked and Non-Stroked Segments .....272
  - 18.6.11 Stroke Behavior with Multiple Path Figures .....272
  - 18.6.12 Consistent Nominal Stroke Width .....272
- 18.7 Brushes and Images ..... 273**
  - 18.7.1 Small Tiles .....273
  - 18.7.2 Image Scaling .....273
  - 18.7.3 Tile Placement .....274

18.7.4	Tiling Transparent Visual Brushes and Image Brushes .....	274
<b>19.</b>	<b>ELEMENTS.....</b>	<b>275</b>
19.1	ArcSegment.....	275
19.2	Canvas .....	276
19.3	Canvas.Clip.....	278
19.4	Canvas.OpacityMask .....	278
19.5	Canvas.RenderTransform .....	279
19.6	Canvas.Resources .....	279
19.7	Discard.....	279
19.8	DiscardControl.....	280
19.9	DocumentOutline.....	280
19.10	DocumentReference.....	281
19.11	DocumentStructure.....	281
19.12	DocumentStructure.Outline.....	281
19.13	FigureStructure .....	282
19.14	FixedDocument.....	282
19.15	FixedDocumentSequence .....	282
19.16	FixedPage .....	283
19.17	FixedPage.Resources .....	284
19.18	Glyphs.....	285
19.19	Glyphs.Clip .....	289
19.20	Glyphs.Fill .....	289
19.21	Glyphs.OpacityMask.....	290
19.22	Glyphs.RenderTransform.....	290
19.23	GradientStop .....	290
19.24	ImageBrush.....	291
19.25	ImageBrush.Transform .....	293
19.26	Intent .....	293
19.27	LinearGradientBrush.....	294
19.28	LinearGradientBrush.GradientStops .....	295
19.29	LinearGradientBrush.Transform .....	296
19.30	LinkTarget.....	296
19.31	ListItemStructure .....	297
19.32	ListStructure .....	297
19.33	MatrixTransform .....	298
19.34	NamedElement .....	298
19.35	OutlineEntry .....	299
19.36	PageContent.....	300
19.37	PageContent.LinkTargets .....	300
19.38	ParagraphStructure .....	301
19.39	Path .....	302

**19.40 Path.Clip ..... 306**

**19.41 Path.Data ..... 306**

**19.42 Path.Fill ..... 306**

**19.43 Path.OpacityMask ..... 307**

**19.44 Path.RenderTransform ..... 307**

**19.45 Path.Stroke ..... 307**

**19.46 PathFigure ..... 308**

**19.47 PathGeometry ..... 309**

**19.48 PathGeometry.Transform ..... 310**

**19.49 PolyBezierSegment ..... 310**

**19.50 PolyLineSegment ..... 311**

**19.51 PolyQuadraticBezierSegment ..... 311**

**19.52 RadialGradientBrush ..... 312**

**19.53 RadialGradientBrush.GradientStops ..... 314**

**19.54 RadialGradientBrush.Transform ..... 314**

**19.55 ResourceDictionary ..... 315**

**19.56 SectionStructure ..... 315**

**19.57 SignBy ..... 316**

**19.58 SignatureDefinition ..... 316**

**19.59 SignatureDefinitions ..... 317**

**19.60 SigningLocation ..... 317**

**19.61 SolidColorBrush ..... 317**

**19.62 SpotLocation ..... 318**

**19.63 Story ..... 319**

**19.64 StoryBreak ..... 319**

**19.65 StoryFragment ..... 320**

**19.66 StoryFragments ..... 321**

**19.67 StoryFragmentReference ..... 321**

**19.68 TableCellStructure ..... 321**

**19.69 TableRowGroupStructure ..... 322**

**19.70 TableRowStructure ..... 322**

**19.71 TableStructure ..... 323**

**19.72 VisualBrush ..... 324**

**19.73 VisualBrush.Transform ..... 325**

**19.74 VisualBrush.Visual ..... 326**

**A. SCHEMAS – W3C XML ..... 327**

**A.1 Signature Definitions ..... 327**

**A.2 OpenXPS Document ..... 329**

**A.3 Resource Dictionary Key ..... 353**

**A.4 Document Structure ..... 355**

**A.5 Discard Control ..... 361**

<b>A.6</b>	<b>3D-Graphic Content</b> .....	<b>362</b>
<b>B.</b>	<b>SCHEMAS – RELAX NG</b> .....	<b>365</b>
<b>B.1</b>	<b>General Attribute Specification</b> .....	<b>365</b>
<b>B.2</b>	<b>Driver Schemas</b> .....	<b>365</b>
B.2.1	DiscardControl_Part .....	365
B.2.2	DocumentStructure_Part .....	365
B.2.3	FixedDocumentSequence_Part .....	366
B.2.4	FixedDocument_Part .....	366
B.2.5	FixedPage_Part .....	366
B.2.6	SignatureDefinitions_Part .....	366
B.2.7	StoryFragments_Part .....	367
<b>B.3</b>	<b>Signature Definitions</b> .....	<b>369</b>
<b>B.4</b>	<b>OpenXPS Document</b> .....	<b>371</b>
<b>B.5</b>	<b>Resource Dictionary Key</b> .....	<b>383</b>
<b>B.6</b>	<b>Document Structure</b> .....	<b>385</b>
<b>B.7</b>	<b>Discard Control</b> .....	<b>389</b>
<b>B.8</b>	<b>3D-Graphic Content</b> .....	<b>390</b>
<b>C.</b>	<b>ABBREVIATED GEOMETRY SYNTAX ALGORITHM</b> .....	<b>391</b>
<b>D.</b>	<b>STANDARD NAMESPACES AND CONTENT TYPES</b> .....	<b>397</b>
<b>D.1</b>	<b>XML Namespace URIs</b> .....	<b>397</b>
<b>D.2</b>	<b>Content Types</b> .....	<b>398</b>
<b>D.3</b>	<b>Relationship Types</b> .....	<b>399</b>
<b>E.</b>	<b>RECOMMENDED FILE NAME EXTENSION AND CONTENT TYPES</b> .....	<b>401</b>
<b>E.1</b>	<b>Identification of OpenXPS Documents</b> .....	<b>401</b>
<b>E.2</b>	<b>Embedding Producer Identification</b> .....	<b>401</b>
<b>E.3</b>	<b>Determination of OPC payload</b> .....	<b>401</b>
<b>F.</b>	<b>CONFORMANCE REQUIREMENTS</b> .....	<b>403</b>
<b>F.1</b>	<b>Implementation Conformance</b> .....	<b>403</b>
F.1.1	MUST Conformance Requirements .....	403
F.1.2	SHOULD Conformance Requirements .....	403
<b>F.2</b>	<b>OpenXPS Document Format</b> .....	<b>404</b>
F.2.1	MUST Conformance Requirements .....	404
F.2.2	SHOULD Conformance Requirements .....	404
<b>F.3</b>	<b>Parts and Relationships</b> .....	<b>404</b>
F.3.1	MUST Conformance Requirements .....	404
F.3.2	SHOULD Conformance Requirements .....	410
F.3.3	OPTIONAL Conformance Requirements.....	414
<b>F.4</b>	<b>Documents</b> .....	<b>417</b>
F.4.1	MUST Conformance Requirements .....	417
F.4.2	SHOULD Conformance Requirements .....	418
F.4.3	OPTIONAL Conformance Requirements.....	419
<b>F.5</b>	<b>Graphics</b> .....	<b>419</b>
F.5.1	MUST Conformance Requirements .....	419
F.5.2	SHOULD Conformance Requirements .....	420
F.5.3	OPTIONAL Conformance Requirements.....	420
<b>F.6</b>	<b>Text</b> .....	<b>420</b>
F.6.1	MUST Conformance Requirements .....	420

F.6.2 SHOULD Conformance Requirements .....422

F.6.3 OPTIONAL Conformance Requirements .....423

**F.7 Brushes..... 424**

F.7.1 MUST Conformance Requirements.....424

**F.8 Common Properties ..... 424**

F.8.1 MUST Conformance Requirements.....424

F.8.2 SHOULD Conformance Requirements .....425

F.8.3 OPTIONAL Conformance Requirements .....426

**F.9 Color..... 426**

F.9.1 MUST Conformance Requirements.....426

F.9.2 SHOULD Conformance Requirements .....430

F.9.3 OPTIONAL Conformance Requirements .....433

**F.10 Document Structure and Interactivity ..... 435**

F.10.1 MUST Conformance Requirements.....435

F.10.2 SHOULD Conformance Requirements .....436

F.10.3 OPTIONAL Conformance Requirements .....439

**F.11 OpenXPS Document Package Features..... 440**

F.11.1 MUST Conformance Requirements.....440

F.11.2 SHOULD Conformance Requirements .....442

F.11.3 OPTIONAL Conformance Requirements .....444

**F.12 Rendering Rules ..... 445**

F.12.1 MUST Conformance Requirements.....445

F.12.2 SHOULD Conformance Requirements .....446

F.12.3 OPTIONAL Conformance Requirements .....449

**F.13 Additional Conformance Requirements ..... 451**

F.13.1 MUST Conformance Requirements.....451

**F.14 3D Graphic Content ..... 452**

F.14.1 MUST Conformance Requirements.....452

F.14.2 SHOULD Conformance Requirements .....452

F.14.3 OPTIONAL Conformance Requirements .....453

**F.15 Recommended File Name Extension and Content Types ..... 453**

F.15.1 MUST Conformance Requirements.....453

F.15.2 SHOULD Conformance Requirements .....453

**G. 3D GRAPHIC CONTENT..... 455**

**G.1 Brush3D..... 459**

**H. BIBLIOGRAPHY ..... 463**

**I. INDEX..... 465**

## List of Figures

Figure 8–1. Package-based OpenXPS Document format .....	19
Figure 11–1. Fill using EvenOdd algorithm.....	70
Figure 11–2. Fill using NonZero algorithm .....	70
Figure 11–3. Arc choice A.....	74
Figure 11–4. Arc choice B.....	74
Figure 11–5. Arc choice C.....	74
Figure 11–6. Arc choice D .....	74
Figure 12–1. Glyph metrics .....	93
Figure 12–2. Upright (usually horizontal) glyph metrics.....	93
Figure 12–3. Sideways (usually vertical) glyph metrics .....	94
Figure 17–1. A sample signature spot .....	240
Figure 18–1. Extreme curvatures and dash rendering .....	262
Figure 18–2. Flat dash caps.....	263
Figure 18–3. Square dash caps .....	264
Figure 18–4. Round dash caps .....	264
Figure 18–5. Triangular dash caps.....	265
Figure 18–6. Overlapping dash segments .....	265
Figure 18–7. Flat start line cap, flat end line cap .....	266
Figure 18–8. Square start line cap, square end line cap .....	266
Figure 18–9. Triangular start line cap, triangular end line cap .....	266
Figure 18–10. Round start line cap, round end line cap .....	266
Figure 18–11. Stroke start or end point within a dash for flat dash caps.....	266
Figure 18–12. Stroke start or end point within a dash for non-flat dash caps .....	266
Figure 18–13. Stroke start or end point within a gap for flat dash caps .....	267
Figure 18–14. Stroke start or end point within a gap for not-flat dash caps .....	267
Figure 18–15. Round line join with right angle .....	267
Figure 18–16. Round line join with acute angle .....	268
Figure 18–17. Round line join with obtuse angle .....	268
Figure 18–18. Beveled line join with right angle .....	268
Figure 18–19. Beveled line join with acute angle .....	269
Figure 18–20. Beveled line join with obtuse angle .....	269
Figure 18–21. Mitered line join with right angle and miter limit of 1.0 .....	270
Figure 18–22. Mitered line join with acute angle and miter limit of 1.0 .....	270
Figure 18–23. Mitered line join with obtuse angle and miter limit of 1.0 .....	270
Figure 18–24. Mitered line join with right angle and miter limit of 2.0 .....	271
Figure 18–25. Mitered line join with acute angle and miter limit of 2.0 .....	271
Figure 18–26. Mitered line join with acute angle and miter limit of 10.0 .....	271



## List of Tables

Table 9–1. OpenXPS Document parts.....	21
Table 9–2. Fixed payload relationships.....	24
Table 9–3. Supported JPEG APPn markers.....	27
Table 9–4. Support for ancillary PNG chunks.....	27
Table 9–5. Supported TIFF tags.....	28
Table 9–6. Supported JPEG XR features.....	32
Table 9–7. Guidelines for Open Font Format embedding.....	34
Table 9–8. Cmap table selection.....	36
Table 11–1. Arc segment definition.....	72
Table 11–2. Commands.....	81
Table 12–3. Glyph specifications.....	98
Table 12–4. Portions of the cluster specification.....	99
Table 12–5. IsSideways and BidiLevel effects on origin placement.....	102
Table 13–1. Brush types.....	113
Table 13–2. Common attributes for <ImageBrush> and <VisualBrush> elements.....	121
Table 14–1. Common property attributes.....	155
Table 14–2. Common property elements.....	156
Table 15–1. Syntax summary.....	190
Table 15–2. JPEG XR Format Mnemonics and ICC Profile Color Space Correspondence.....	197
Table 15–3. Color Space Pixel Format Defaults.....	199
Table 15–4. Recommended ICC rendering intent usage.....	201
Table 16–1. StoryFragments part elements.....	209
Table 16–2. Unicode character categories.....	223
Table 18–1. Recommended minimum processing requirements.....	246
Table 18–2. Opacity computation symbols.....	254
Table D–1. Package-wide namespaces.....	397
Table D–2. OpenXPS Document namespaces.....	397
Table D–3. Package-wide content types.....	398
Table D–4. OpenXPS Document content types.....	398
Table D–5. Package-wide relationship types.....	399
Table D–6. OpenXPS Document relationship types.....	399
Table F–1. Implementation MUST conformance requirements.....	403
Table F–2. Implementation SHOULD conformance requirements.....	403
Table F–3. OpenXPS Document format MUST conformance requirements.....	404
Table F–4. OpenXPS Document format SHOULD conformance requirements.....	404
Table F–5. Parts and Relationships MUST conformance requirements.....	404
Table F–6. Parts and Relationships SHOULD conformance requirements.....	410
Table F–7. Parts and Relationships OPTIONAL conformance requirements.....	414
Table F–8. Document MUST conformance requirements.....	417
Table F–9. Document SHOULD conformance requirements.....	418
Table F–10. Document OPTIONAL conformance requirements.....	419
Table F–11. Graphics MUST conformance requirements.....	419
Table F–12. Graphics SHOULD conformance requirements.....	420
Table F–13. Graphics OPTIONAL conformance requirements.....	420
Table F–14. Text MUST conformance requirements.....	420
Table F–15. Text SHOULD conformance requirements.....	422
Table F–16. Text OPTIONAL conformance requirements.....	423
Table F–17. Brushes MUST conformance requirements.....	424
Table F–18. Common properties MUST conformance requirements.....	424
Table F–19. Common properties SHOULD conformance requirements.....	425
Table F–20. Common properties OPTIONAL conformance requirements.....	426

Table F-21. Color MUST conformance requirements .....	426
Table F-22. Color SHOULD conformance requirements .....	430
Table F-23. Color OPTIONAL conformance requirements .....	433
Table F-24. Document structure MUST conformance requirements .....	435
Table F-25. Document structure SHOULD conformance requirements .....	436
Table F-26. Document structure OPTIONAL conformance requirements .....	439
Table F-27. OpenXPS Document package feature MUST conformance requirements .....	440
Table F-28. OpenXPS Document package feature SHOULD conformance requirements .....	442
Table F-29. OpenXPS Document package feature OPTIONAL conformance requirements .....	444
Table F-30. Rendering rules MUST conformance requirements .....	445
Table F-31. Rendering rules SHOULD conformance requirements .....	446
Table F-32. Rendering rules OPTIONAL conformance requirements .....	449
Table F-33. Additional MUST conformance requirements .....	451
Table F-34. 3D Graphic Content MUST conformance requirements .....	452
Table F-35. 3D Graphic Content SHOULD conformance requirements .....	452
Table F-36. 3D Graphic Content OPTIONAL conformance requirements .....	453
Table F-37. Recommended File Name Extension and Content Types MUST conformance requirements .....	453
Table F-38. Recommended File Name Extension and Content Types SHOULD conformance requirements .....	453

## List of Examples

Example 9–1. A typical OpenXPS Document .....	23
Example 9–2. OpenXPS Document part naming .....	41
Example 9–3. Property attribute syntax .....	44
Example 9–4. Property element syntax .....	45
Example 10–1. <FixedDocumentSequence> usage.....	47
Example 10–2. <FixedDocument> usage .....	48
Example 10–3. <PageContent> usage .....	49
Example 10–4. <PageContent.LinkTargets> usage.....	50
Example 10–5. Fixed page markup.....	52
Example 10–6. Canvas composition.....	56
Example 11–1. <Path.Data> usage .....	64
Example 11–2. <Path.Fill> usage.....	66
Example 11–3. <Path.Stroke> usage .....	67
Example 11–4. <PathGeometry> usage.....	69
Example 11–5. <ArcSegment> usage.....	74
Example 11–6. <PolyBezierSegment> usage .....	76
Example 11–7. <PolyLineSegment> usage.....	77
Example 11–8. <PolyQuadraticBezierSegment> usage .....	79
Example 11–9. Closed <PathFigure> usage.....	79
Example 11–10. A path described using abbreviated syntax .....	83
Example 11–11. Smooth Bézier curve.....	84
Example 11–12. Relative commands and curves .....	85
Example 12–1. One-to-one cluster map .....	95
Example 12–2. Many-to-one cluster map .....	95
Example 12–3. One-to-many cluster map .....	95
Example 12–4. Many-to-many cluster map.....	96
Example 12–5. Using indices to specify advance width.....	99
Example 12–6. Using the Indices attribute to specify glyph replacement for a cluster .....	99
Example 12–7. Text with positive uOffset and vOffset Indices values.....	103
Example 12–8. Right-to-left text (odd BidiLevel) .....	103
Example 12–9. Sideways text (IsSideways set to true) .....	104
Example 12–10. Vertical text.....	104
Example 12–11. Japanese vertical text .....	105
Example 12–12. Using the CaretStops attribute to determine a valid caret stop position .....	107
Example 12–13. Basic italic font.....	108
Example 12–14. Italic font using StyleSimulations attribute.....	108
Example 12–15. Kerning .....	109
Example 12–16. Ligatures .....	109
Example 12–17. Cluster maps .....	110
Example 13–1. <SolidColorBrush> usage.....	114
Example 13–2. <ImageBrush> usage.....	116
Example 13–3. <VisualBrush.Visual> usage .....	120
Example 13–4. ViewboxUnits and ViewportUnits attribute usage .....	122
Example 13–5. Tiling brush base image and rendering.....	123
Example 13–6. Tiling brush Viewport adjustments.....	123
Example 13–7. Tiling brush viewbox adjustments.....	124
Example 13–8. Image brush with a Viewbox larger than the image .....	125
Example 13–9. Image brush with TileMode value of None .....	126
Example 13–10. Visual brush with TileMode value of None .....	128
Example 13–11. Image brush with a TileMode value of Tile .....	129
Example 13–12. Visual brush with a TileMode value of Tile.....	130

Example 13–13. Image brush with a TileMode value of FlipX .....	131
Example 13–14. Visual brush with a TileMode value of FlipX .....	132
Example 13–15. Image brush with a TileMode value of FlipY.....	133
Example 13–16. Visual Brush with a TileMode value of FlipY .....	134
Example 13–17. Image brush with a TileMode value of FlipXY.....	135
Example 13–18. Visual brush with a TileMode value of FlipXY .....	136
Example 13–19. <LinearGradientBrush> usage .....	138
Example 13–20. Linear gradient brush with a SpreadMethod value of Pad .....	139
Example 13–21. Linear gradient brush with a SpreadMethod value of Reflect.....	140
Example 13–22. Linear gradient brush with a SpreadMethod value of Repeat .....	141
Example 13–23. A radial gradient brush.....	145
Example 13–24. RadialGradientBrush usage .....	145
Example 13–25. Radial gradient brush with a SpreadMethod value of Pad .....	146
Example 13–26. Radial gradient brush with a SpreadMethod value of Reflect.....	147
Example 13–27. Radial gradient brush with a SpreadMethod value of Repeat .....	148
Example 13–28. Opacity mask with linear gradient.....	150
Example 13–29. Opacity mask with radial gradient.....	151
Example 14–1. <FixedPage.Resources> usage .....	157
Example 14–2. <Canvas.Resources> usage .....	158
Example 14–3. Resource dictionary markup .....	160
Example 14–4. A remote resource dictionary and reference.....	161
Example 14–5. Using a resource reference to fill a brush.....	162
Example 14–6. Using scoping rules .....	163
Example 14–7. Canvas clip markup and rendering.....	164
Example 14–8. <Path.Clip> usage .....	166
Example 14–9. <Glyphs.Clip> usage .....	167
Example 14–10. Matrix scaling.....	169
Example 14–11. Matrix reversing the x axis .....	169
Example 14–12. Matrix reversing the y axis .....	169
Example 14–13. Matrix skewing.....	169
Example 14–14. Matrix Rotating .....	169
Example 14–15. Matrix positioning .....	169
Example 14–16. <MatrixTransform> usage .....	170
Example 14–17. Using abbreviated matrix transformation syntax.....	171
Example 14–18. <Canvas.RenderTransform> usage.....	171
Example 14–19. <Path.RenderTransform> usage.....	172
Example 14–20. <Glyphs.RenderTransform> usage .....	173
Example 14–21. <PathGeometry.Transform> usage.....	174
Example 14–22. <ImageBrush.Transform> usage.....	175
Example 14–23. <VisualBrush.Transform> usage .....	176
Example 14–24. <VisualBrush.Transform> usage with tiling behavior.....	178
Example 14–25. <LinearGradientBrush.Transform> usage .....	179
Example 14–26. <RadialGradientBrush.Transform> usage .....	181
Example 14–27. <Canvas.OpacityMask> usage .....	182
Example 14–28. <Path.OpacityMask> usage .....	184
Example 14–29. <Glyphs.OpacityMask> usage .....	185
Example 16–1. Document structure markup .....	204
Example 16–2. Document outline markup .....	206
Example 16–3. Simple multi-story document.....	209
Example 16–4. Story flowing back and forth across a page boundary .....	209
Example 16–5. Content structure spanning pages .....	210
Example 16–6. StoryFragments part markup.....	215
Example 16–7. Story fragments markup using a fragment name.....	216

Example 16–8. A relative, internal, named-address hyperlink .....	222
Example 16–9. A relative internal page address hyperlink .....	222
Example 17–1. Optimized interleaving for a single-threaded parsing architecture .....	228
Example 17–2. Optimized interleaving for a multi-threaded parsing architecture .....	230
Example 17–3. A DiscardControl part.....	232
Example 17–4. A SignatureDefinitions part.....	237
Example 18–1. Path opacity behavior for overlapping path figures .....	259
Example 18–2. Opacity behavior of path stroke intersections.....	259
Example 18–3. Opacity behavior of paths with stroked edges .....	260
Example G–1. 3D graphics content in FixedPage.fpage .....	456
Example G–2. 3D graphics content in FixedPage.fpage .....	457



## 1. Scope

This Standard defines *OpenXPS*, the Open XML Paper Specification. OpenXPS describes a set of conventions for the use of XML and other widely available technologies to describe the content and appearance of paginated documents. It is written for developers who are building systems that process OpenXPS content.

A primary goal is to ensure the interoperability of independently created software and hardware systems that produce or consume OpenXPS content. This Standard defines the requirements that systems processing OpenXPS Documents must satisfy in order to achieve interoperability.

This Standard describes a paginated-document format called the *OpenXPS Document*. The format requirements are an extension of the packaging requirements described in the Open Packaging Conventions (OPC) Standard. That Standard describes packaging and physical format conventions for the use of XML, Unicode, ZIP, and other technologies and specifications, to organize the content and resources that make up any document. They are an integral part of the OpenXPS Standard, and are included by reference.

Many XML-based building blocks within OpenXPS make use of the conventions described in the Markup Compatibility and Extensibility Standard that is relied upon by the OPC Standard to facilitate future enhancement and extension of OpenXPS markup. As such, that Markup Compatibility and Extensibility Standard is included by reference.



## 2. Conformance

---

### 2.1 Requirements Terminology

In this Standard, the words that are used to define the significance of each requirement are written in uppercase. These words are used in accordance with their definitions in RFC 2119, and their respective meanings are reproduced below:

- **MUST:** This word, or the adjective "REQUIRED", means that the item is an absolute requirement of the Standard.
- **SHOULD:** This word, or the adjective "RECOMMENDED", means that there might exist valid reasons in particular circumstances to ignore this item, but the full implications should be understood and the case carefully weighed before making an implementation decision.
- **MAY:** This word, or the adjective "OPTIONAL", means that this item is truly optional.

The words **MUST NOT**, **SHOULD NOT**, and **NOT RECOMMENDED**, are the negative forms of **MUST**, **SHOULD**, and **RECOMMENDED**, respectively. There is no negative form of **MAY**.

Requirements are documented inline in this Standard, and each requirement is denoted by a letter (M – **MUST**; S – **SHOULD**; O – **OPTIONAL**) and a unique rule number of the form m.n, where m and n are positive integers, all enclosed in brackets ([...]).

[*Example:* [M1.2] is a **MUST** requirement, [S2.4] is a **SHOULD** requirement, and [O3.9] is a **MAY** requirement. *end example*]

For convenient reference, these rules are collected in §Annex F.

---

### 2.2 Implementation Conformance

This Standard includes the implementation requirements that systems processing OpenXPS content must satisfy in order to achieve conforming interoperability. An implementation is a consumer, or a producer, or both a consumer and a producer.

In order for a consumer to be considered conformant, the following rules apply:

- It **MUST** interpret and process the contents of OpenXPS Document instances in a manner conforming to this Standard [M0.1]. A consumer is **NOT REQUIRED** to interpret or process all of the content in an OpenXPS Document instance [M0.2].
- It **SHOULD** instantiate an error condition when OpenXPS Document content not conforming to this Standard is encountered [S0.1].
- It **MUST NOT** instantiate an error condition in response to OpenXPS Document content conforming to this Standard [M0.3].
- When "OPTIONAL" or "RECOMMENDED" features contained within OpenXPS Document instances are accessed by a consumer, the consumer **MUST** interpret and process those features in a manner conforming to this Standard [M0.4].

In order for a producer to be considered conformant, the following rules apply:

- Any OpenXPS Document instances it creates MUST conform to this Standard [M0.5].
- It MUST NOT introduce any non-conforming OpenXPS Document content when modifying an OpenXPS Document instance [M0.6].
- When a producer chooses to use an "OPTIONAL" or "RECOMMENDED" feature in an OpenXPS Document instance, then the producer MUST create or modify that feature in a manner conforming to this Standard [M0.7].

---

### 2.3 Instantiating Error Conditions

OpenXPS Documents are intended to address the requirements of a wide range of scenarios. The methods and effects of instantiated error conditions in response to conformance rule violations are implementation-defined.

[*Note*: Implementers are encouraged to instantiate error conditions to indicate non-conformant OpenXPS Documents where users can be expected to be able to act on the error information. Implementers are strongly encouraged to fail gracefully when processing non-compliant OpenXPS Documents to ensure that non-compliant OpenXPS Document instances, and non-compliant OpenXPS producers, do not proliferate. *end note*]

### 3. Normative References

The following normative documents contain provisions, which, through reference in this text, constitute provisions of this Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this Standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

*BNF of Generic URI Syntax*. World Wide Web Consortium.  
[http://www.w3.org/Addressing/URL/5\\_URI\\_BNF.html](http://www.w3.org/Addressing/URL/5_URI_BNF.html)

ECMA-376, 1<sup>st</sup> edition, *Office Open XML File Formats* (December 2006), Part 2, "Open Packaging Conventions", which is commonly referred to as OPC.

ECMA-376, 1<sup>st</sup> edition, *Office Open XML File Formats* (December 2006), Part 5, "Markup Compatibility and Extensibility".

*Extensible Markup Language (XML) 1.0 (Fourth Edition)*. Bray, Tim, Eve Maler, Jean Paoli, C. M. Sperberg-McQueen, and François Yergeau (editors). World Wide Web Consortium. 2006.  
<http://www.w3.org/TR/2006/REC-xml-20060816/>

*HTML 4.01 Specification*. Jacobs, Ian, Arnaud Le Hors, and Dave Raggett (editors). World Wide Web Consortium. 1999. <http://www.w3.org/TR/1999/REC-html401-19991224/>

ICC.1:2001-04 *File Format for Color Profiles*. International Color Consortium. 2001.  
[http://www.color.org/ICC\\_Minor\\_Revision\\_for\\_Web.pdf](http://www.color.org/ICC_Minor_Revision_for_Web.pdf)

IEC 61966:1999, *Multimedia systems and equipment - Colour measurement and management - Part 2-1: Colour management - Default RGB colour space - sRGB*

IEC 61966:2003, *Multimedia systems and equipment - Colour measurement and management - Part 2-2: Colour management - Extended RGB colour space - scRGB*

ISO 15076-1:2005, *Image technology colour management — Architecture, profile format, and data structure — Part 1: Based on ICC.1:2004-10*

ISO/IEC 2382-1:1993, *Information technology — Vocabulary — Part 1: Fundamental terms*.

ISO/IEC 10646:2003 (all parts), *Information technology — Universal Multiple-Octet Coded Character Set (UCS)*.

ISO/IEC 14496-22:2007 *Information technology — Coding of audio-visual objects — Part 22: Open Font Format*

ISO/IEC 19775-1:2008 *Information technology — Computer graphics and image processing — Extensible 3D (X3D) — Part 1: Architecture and base components*.

ISO/IEC 19776-1:2005 *Information technology — Computer graphics and image processing — Extensible 3D (X3D) encodings — Part 1: XML encoding*.

ISO/IEC 19776-2:2008 *Information technology — Computer graphics and image processing — Extensible 3D (X3D) encodings — Part 2: Classic VRML encoding.*

ISO/IEC 19776-3:2007 *Information technology — Computer graphics, image processing and environmental representation — Extensible (X3D) encodings — Part 3: Compressed binary encoding.*

ITU-T T.81, ISO/IEC 10918-1 ITU-T (former CCITT) Recommendation *Information technology - Digital compression and coding of continuous-tone still images – Requirements and Guidelines*

ITU-T T.832 *Information technology – JPEG XR Image Coding Specification – Part 2: Image coding specification*

JEITA CP-3451, *Exchangeable image file format for digital still cameras; Exif Version 2.2*, April, 2002. <http://www.jeita.or.jp>

*Namespaces in XML 1.0 (Second Edition)*. Bray, Tim, Dave Hollander, Andrew Layman, and Richard Tobin (editors). World Wide Web Consortium. 2006. <http://www.w3.org/TR/2006/REC-xml-names-20060816/>

*Portable Network Graphics (PNG) Specification*. Duce, David (editor). Second Edition. World Wide Web Consortium. 2003. <http://www.w3.org/TR/2003/REC-PNG-20031110>

RFC 2045, *Multipurpose Internet Mail Extensions (MIME) Part One: Format of Internet Message Bodies*. Borenstein, N., and N. Freed. The Internet Society. 1996. <http://www.ietf.org/rfc/rfc2045.txt>.

RFC 2119 — *Key words for use in RFCs to Indicate Requirement Levels*. Bradner, S. The Internet Society. 1997. <http://www.ietf.org/rfc/rfc2119.txt>

RFC 3066 — *Tags for the Identification of Languages*. Alvestrand, H. The Internet Society. 2001. <http://www.ietf.org/rfc/rfc3066.txt>

RFC 4234 — *Augmented BNF for Syntax Specifications: ABNF*. Crocker, D. (editor). The Internet Society. 2005. <http://www.ietf.org/rfc/rfc4234.txt>

*TIFF, Revision 6.0*. Adobe Systems Incorporated. 1992. <http://partners.adobe.com/public/developer/en/tiff/TIFF6.pdf>

*Unicode Character Database, Revision 4.0.0*. Davis, Mark and Ken Whistler. The Unicode Consortium. 2003. <http://www.unicode.org/Public/4.0-Update/UCD-4.0.0.html>

*The Unicode Standard, Version 4.0*. The Unicode Consortium. Boston, MA: Addison-Wesley, 2003, ISBN 0-321-18578-1.

*XML Base*. Marsh, Jonathan. World Wide Web Consortium. 2001. <http://www.w3.org/TR/2001/REC-xmlbase-20010627/>

*XML Schema Part 1: Structures, Second Edition*. Beech, David, Murray Maloney, Noah Mendelsohn, and Henry S. Thompson (editors). World Wide Web Consortium. 2004. <http://www.w3.org/TR/2004/REC-xmlschema-1-20041028/>

*XML Schema Part 2: Datatypes, Second Edition*. Biron, Paul V. and Ashok Malhotra (editors). World Wide Web Consortium. 2004. <http://www.w3.org/TR/2004/REC-xmlschema-2-20041028/>

## 4. Definitions

For the purposes of this Standard, the following definitions apply. Terms explicitly defined in this Standard are not to be presumed to refer implicitly to similar terms defined elsewhere.

**alpha blending** — Blending two elements when rendering.

**consumer** — A piece of software or a device that interprets and processes OpenXPS packages.

**content structure** — The set of markup elements that allow expression of well-understood semantic blocks, such as paragraphs, tables, lists, and figures.

**content type** — Describes the type of content stored in a part. Content types define a media type, a subtype, and an optional set of parameters, as defined in RFC 2045.

**coordinate space, effective** — The default coordinate space (X,Y in the upper-left corner, units of 1/96") as modified by any RenderTransform or Transform attributes of the current element and any ancestor elements.

**contour intersection point** — The intersection of the flat line ending a dash and the contour of the shape.

**device** — A piece of hardware, such as a printer or scanner, that performs a single function or a set of functions.

**digital signature, broken** — A digital signature that conforms to the OpenXPS Document signing rules but does not meet the digital signature validity.

**digital signature, compliant** — A digital signature that conforms to the signing rules described in the OpenXPS Document signing policy, regardless of signature validity.

**digital signature, non-compliant** — A digital signature that does not conform to the OpenXPS Document signing rules.

**digital signature, questionable** — A compliant digital signature for which a problem arises during validation of that signature. (Digital signatures may be represented as questionable when the implementation cannot contact the certificate authority to validate its authenticity, or when the markup contains markup compatibility elements and attributes that can change the representation of the signed content.)

**digital signature, valid** — A compliant digital signature that is not a broken digital signature or questionable digital signature.

**document content** — A document structural concept that identifies each block of individually readable content in an OpenXPS Document.

**document outline** — A document structural concept that contains a structured index of the content in an OpenXPS Document, much like a table of contents.

**driver** — A producer that has specific knowledge of the consumer of the OpenXPS Document.

**fixed payload** — A payload that is rooted with a FixedDocumentSequence part.

**fixed payload root** — The root of a fixed payload is the FixedDocumentSequence part.

**FixedDocument part** — A common, easily indexed root for all pages within an OpenXPS Document.

**FixedDocumentSequence part** — The part that assembles a set of FixedDocument parts within the fixed payload.

**FixedPage part** — The part that contains all of the visual elements to be rendered on a page.

**implementation-defined behavior** — Behavior specified by each implementation and not by this Standard.

**named color** — An industry-defined color specification that identifies a particular color in a well-defined color system, usually for purposes of printing.

**named element** — An element in the document structure markup that refers to an element in the fixed-page markup with a specified name.

**OpenXPS Document** — A package that contains a discoverable fixed payload and is a format for storing paginated documents defined by the OpenXPS Standard.

**OpenXPS Document StartPart relationship** — The specific relationship type that identifies the root of a fixed payload within an OpenXPS Document.

**package** — A logical entity that holds a collection of parts.

**package model** — Defines a package abstraction that holds a collection of parts.

**package relationship** — A relationship whose target is a part and whose source is the package as a whole. Package relationships are found in the package relationships part named “/\_rels/.rels”.

**part** — A stream with a MIME content type and associated common properties. Typically corresponds to a file (as on a file system) or a resource (as in an HTTP URI).

**part name** — A part name is used to refer to a part in the context of a package, typically as part of a URI. By definition, the part name is the path component of a pack URI.

**payload** — A complete collection of interdependent parts and relationships within a package.

**physical model** — Defines the mapping between the components of the package model to the features of a particular physical format based on the ZIP specification.

**piece** — A portion of a part. Pieces of different parts can be interleaved together. The individual pieces are named using a unique mapping from the part name. Pieces are not addressable in the package model.

**primary fixed payload root** — The fixed payload root that is referenced by the OpenXPS package StartPart relationship.

**PrintTicket part** — A PrintTicket part provides the settings used when a package is printed. PrintTicket parts can be attached to the entire package and/or at lower levels in the structure, such as individual pages.

**producer** — A piece of software or a device that creates or modifies OpenXPS packages.

**property** — A characteristic of a markup element.

**property attribute** — An OpenXPS Document property value, commonly expressed or referenced using XML attribute syntax.

**property element** — An OpenXPS Document property value, commonly expressed or referenced using XML child element syntax.

**property value** — The value of a property, expressed as an XML attribute, an XML child element, or an entry in the resource dictionary.

**relationships** — A relationship represents a connection between a source part and a target part in a package. Relationships make the connections between parts directly discoverable without looking at the content in the parts, and without altering the parts themselves. See also, **package relationship**.

**relationships part** — A part containing an XML representation of relationships.

**required part** — A part, such as an image or font, that is referenced from other parts, and is required for valid processing of the referencing part.

**resource definition** — A shareable property value, with a name, defined within a resource dictionary. Any property value definable by fixed page markup can be held in a resource dictionary. Each resource definition has a key that is unique within the scope of the resource dictionary.

**resource dictionary** — A resource dictionary holds resources. Each resource in a resource dictionary carries a name. The resource's name can be used to reference the resource from a property's XML attribute.

**resource dictionary, remote** — A part containing a resource dictionary.

**resource reference** — An attribute whose value refers to an entry in a resource dictionary. Resource references appear in the format "{StaticResource RscName}" where RscName corresponds to a matching entry in the resource dictionary with an x:Key attribute value.

**signature definition** — The means by which OpenXPS Document authors provide co-signature requirements and workflow-specific signature information.

**signature spot** — A visual element that indicates that a digital signature has been applied or requested.

**signing rules** — The set of rules that define whether a particular digital signature is compliant with the OpenXPS Document signature policy.

**story** — A block of individually readable content in an OpenXPS Document.

**story fragment** — A portion of a story that appears within the scope of a single fixed page.

**stream** — A linearly ordered sequence of bytes.

**thumbnail** — An image that helps end-users identify parts of a package or a package as a whole.

**X3D** — A 3D graphic content stream conforming to ISO standards 19775-1r1:200x, 19776-1:2005, 19776-2:2005, and 19776-3:2007.



## 5. Notational Conventions

### 5.1 Document Conventions

Except where otherwise noted, syntax descriptions are expressed in the ABNF format as defined in RFC 4234.




Definition terms are formatted like *this*.

Syntax descriptions and code are formatted in `monospace` type.

Replaceable items are formatted in *monospace cursive* type.

### 5.2 Diagrams

In some cases, markup semantics are described using diagrams. The diagrams place the parent element on the left, with attributes and child elements to the right. The symbols are described below.

Symbol	Description
	Required element. This box represents an element that <b>MUST</b> appear exactly once in markup when the parent element is included. The "+" and "-" symbols on the right of these boxes have no semantic meaning.
	Optional element. This box represents an element that can appear zero or one times in markup when the parent element is included.
	Range indicator. These numbers indicate that the designated element or choice of elements can appear in markup any number of times within the range specified.
	Attribute group. This box indicates that the enclosed boxes are each attributes of the parent element. Solid-border boxes are required attributes; dashed-border boxes are optional attributes.
	Sequence symbol. The element boxes connected to this symbol can appear in markup in the illustrated sequence only, from top to bottom.
	Choice symbol. Only one of the element boxes connected to this symbol can appear in markup.
	Type indicator. The elements within the dashed box are of the complex type indicated.

Most diagrams are followed by a table having the following column headings for the rows, each of which applies to a given attribute:

- Name, which indicates the name of the attribute.
- Type, which indicates the type of the attribute.
- Use, which indicates whether or not the attribute is required (contains "required" if so; otherwise, is left blank)
- Default, which indicates the value of the attribute if that attribute is not present.
- Fixed, which indicates there is only one valid value, which is given.
- Annotation, which gives an overview of the purpose of the attribute.

## **6. Acronyms and Abbreviations**

The following acronyms and abbreviations are used throughout this Standard:

IEC — the International Electrotechnical Commission

ISO — the International Organization for Standardization

W3C — World Wide Web Consortium



## 7. General Description

This Standard is intended for use by implementers, academics, and application programmers. As such, it contains explanatory material that, strictly speaking, is not necessary in a formal specification.

This Standard is divided into the following subdivisions:

1. Front matter (clauses 1–7).
2. OpenXPS Documents (clauses 8–18), which presents the details of the primarily XML-based OpenXPS Document format. These clauses describe the XML markup that defines the composition of documents and the appearance of each page. They also include rendering rules that enable devices and applications to display and print OpenXPS Documents with full fidelity in a wide range of environments and scenarios.
3. OpenXPS Document Markup Reference (clause 19), which presents a consolidated reference of OpenXPS Document markup elements and their attributes.
4. Annexes (A–G), which contain additional technical details and schemas, as well as convenient reference information.

Examples are provided to illustrate possible forms of the constructions described. References are used to refer to related clauses. Notes are provided to give advice or guidance to implementers or programmers. Annexes provide additional information or summarize the information contained elsewhere in this Standard.

Clauses 1–5 and 7–19, and annexes A, C–E and G, form a normative part of this Standard; and the clause 6, annexes B and F, examples, notes, and the index, are informative.

Except for whole clauses or annexes that are identified as being informative, informative text that is contained within normative text is indicated in the following ways:

1. Examples within narrative are indicated as follows: [*Example: ... end example*]
2. Examples of XML are indicated as follows: *Example m.n: caption ... end example*]
3. [*Note: ... end note*]



## 8. OpenXPS Document Format

This Standard describes how the OpenXPS Document format is organized internally and rendered externally. It is built upon the principles described in the OPC Standard. OpenXPS Documents MUST observe all conformance requirements [M1.1] and SHOULD observe all recommendations [S1.1] of that Standard, except where indicated otherwise. The information presented here is intended both for producers and consumers.

The OpenXPS Document format represents a set of related pages with a fixed layout, which are organized as one or more *documents*, in the traditional meaning of the word. A file that implements this format includes everything necessary to render fully those documents on a display device or physical medium (such as paper). This includes all resources such as fonts and images that might be required to render individual page markings.

In addition, the format includes optional components that build on the minimal set of components required to render a set of pages. This includes the ability to specify print job control instructions, to organize the minimal page markings into larger semantic blocks such as paragraphs, and to rearrange physically the contents of the format for easy consumption in a streaming manner, among others.

Finally, the OpenXPS Document format implements the common package features specified by the OPC Standard that support digital signatures and core properties. Implementers should note that the OpenXPS Document format does not define support for encryption, or other forms of content protection, other than that required for Embedded Font Obfuscation.

---

### 8.1 How This Standard Is Organized

**This subclause is informative**

Clause	Description
Parts and Relationships (§9)	This clause describes how OpenXPS Documents use the packaging model (as described in the OPC Standard) to organize data. All part and relationship types are described in detail, including how they are used and what they can contain.  This clause also describes the OpenXPS Document markup model, in particular, its parts, and how the XML markup relates to the packaging conventions and recommendations it builds on.
Documents (§10)	The fundamental building blocks of the OpenXPS Document format are described here. This clause describes how pages are composed into larger documents and how documents are composed into document sequences. These components are represented in markup.
Graphics (§11)	This is the first of several clauses that describe page markings, in particular, vector graphics. The concepts of paths, geometries, and figures are introduced. Vector graphics are represented in page-layout XML markup.

<b>Clause</b>	<b>Description</b>
Text (§12)	This clause describes how to include text markings in page-layout markup. It describes how to reference a font and extract information from a font to render the page.
Brushes (§13)	Both vector graphics and text are rendered by applying any of the brushes described in this clause. This includes brushes that are created from solid colors, gradients, images, or other page-layout markup.
Common Properties (§14)	Several page-layout markup elements share a common set of properties. This clause describes these common properties.
Color (§15)	OpenXPS Documents support a wide range of color options and color spaces, both for vector and raster images. This clause describes the combinations of image formats and color markup that can be used. A number of color-related topics are discussed, including color separation, color profiles, and color blending.
Document Structure and Interactivity (§16)	This clause describes the components of the OpenXPS Document format that support assigning larger semantic meaning to individual page markings. [ <i>Example: Such markings might be tables or paragraphs. end example</i> ] It also provides a mechanism to describe an outline of the document.  Additionally, this clause provides guidance on how consumers that enable interactive features such as hyperlinks, selection, and accessibility tools should use the format. It also describes how producers should emit content to enable interactive features.
OpenXPS Document Package Features (§17)	This clause describes how package features (as described in the OPC Standard) are used and extended in the OpenXPS Document format. This includes interleaving, digital signatures, and core properties.
Rendering Rules (§18)	This clause provides precise instructions for rendering OpenXPS Document contents to ensure a consistent result among various implementations.
Elements (§19)	The full list of elements described throughout the preceding clauses is assembled in this clause, in alphabetical order, for easy reference.
Signature Definitions Schema (§A.1)	This annex includes the W3C XSD schema for the Signature Definitions part.
OpenXPS Document Schema (§A.2)	This annex includes the W3C XSD schema for the FixedDocument, FixedDocumentSequence, and FixedPage parts.
Resource Dictionary Key Schema (§A.3)	This annex provides the W3C XSD schema for the resource dictionary Key attribute, used by several elements in the OpenXPS Document schema.
Document Structure Schema (§A.4)	This annex provides the W3C XSD schema for the DocumentStructure and StoryFragments parts.
Discard Control Schema (§A.5)	This annex includes the W3C XSD schema for the DiscardControl part for interleaving.
3D-Graphic Content Schema (§A.6)	This annex includes the optional W3C XSD schema for 3D-Graphics support.

Clause	Description
Abbreviated Geometry Syntax Algorithm (§C)	This annex provides a sample algorithm for interpreting the abbreviated geometry syntax provided to succinctly describe geometric regions in a single attribute.
Standard Namespaces and Content Types (§D)	This annex defines all of the XML namespace names, content types, and relationship types used by all OpenXPS Document parts and relationships.
Recommended File Name Extension and Content Types (§E)	This annex provides details for implementations and external systems that need to identify OpenXPS Documents.
Conformance Requirements (§F)	This annex assembles all the conformance requirements specified throughout the previous clauses and annexes into a comprehensive list for reference purposes.
3D Graphic Content (§G)	This annex describes how three-dimensional graphics can be included within an OpenXPS package.


**End of informative text**

## 8.2 Package

The OpenXPS Document format MUST use a ZIP archive for its *physical model* [M1.2]. The OPC Standard describes a packaging model; that is, how the package is represented internally with parts and relationships.

The OpenXPS Document format includes a well-defined set of parts and relationships, each fulfilling a particular purpose in the document. The format also extends the package features, including digital signatures, thumbnails, and interleaving.

Figure 8-1. Package-based OpenXPS Document format





## 9. Parts and Relationships

The packaging conventions described in the OPC Standard can be used to carry any payload. A *payload* is a complete collection of interdependent parts and relationships within a package. This Standard defines a particular payload that contains a static or fixed-layout representation of paginated content: the fixed payload.

A package that holds at least one fixed payload and follows the rules described in this Standard is referred to as an *OpenXPS Document*. Producers and consumers of OpenXPS Documents can implement their own parsers and rendering engines based on this Standard.

OpenXPS Documents address the requirements that information workers have for distributing, archiving, rendering, and processing documents. Using known rendering rules, OpenXPS Documents can be unambiguously reproduced or printed without tying client devices or applications to specific operating systems or service libraries. Because the OpenXPS Document is expressed in a neutral, application-independent way, the content can be viewed and printed without the application used to create the package.

---

### 9.1 Fixed Payload

A payload that has a FixedDocumentSequence root part is known as a *fixed payload*. A *fixed payload root* is a FixedDocumentSequence part that references FixedDocument parts that, in turn, reference FixedPage parts.

A specific relationship type is defined to identify the root of a fixed payload within an OpenXPS Document: the *OpenXPS Document StartPart relationship*. The *primary fixed payload root* is the FixedDocumentSequence part that is referenced by the OpenXPS Document StartPart relationship. Consumers such as viewers or printers use the OpenXPS Document StartPart relationship to find the primary fixed payload in a package. The OpenXPS Document StartPart relationship MUST point to the FixedDocumentSequence part that identifies the root of the fixed payload [M2.14].


The payload includes the full set of parts required for processing the FixedDocumentSequence part. All content to be rendered MUST be contained in the OpenXPS Document [M2.1]. The payload containing an OpenXPS Document MAY include additional parts not defined by this Standard [O2.35]. Consumers MUST ignore parts in valid OpenXPS Documents that they do not understand [M2.84]. The parts that can be found in an OpenXPS Document are listed in Table 9–1. Relationships and content types for these parts are defined in §D.2. Each OpenXPS Document part MUST use *only* the appropriate content type specified in §D.2 [M2.2].

Table 9–1. OpenXPS Document parts

Name	Description	Required/Optional
FixedDocumentSequence (§9.1.2)	Specifies a sequence of fixed documents.	REQUIRED [M2.3]
FixedDocument (§9.1.3)	Specifies a sequence of fixed pages.	REQUIRED [M2.4]
FixedPage (§9.1.4)	Contains the description of the contents of a page.	REQUIRED [M2.5]

<b>Name</b>	<b>Description</b>	<b>Required/Optional</b>
Font (§9.1.7)	Contains a font in the Open Font Format	REQUIRED if a <Glyphs> element is present [M2.6]
Image (§9.1.5) JPEG image (§9.1.5.1) PNG image (§9.1.5.2) TIFF image (§9.1.5.3) JPEG XR image (§9.1.5.4)	References an image file.	REQUIRED if an <ImageBrush> element is present [M2.7]
Remote resource dictionary (§9.1.8)	Contains a resource dictionary for use by fixed page markup.	REQUIRED if a key it defines is referenced [M2.8]
Thumbnail (§9.1.6)	Contains a JPEG or PNG image that represents the contents of the page or package.	OPTIONAL [O2.1]
PrintTicket (§9.1.9)	Provides settings to be used when printing the package.	OPTIONAL [O2.2]
ICC profile	Contains an ICC color profile.	OPTIONAL [O2.3]
DocumentStructure (§9.1.11)	Contains the document outline and document contents (story definitions) for the OpenXPS Document.	OPTIONAL [O2.4]
StoryFragments (§9.1.12)	Contains document content structure for a fixed page.	OPTIONAL [O2.5]
SignatureDefinitions (§9.1.10)	Contains a list of digital signature spots and signature requirements.	OPTIONAL [O2.6]
DiscardControl (§17.1.4)	Contains a list of resources that are safe for consumers to discard during processing.	OPTIONAL [O2.7]

Example 9-1. A typical OpenXPS Document



end example]

### 9.1.1 Fixed Payload Relationships

Internal resources are associated with parts by relationships and inline references. OpenXPS Documents MUST NOT reference external OpenXPS resources [M2.1]. In general, inline resource references are represented inside the referring part in ways that are specific to the content type of the part, that is, in arbitrary markup or application-specific encoding. Relationships represent the type of connection between a source part and a target resource, and they allow parts to be related without modifying them. For more information, see the OPC Standard.

Resources, which include fonts, images, color profiles, and remote resource dictionaries, that are referenced by inline URIs but are necessary to render the page MUST use the Required Resource relationship from the FixedPage part to the resource [M2.10]. If any resource references *other* resources, the producer MUST also use the Required Resource relationship from the FixedPage part to the indirectly referenced resource [M2.10].

It is RECOMMENDED that there be exactly *one* Required Resource relationship from the FixedPage part for each resource referenced from markup [S2.1]. Multiple Required Resource relationships from a FixedPage part to a resource are not considered an error, but they reduce efficiency. It is not considered an error if a FixedPage part that does not use a specific resource in its markup references the resource via a Required Resource relationship; however, doing so might reduce efficiency for consumers.

Relationship types are defined in §D.3.

Table 9–2. Fixed payload relationships

Name	Description	Required/Optional
Core Properties	Relationship from the package to the Core Properties part.	OPTIONAL [O2.8]
Digital Signature Origin	Relationship from the package to the Digital Signature Origin part.	OPTIONAL [O2.9]
Digital Signature	Relationship from the Digital Signature Origin part to a Digital Signature XML Signature part.	OPTIONAL [O2.10]
Digital Signature Certificate	Relationship from a Digital Signature XML Signature part to a Digital Signature Certificate part.	OPTIONAL [O2.11]
Digital Signature Definitions	Relationship from the FixedDocument part to a Digital Signature Definitions part.	OPTIONAL [O2.12]
DiscardControl	Relationship from the package to a DiscardControl part.	OPTIONAL [O2.13]
DocumentStructure	Relationship from the FixedDocument part to a DocumentStructure part.	OPTIONAL [O2.14]
PrintTicket	Relationship from a FixedDocumentSequence part, a FixedDocument part, or a FixedPage part to a PrintTicket part.	OPTIONAL [O2.15]

Name	Description	Required/Optional
Required Resource	Relationship from a FixedPage part to a required resource, including Font, Image, ColorProfile, and Remote Resource Dictionary parts. Required resources can be shared between pages.	REQUIRED for each resource referenced from a FixedPage [M2.10]
Restricted Font	Relationship from a FixedDocument part to a Font part. Specifies the referenced font as restricted, disallowing any modification or editing of any <Glyphs> element text using the referenced font.	REQUIRED for each preview and print font used [M2.12]
StartPart	Relationship from the package to the FixedDocumentSequence part that is the fixed payload root.	REQUIRED [M2.13, M2.14]
StoryFragments	Relationship from a FixedPage part to the StoryFragments part for the page.	OPTIONAL [O2.16]
Thumbnail	Relationship from the package to an Image part or from a FixedPage part to an Image part.	OPTIONAL [O2.17]

Producers that generate a relationship MUST include the target part in the OpenXPS Document for any of the following relationship types: DiscardControl, DocumentStructure, PrintTicket, Required Resource, Restricted Font, StartPart, StoryFragments, and Thumbnail. Consumers that access the target part of any relationship with one of these relationship types MUST instantiate an error condition if the part is not included in the OpenXPS Document [M2.77].

### 9.1.2 FixedDocumentSequence Part

The *FixedDocumentSequence part* assembles a set of fixed documents within the fixed payload. [Example: A printing client can assemble two separate documents, a two-page cover memo and a twenty-page report (both are FixedDocument parts), into a single package to send to the printer. end example]

The FixedDocumentSequence part is the only valid root of a fixed payload. Even if an OpenXPS Document contains only a single fixed document, the FixedDocumentSequence part is still used. One FixedDocumentSequence part per fixed payload is REQUIRED [M2.3].

Fixed document sequence markup specifies each fixed document in the fixed payload in sequence, using <DocumentReference> elements. The order of <DocumentReference> elements determines document order and MUST be preserved [M2.15]. Each <DocumentReference> element MUST reference a FixedDocument part by relative URI [M2.80]. For more information, see §10.1.

The content type of the FixedDocumentSequence part is defined in §D.

### 9.1.3 FixedDocument Part

The *FixedDocument part* is a common, easily indexed root for all pages within the document. A fixed document identifies the set of fixed pages for the document.

The markup in the FixedDocument part specifies the pages of a document in sequence using <PageContent> elements. The order of <PageContent> elements determines page order and MUST be preserved [M2.16]. Each <PageContent> element MUST reference a FixedPage part by relative URI [M2.81]. For more information, see §10.2.

The content type of the FixedDocument part is defined in §D.

#### 9.1.4 FixedPage Part

The *FixedPage part* describes all of the visual elements to be rendered on a page. Each page has a fixed size and orientation. The layout of the visual elements on a page is determined by the fixed page markup. This applies to both graphics and text, which are represented with precise typographic placement. The contents of a page are described using a powerful but simple set of visual primitives.

Each FixedPage part specifies the contents of a page within a <FixedPage> element using <Path> and <Glyphs> elements (using various brush elements) and the <Canvas> grouping element. The <ImageBrush> and <Glyphs> elements or their child or descendant elements can reference Image parts or Font parts by URI. They MUST reference these parts by relative URI [M2.82]. For more information, see §10.3.

The content type of the FixedPage part is defined in §D.

#### 9.1.5 Image Parts

Image parts contain raster image data. A single image can be shared among multiple fixed pages in one or more fixed documents. Images referenced in markup MUST be internal to the package [M2.1]. References to images that are external to the package are invalid.

Images are included in OpenXPS Documents with an <ImageBrush> element and an ImageSource attribute to reference a part with the appropriate content type. For more information, see §D.2. Fixed pages MUST use a Required Resource relationship to each Image part referenced [M2.10]. For more information, see §D.3.

OpenXPS Documents support the following image formats:

- JPEG
- PNG
- TIFF
- JPEG XR

Color profiles MAY be embedded in image files [O2.18]. See §15.

For images that have a constant opacity, producers SHOULD NOT use the image format alpha channel; the Opacity attribute in the <ImageBrush> element SHOULD be used instead [S2.37].

##### 9.1.5.1 JPEG Image Parts

It is RECOMMENDED that JPEG image part names end with the extension “.jpg” [S2.6]. JPEG image parts MUST contain images that are compressed according to ITU-T T.81 [M2.17]. This subclause contains further requirements for the file formats in which JPEG-compressed data is stored. Consumers SHOULD support JPEG images that contain ICC-specified APP2 markers [S2.34]. Consumers MUST support JPEG images that contain the EXIF-specified APP1 marker and interpret the EXIF color space correctly [M2.78].

Table 9–3. Supported JPEG APPn markers

APPn marker	Originating source
APP1	EXIF extension defined by JEITA
APP2	ICC profile marker defined by the ICC specification

Consumers MUST ensure that they can distinguish between the uses of those markers listed in Table 9–3 and other data that is recorded using the same markers [M2.85].

[*Note:* The APP1 marker is also used for XMP metadata. The APP2 marker is also used for EXIF FlashPix extensions. These are not intended to be exhaustive lists of alternative uses of those markers. *end note*]

[*Note:* Implementers of consumers might wish to support additional APPn markers, such as APP0 (JFIF), APP13 (Photoshop 3.0 extension) and APP14 (Adobe DCT Filters in PostScript Level 2 extension). *end note*]

In cases where a consumer encounters a JPEG image with conflicting resolution information in different markers, the order of precedence is as follows:

1. The EXIF tag
2. The JFIF tag
3. Any other APPn tags supported by the consumer
4. A default value of 96 dots per inch (dpi) (as described in §13.4.1)

Some JPEG implementations have limited support for CMYK JPEG images, such as:

- CMYK is converted to RGB in the decoder using fixed tables instead of the supplied ICC profile.
- ICC Profiles embedded using APP2 are limited in length, because APPn marker chunking is not supported.

Therefore, the use of JPEG CMYK images is NOT RECOMMENDED in OpenXPS Documents because rendering results can differ significantly between implementations. TIFF or JPEG XR images SHOULD be used instead to represent CMYK images [S2.7].

If both ICC-specified APP2 and APP13 markers are specified, the ICC-specified APP2 marker takes precedence. If the JPEG image is embedded in a TIFF image, the TIFF ICC profile settings are used.

If no color profile is embedded in the JPEG image or stored in a separate part associated with the JPEG image according to the mechanisms described in §15.3.7, then the default color space MUST be treated as defined in §15.3.7 [M8.30].

#### 9.1.5.2 PNG Image Parts

It is RECOMMENDED that PNG image part names end with the extension “.png” [S2.8]. PNG image parts MUST contain images that conform to the PNG specification [M2.18].

Table 9–4. Support for ancillary PNG chunks

Chunk	Support Level
tRNS	MUST Support [M2.19]

iCCP	MUST Support [M2.20]
sRGB	MUST Ignore [M2.21]
cHRM	MUST Ignore [M2.22]
gAMA	MUST Ignore [M2.23]
sBIT	MUST Ignore [M2.24]

If no color profile is embedded in the PNG image or stored in a separate part associated with the PNG image according to the mechanisms described in §15.3.7, then the default color space MUST be treated as defined in §15.3.7 [M8.30].

### 9.1.5.3 TIFF Image Parts

It is RECOMMENDED that TIFF image part names end with the extension —.tif [S2.9]. TIFF image parts MUST contain images that conform to the TIFF specification [M2.25]. OpenXPS Document consumers MUST support baseline TIFF 6.0 with some extensions, as noted in Table 9–5 [M2.26]. These tags MUST be supported for the specified image types [M2.26]. Consumers MUST support JPEG-compressed raster data in TIFF image parts, indicated using a value of 7 stored in the Compression field as a binary value [M2.33]. When the Compression field has the value 7, each image strip or tile contains a complete JPEG datastream which is valid according to ITU-T T.81 (ISO/IEC 10918-1). If consumers encounter a tag that is not included below, they SHOULD ignore that tag [S2.10].

Table 9–5. Supported TIFF tags

Image type	Tags
Bilevel images	PhotometricInterpretation (0 and 1) Compression (1, 2, 3, 4, 5, or 32773) ImageLength ImageWidth ResolutionUnit (1, 2, or 3) RowsPerStrip StripByteCounts StripOffsets XResolution YResolution
Grayscale images	PhotometricInterpretation (0 and 1) BitsPerSample (4, 8, or 16) Compression (1, 5, 7, or 32773) ImageLength ImageWidth ResolutionUnit (1, 2, or 3) RowsPerStrip StripByteCounts StripOffsets XResolution YResolution

<b>Image type</b>	<b>Tags</b>
Palette color images	BitsPerSample (1, 4, or 8) ColorMap Compression (1, 5, or 32773) ImageLength ImageWidth PhotometricInterpretation (3) ResolutionUnit (1, 2, or 3) RowsPerStrip StripByteCounts StripOffsets XResolution YResolution
RGB images	BitsPerSample (8,8,8 or 16,16,16; <i>or</i> if SamplesPerPixel = 4: 8,8,8,8 or 16,16,16,16) Compression (1, 5, 7, or 32773) ExtraSamples (0, 1, or 2. Required if SamplesPerPixel = 4; must not be present otherwise) ICC Color Profile [tag 34675] ImageLength ImageWidth PhotometricInterpretation (2) PlanarConfiguration (1) ResolutionUnit (1, 2, or 3) RowsPerStrip SamplesPerPixel (3 or 4) StripByteCounts StripOffsets XResolution YResolution

Image type	Tags
CMYK images (TIFF extension)	BitsPerSample (8,8,8,8 or 16,16,16,16; or if SamplesPerPixel = 5: 8,8,8,8,8 or 16,16,16,16,16) Compression (1, 5, 7, or 32773) ExtraSamples (0, 1, or 2. Required if SamplesPerPixel = 5; must not be present otherwise) ICC Color Profile [tag 34675] ImageLength ImageWidth InkSet (1) NumberOfInks (4) PhotometricInterpretation (5) PlanarConfiguration (1) ResolutionUnit (1, 2, or 3) RowsPerStrip SamplesPerPixel (4 or 5) StripByteCounts StripOffsets XResolution YResolution

If the TIFF image contains multiple image file directories (IFDs), consumers MUST use only the first IFD and ignore all others [M2.27].

If the ResolutionUnit tag is set to 1 (no units), XResolution and YResolution are interpreted in the same manner as if the ResolutionUnit was set to 2 (inches).

If no color profile is embedded in the TIFF image or stored in a separate part associated with the TIFF image according to the mechanisms described in §15.3.7, then the default color space MUST be treated as defined in §15.3.7 [M8.30].

The following features of the TIFF specification MUST be supported in addition to the tags described in Table 9–5:

- Baseline TIFF (Sections 1–10) with the exception of the following tags [M2.26]:
  - CellLength
  - CellWidth
  - GrayResponseCurve
  - GrayResponseUnit
  - MaxSampleValue
  - MinSampleValue
  - Orientation
  - Thresholding
- CCITT bilevel encodings (Section 11) [M2.28]
- CMYK images (Section 16) [M2.29]

- Associated alpha data (Section 18) [M2.30]
  - ExtraSamples tag value of 0: The data in this channel MUST be ignored [M2.83]
  - ExtraSamples tag value of 1: The alpha MUST be treated as pre-multiplied alpha (see §18.4.1 for details) [M2.30]
  - ExtraSamples tag value of 2: The alpha MUST be treated as non-pre-multiplied alpha [M2.30]
- LZW compression (Section 13) [M2.31]
- Differencing predictors (Section 14) [M2.32]
- JPEG compression (ITU-T T.81, ISO/IEC 10918-1)
  - Only compression mode 7 MUST be supported [M2.33]
- Embedded ICC Profile (described in the ICC specification) [M2.34]
- EXIF IFD (tag 34665) as described in the EXIF specification. The EXIF color space MUST be interpreted correctly [M2.79].

Consumers that support tags and features not described above can result in undesirable differences in the appearance of OpenXPS Documents. Producers cannot rely on a consistent interpretation of tags or features that are not described above and therefore SHOULD NOT use any such tags or features [S2.10].

OpenXPS Document consumers SHOULD mitigate the effect of badly formed TIFF files in the following ways [S2.11]:

- Accommodate common mistakes in TIFF images, such as:
  - Not all BitsPerSample hold the same value
  - Number of BitsPerSample does not match SamplesPerPixel
  - PhotometricInterpretation 1 or 2 (instead of 3) used when BitsPerSample is set to "8,8,8"
  - When the ExtraSamples tag is missing and SamplesPerPixel is not consistent with the PhotometricInterpretation tag then ExtraSamples values should be given the value 0.
- Implement a recovery strategy when a problematic TIFF image is encountered.

[*Note*: Over time, TIFF-consuming implementations have developed a certain tolerance for such deviations by attempting to deduce the intent of the TIFF image author and correct for apparent errors or deviations.

Many TIFF images in circulation today deviate from the TIFF Specification. *end note*]

#### **9.1.5.4 JPEG XR Image Parts**

It is RECOMMENDED that JPEG XR image part names end with the extension ".jxr" [S2.12]. JPEG XR image parts MUST conform to the JPEG XR specification [M2.35] and MUST use the Tag-based file format defined in Annex A of the JPEG XR specification [M2.91]. OpenXPS Documents support JPEG XR images with the characteristics identified in Table 9–6 and §15.3.

Table 9-6. Supported JPEG XR features

Color space	Pixel formats	Compression	Alpha
Grayscale	BlackWhite		
	8-bit integer		
	16-bit integer	Lossy	None
	16-bit half-float*	- or -	
	16-bit fixed point*	Lossless	
32-bit fixed point*			
sRGB	8-bit integer	Lossy	1-channel
	16-bit integer	- or - Lossless	- or - 1-channel pre-multiplied
scRGB	16-bit half-float		1-channel
	16-bit fixed point	Lossy	- or -
	32-bit IEEE float	- or -	1-channel pre-multiplied
	32-bit fixed point RGBE-Radiance	Lossless	RGBE-Radiance (no alpha channel)
CMYK	8-bit integer	Lossy	1-channel independent
	16-bit integer	- or - Lossless	
N-channel (including named color N-tone)	8-bit integer	Lossy	1-channel independent
	16-bit integer	- or - Lossless	
Profiled RGB (3-channel)	8-bit integer	Lossy	1-channel
	16-bit integer	- or - Lossless	- or - 1-channel pre-multiplied

\* The value range of these formats is the same as scRGB.

If no color profile is embedded in the JPEG XR image or stored in a separate part associated with the JPEG XR image according to the mechanisms described in §15.3.7, then the default color space MUST be treated as defined in §15.3.7 [M8.30].

### 9.1.6 Thumbnail Parts

Thumbnails are images that represent the contents of a fixed page or an entire OpenXPS Document. Thumbnails enable users of viewing applications to select a page easily.

Thumbnail images MAY be attached using a relationship to the FixedPage parts [O2.19]. Each FixedPage part MUST NOT have more than one thumbnail part attached [M2.36]. Relationships to thumbnail parts are defined in §D. It is RECOMMENDED that if thumbnails are used for pages, a thumbnail SHOULD be included for each page in the document [S2.13].

Although the OPC Standard allows thumbnails to be attached to any part, OpenXPS Document consumers SHOULD only process thumbnails associated via a package relationship from the package as a whole or via a relationship from a FixedPage part [S2.14]. These thumbnails MUST be in either JPEG or PNG format [M2.37]. Thumbnails attached to any other part SHOULD be ignored by OpenXPS Document consumers [S2.14]. The content types of thumbnail parts are specified in §D.2.

For more information about the relationship type for thumbnail parts, see §D.3.

### 9.1.7 Font Parts

Fonts are stored in font parts. OpenXPS Documents MUST support the OpenType font format (ISO/IEC 14496-22:2007), including TrueType and CFF fonts [M2.39]. To support portability, Unicode-encoded fonts SHOULD be used (see §9.1.7.5 for additional information) [S2.15].

[*Note*: The Open Font Format is considered to be equivalent to the OpenType font format. *end note*]

Font parts are referenced using the FontUri attribute of the <Glyphs> element. A single font can be shared among multiple fixed pages in one or more fixed documents. Font references MUST be to resources that are internal to the package; external references to fonts are invalid [M2.1].

If the referenced font part is a TrueType Collection, the fragment portion of the URI indicates the font face to be used. The use of URI fragments is specified in the BNF of Generic URI Syntax specification. The fragment contained in the FontURI attribute value MUST be an integer between 0 and  $n-1$ , inclusive, where  $n$  is the number of font faces contained in the TrueType Collection [M2.38]. The syntax for the integer value is expressed as:

```
fontface = *DIGIT
```

[*Example*: To reference the first font face in the font part `../Resources/Fonts/CJKSuper.ttc`, the value of the FontUri attribute is `../Resources/Fonts/CJKSuper.ttc#0`. *end example*] If no fragment is specified, the first font face is used in the same way as if the URI had specified `#0`. If the fragment is not recognized as a valid integer, consumers SHOULD instantiate an error condition [S2.35].

Content types for fonts differ depending on whether the font is non-obfuscated or obfuscated (see §9.1.7.2). Content types are summarized in §D.

Fixed pages MUST use a Required Resource relationship to each Font parts referenced [M2.10]. For more information, see §D.

#### 9.1.7.1 Subsetting Fonts

OpenXPS Documents represent text using the <Glyphs> element. Since the format is fixed, it is possible to create a font subset that contains only the glyphs required by the package. Fonts MAY be subsetted based on glyph usage [O2.20]. Although a subsetted font does not contain all the glyphs in the original font, it MUST be a valid Open Font Format file [M2.39]. Requirements for valid Open Font Format files are described in the Open Font Format specification.

#### 9.1.7.2 Open Font Format Embedding

Protecting the intellectual property of font vendors is a goal of the OpenXPS Document format. Therefore, producers MUST observe the guidelines and mechanisms described below in order to honor the licensing rights specified in Open Font Format fonts [M2.40]. It is not the responsibility of consumers to enforce font licensing intent, although consumers MUST be able to process OpenXPS Documents using any combination of these embedding and obfuscation mechanisms, even if produced in violation of these guidelines [M2.41].

The licensing rights of an Open Font Format font are specified in the fsType field of the required OS/2 table in the font file. Table 9–7 lists the bit mask values that can appear in arbitrary combinations in the fsType field. Also listed are short descriptions of the licensing right intents

and requirements or recommendations. These requirements represent the rules that producers and consumers must follow in order to respect licensing rights specified in the font.

For further details on licensing rights of Open Font Format fonts, see the description of the OS/2 table in "OS/2 and Windows Metrics."

Table 9-7. Guidelines for Open Font Format embedding

Bit/mask	Licensing right intent	Producer rules	Consumer rules
– / 0x0000	Installable embedding.	SHOULD do embedded font obfuscation [S2.16] (see §9.1.7.3 for details).	SHOULD NOT extract or install permanently (see below) [S2.17].
0 / 0x0001	Reserved, must be 0.		
1 / 0x0002	Restricted license embedding. If <i>only</i> this bit is set, the font MUST NOT be modified, embedded or exchanged in any manner without obtaining permission from the legal owner. [M2.92]	MUST NOT embed [M2.42]. SHOULD generate a path filled with an image brush referencing an image of rendered characters [S2.18]. SHOULD include the text in the AutomationProperties.Name attribute of the <Path> element [S2.18].	Render embedded images.
2 / 0x0004	For preview and print embedding, font can be embedded and temporarily used on remote systems. However, FixedDocuments referencing <i>any</i> preview and print fonts MUST NOT be modified or edited [M2.43].	MUST do embedded font obfuscation [M2.44] (see §9.1.7.3). MUST add a Restricted Font relationship to the FixedDocument part referencing the font [M2.12]. See §D.3 for details. MUST NOT modify or edit the FixedDocument or resources referenced from it [M2.43].	MUST NOT extract or install permanently [M2.45].
3 / 0x0008	Editable embedding.	MUST do embedded font obfuscation [M2.46] (see §9.1.7.3).	MUST NOT extract or install permanently [M2.47].
4–7	Reserved, must be 0.		
8 / 0x0100	No subsetting.	MUST do embedded font obfuscation (see §9.1.7.3) [M2.48]. MUST NOT subset font before embedding. [M2.49]	MUST NOT extract or install permanently [M2.50].

9 / 0x0200	Bitmap embedding only.	MUST do embedded font obfuscation [M2.51] (see §9.1.7.3). MUST embed <i>only</i> bitmap characters contained in the font [M2.51]. If no bitmap characters are present in the font, MUST NOT embed the font [M2.51].	MUST NOT extract or install permanently [M2.52].
10–15	Reserved, must be 0.		

### 9.1.7.3 Embedded Font Obfuscation

Embedded font obfuscation is a means of preventing casual misappropriation of embedded fonts. Specifically, embedded font obfuscation prevents end-users from using standard ZIP utilities to extract fonts from OpenXPS Document files and install them on their systems.

Embedded font obfuscation is *not* considered a strong encryption of the font data.

Embedded font obfuscation achieves the following goals:

1. Obfuscated font files are embedded within an OpenXPS Document package in a form that cannot be directly installed on any client operating system.
2. Obfuscated font files are closely tied to the content referencing them. Therefore, it is non-trivial to misappropriate fonts by moving them from one package to another.
3. The manner in which obfuscated font files are tied to the content referencing them still allows for document merging.

For information on how to determine when fonts must be obfuscated prior to embedding, see Table 9–7.

Although the licensing intent allows embedding of non-obfuscated fonts and installation of the font on a remote client system under certain conditions, this is NOT RECOMMENDED in OpenXPS Documents [S2.19]. However, there are vertical solutions in which implementations might benefit from un-obfuscated font embedding. In these cases, implementations could omit obfuscation or extract and install the embedded font.

If a producer is required to perform embedded font obfuscation, it MUST satisfy the following requirements [M2.53]:

1. Generate a 128-bit GUID (Globally Unique Identifier) for the font to be obfuscated. Instead of a true GUID, a 128-bit random number MAY be used [O2.21]. The 16 bytes of the 128-bit GUID are referred to in the following text by the placeholder names  $B_{00}$ ,  $B_{01}$ ,  $B_{02}$ ,  $B_{03}$ ;  $B_{10}$ ,  $B_{11}$ ;  $B_{20}$ ,  $B_{21}$ ;  $B_{30}$ ,  $B_{31}$ ,  $B_{32}$ ,  $B_{33}$ ,  $B_{34}$ ,  $B_{35}$ ,  $B_{36}$ , and  $B_{37}$ . The order in which bytes are assigned to these placeholders does not matter, as long as it is consistent for obfuscation and de-obfuscation.
2. Generate a part name for the obfuscated font using the GUID. The last segment of the part name MUST be of the form " $B_{03}B_{02}B_{01}B_{00}-B_{11}B_{10}-B_{21}B_{20}-B_{30}B_{31}-B_{32}B_{33}B_{34}B_{35}B_{36}B_{37}$ " or " $B_{03}B_{02}B_{01}B_{00}-B_{11}B_{10}-B_{21}B_{20}-B_{30}B_{31}-B_{32}B_{33}B_{34}B_{35}B_{36}B_{37}.ext$ " where each  $B_x$  represents a placeholder for one byte of the GUID, represented as two hex digits [M2.54]. The part name MAY have an arbitrary extension (identified by the placeholder ".ext") [O2.22]. It is

RECOMMENDED that the extension for TrueType fonts be “.odttf” and for TrueType collections be “.odttc” [S2.20].

3. The content type for the part containing the obfuscated font MUST match the definition in §D [M2.2].
4. Perform an XOR operation on the first 32 bytes of the binary data of the font part with the array consisting of the bytes referred to by the placeholders B<sub>37</sub>, B<sub>36</sub>, B<sub>35</sub>, B<sub>34</sub>, B<sub>33</sub>, B<sub>32</sub>, B<sub>31</sub>, B<sub>30</sub>, B<sub>20</sub>, B<sub>21</sub>, B<sub>10</sub>, B<sub>11</sub>, B<sub>00</sub>, B<sub>01</sub>, B<sub>02</sub>, and B<sub>03</sub>, in that order and repeating the array once. The result is an obfuscated font.
5. Store the obfuscated font in a part with the generated name.

When processing fonts, consumers MUST follow these steps [M2.53]:

1. If the content type of the part containing the font is not the obfuscated font content type as specified in §D, process the font without any de-obfuscation steps.
2. For font parts with the obfuscated font content type as specified in §D, de-obfuscate the font by following these rules:
  - a. Remove the extension from the last segment of the name of the part containing the font.
  - b. Convert the remaining characters of the last segment to a GUID using the byte ordering described above.
  - c. Perform an XOR operation on the first 32 bytes of the binary data of the obfuscated font part with the array consisting of the bytes referred to by the placeholders B<sub>37</sub>, B<sub>36</sub>, B<sub>35</sub>, B<sub>34</sub>, B<sub>33</sub>, B<sub>32</sub>, B<sub>31</sub>, B<sub>30</sub>, B<sub>20</sub>, B<sub>21</sub>, B<sub>10</sub>, B<sub>11</sub>, B<sub>00</sub>, B<sub>01</sub>, B<sub>02</sub>, and B<sub>03</sub>, in that order and repeating the array once. The result is a non-obfuscated font.
  - d. Use the non-obfuscated font for the duration of the document processing, but do not leave any local or otherwise user-accessible copy of the non-obfuscated font.

#### 9.1.7.4 Print and Preview Restricted Fonts

If a producer embeds a font with the print and preview restriction bit set, it MUST also add a Restricted Font relationship from the FixedDocument part that includes the FixedPage referencing the font to the restricted font [M2.12].

When editing content, producers MUST NOT edit a FixedDocument or resources referenced from it where the FixedDocument part has a Restricted Font relationship [M2.43]. When editing content, producers MUST instantiate an error condition when encountering any font with the print and preview restriction bit set for which no Restricted Font relationship has been added to the FixedDocument part [M2.93]. Consumers MUST consider an OpenXPS Document valid even if the producer failed to properly set the Restricted Font relationship [M2.94].

#### 9.1.7.5 Non-Standard Font Compatibility Encoding

When processing <Glyphs> elements, the consumer MUST first select a cmap table from the Open Font Format following the order of preference shown below (highest listed first) [M2.55]:

Table 9–8. Cmap table selection

Platform ID	Encoding ID	Description
3	10	Unicode with surrogates
3	1	Unicode without surrogates

Platform ID	Encoding ID	Description
3	5	Wansung
3	4	Big5
3	3	Prc
3	2	ShiftJis
3	0	Symbol
0	Any	Unicode (deprecated)
1	0	MacRoman

All further processing for that font MUST use the selected cmap table [M2.55].

If a Wansung, Big5, Prc, ShiftJis or MacRoman cmap has been selected, the consumer MUST correctly map from Unicode code points in the UnicodeString to the corresponding code points used by the cmap before looking up the glyphs [M2.56]. The Unicode standard provides details of the required mappings.

Producers SHOULD avoid using fonts lacking a Unicode-encoded cmap table [S2.15].

When processing <Glyphs> elements that reference a cmap (3,0) encoding font, consumers MUST be prepared for the case in which the UnicodeString attribute contains character codes instead of PUA code points [M2.57]. This condition is indicated by an unsuccessful Unicode lookup of the code point specified in the Unicode string in the cmap (3,0) table. In this case, the correct glyph index is computed by following the general recommendations of the Open Font Format specification.

When processing <Glyphs> elements that use this compatibility encoding, character codes in the range 0x20-0xff are mapped to PUA code points. See §12.1.4 for requirements for handling Unicode control marks.

This non-standard encoding has been included to facilitate document production for certain producers. However, there are significant drawbacks resulting from this encoding:

- Search is unpredictable
- Copy and paste functionality is unpredictable
- Glyph rendering is unpredictable, especially between different consumers

Producers SHOULD NOT use this non-standard encoding and they SHOULD write PUA code points to the UnicodeString attribute [S2.15].

### 9.1.8 Remote Resource Dictionary Parts

A *remote resource dictionary* allows producers to define resources that can be reused across many pages, such as a brush. This is stored in a Remote Resource Dictionary part. For more information, see §14.2.3.1.

### 9.1.9 PrintTicket Parts

This Standard provides a mechanism for including user intent and device configuration settings within an OpenXPS Document as PrintTicket parts. *PrintTicket parts* enable the association of settings with parts within an OpenXPS Document. The format to be used for PrintTickets is implementation-defined. This Standard defines how to associate those PrintTicket parts with OpenXPS Documents. If the consumer understands the content of the PrintTicket, then the

PrintTicket part SHOULD be processed when the OpenXPS Document is printed [S2.36]. PrintTicket parts can be attached only to FixedDocumentSequence, FixedDocument, and FixedPage parts, and each of these parts MUST attach no more than one PrintTicket [M2.59].

#### **9.1.9.1 Mapping PrintTicket Parts to Fixed Payload Parts**

OpenXPS Documents contain a hierarchy of FixedDocumentSequence, FixedDocument, and FixedPage parts, as defined in §10. The association of PrintTickets with FixedDocumentSequence, FixedDocument, and FixedPage parts reflects this hierarchy and enables the scope of settings specified in PrintTicket parts to be limited to the FixedDocumentSequence, FixedDocument, and FixedPage parts within the OpenXPS Document. Domain-specific implementations are responsible for specifying how the settings provided in the PrintTicket parts are scoped.

#### **9.1.10 SignatureDefinitions Part**

Producers MAY add digital signature requests and instructions to an OpenXPS Document in the form of signature definitions [O2.23]. A producer MAY sign against an existing signature definition to provide additional signature information [O2.24]. A recipient of the document MAY also sign the OpenXPS Document against a signature definition [O2.25]. (This is referred to as “co-signing.”)

Digital signature definitions are stored in a SignatureDefinitions part. A FixedDocument part refers to a SignatureDefinitions part using a relationship of the SignatureDefinitions type. For more information, see §D.

The SignatureDefinitions part is OPTIONAL [O2.6]. Signature definitions MUST conform to the Signature Definitions schema as defined in §A.1 [M2.86].

For more information on digital signature support in OpenXPS Documents, see §17.

#### **9.1.11 DocumentStructure Part**

Explicitly authored document structure information is stored in the DocumentStructure part. This part contains the document outline and defines the framework for every element in fixed pages in terms of semantic blocks, each of which is called a *story*. A story is split into StoryFragments parts, which contain content structure markup that defines semantic blocks such as paragraphs and tables. For more information, see §16.

Document structure markup contains a root <DocumentStructure> element. See §16 for markup details. The <DocumentStructure> element uses the Document Structure namespace specified in §D.1.

The DocumentStructure part is referenced by relationship from the FixedDocument part, with the relationship type as specified in §D. The content type of the DocumentStructure part is also specified in §D.

Consumers MAY provide an algorithmic construction of the structure of an OpenXPS Document based on a page-layout analysis [O2.27], but they MUST NOT use such a method to derive structure for any part of the OpenXPS Document included in the DocumentStructure part [M2.68]. A consumer capable of calculating reading order from the layout of the document MUST use the reading order specified in the DocumentStructure part, even though the derived order might be perceived as preferable to the specified order [M2.68].

### 9.1.12 StoryFragments Part

The StoryFragments part contains content structure markup (such as tables and paragraphs) associated with a single fixed page.

StoryFragments part markup contains a root <StoryFragments> element. See §16 for markup details. The <StoryFragments> element uses the Document Structure namespace specified in §D.1.

The StoryFragments part is referenced by relationship from its associated FixedPage part. The content type of the StoryFragments part is specified in §D.2.

## 9.2 Part Naming Recommendations

Implementations refer to parts by name and use relationship names to identify the purpose of related parts. The OPC Standard describes the syntax for part names. However, following these rules alone can result in a package that is difficult for users to understand. [*Example: A user would have to open every Relationship part to know which parts are necessary to accurately render an OpenXPS Document. end example*]

By choosing part names according to a well-defined, human-readable convention, the resulting package is easier to browse and specific parts are more easily located. Part names MUST still conform to the syntax specified in the OPC Standard [M1.1].

It is RECOMMENDED that producers of OpenXPS Documents use the following part naming convention:

- The FixedDocumentSequence part name SHOULD contain only one segment, and that segment SHOULD have the extension “.fdseq”. [*Example: “/FixedDocSeq.fdseq” end example*] [S2.24].
- A FixedDocument part name SHOULD contain three segments, using “/Documents/*n*/” in the first two segments and the extension “.fdoc” [S2.25]. Here, *n* SHOULD be a numeral that represents the ordinal position of the fixed document in the fixed document sequence [S2.25]. [*Example: The fixed document referenced by the Source attribute of the third <DocumentReference> child of the <FixedDocumentSequence> element could be “/Documents/3/FixedDocument.fdoc”. end example*]
- A FixedPage part name SHOULD contain four segments, using “/Documents/*n*/Pages/” as the first three segments and the extension “.fpage” on the last segment [S2.26]. Here, *n* represents the fixed document that includes this page. [*Example: The third page of the second document might be “/Documents/2/Pages/3.fpage”. end example*]
- Resource parts MAY be named to indicate whether their intended use is at the document level or as a shared resource for all documents [O2.28]. A resource that is specific to a particular document SHOULD have a part name that begins with the three segments “/Documents/*n*/Resources/” where *n* is the particular fixed document [S2.27]. A resource intended to be shared across documents SHOULD begin with the segment “/Resources/” and SHOULD have a final segment that is a globally unique identifier followed by the appropriate extension for that resource [S2.27]. [*Example: “/Resources/Fonts/63B51F81-C868-11D0-999C-00C04FD655E1.odttf” end example*]

A Font part name SHOULD append the segment “Fonts/” to the resource part name prefix specified above [S2.27]. [*Example: A font might be named “/Documents/1/Resources/Fonts/Arial.ttf” or “/Resources/Fonts/F2ABC7B7-C60D-4FB9-AAE4-3CA0F6C7038A.odttf”. end example*]

An Image part name SHOULD append the segment "Images/" to the resource part name specified above [S2.27]. [Example: An image might be named "/Documents/3/Resources/Images/dog.jpg" or "/Resources/Images/E0D79307-846E-11CE-9641-444553540000.jpg". end example]

A Remote Resource Dictionary part name SHOULD append the segment "Dictionaries/" to the resource part name specified above [S2.27]. Remote resource dictionaries SHOULD also use the ".dict" extension [S2.27]. [Example: A resource dictionary might be named "/Documents/2/Resources/Dictionaries/Shapes.dict" or "/Resources/Dictionaries/0DDF3BE2-E692-15D1-AB06-B0AA00BDD685.dict". end example]

- Any DocumentStructure part name SHOULD contain four segments using "/Documents/n/Structure/" as the first three segments and the extension ".struct" [S2.28]. Here *n* represents the fixed document that this structure is associated with. [Example: The DocumentStructure part for the first document in a fixed document sequence could be "/Documents/1/Structure/DocStructure.struct". end example]
- Any StoryFragments part name SHOULD contain five segments using "/Documents/n/Structure/Fragments" as the first four segments and the extension ".frag" [S2.29]. Here *n* represents the fixed document that these parts are associated with. [Example: A StoryFragment part associated with the third page of the second document in a fixed document sequence could be "/Documents/2/Structure/Fragments/3.frag". end example]
- ICC profile part names SHOULD contain four segments, using "/Documents/n/Metadata/" as the first three segments, where *n* is the fixed document that uses these parts [S2.30]. If an ICC profile part is shared across documents, the part name SHOULD contain two segments, using "/Metadata/" as the first segment and a second segment that is a string representation of a globally unique identifier, followed by an extension [S2.30]. ICC profiles SHOULD use an appropriate extension for the color profile type. [S2.30] [Example: ".icm" end example]
- Thumbnail part names SHOULD contain four segments, using "/Documents/n/Metadata/" as the first three segments, where *n* is the fixed document that uses the thumbnail [S2.31]. If the Thumbnail part relates to the package as a whole, the part name SHOULD contain two segments, using "/Metadata/" as the first segment and a second segment that is a string representation of a globally unique identifier, followed by an extension [S2.31]. Thumbnails SHOULD use an extension appropriate to the image type, either ".png" or ".jpg" [S2.31]. [Example: A Thumbnail part for a particular fixed page might be "/Documents/1/Metadata/5.png". end example]
- PrintTicket part names associated with the entire job SHOULD be associated via relationship with the FixedDocumentSequence part and contain two segments, using "/Metadata/" as the first segment [S2.32]. PrintTicket parts associated with a particular fixed document or fixed page SHOULD contain four segments, using "/Documents/n/Metadata/" as the first three segments, where *n* is the fixed document that uses these parts [S2.32]. PrintTicket parts based on XML SHOULD use the extension ".xml" [S2.32]. [Example: A PrintTicket associated with the entire job could be "/Metadata/Job\_PT.xml" and a PrintTicket associated with a single page might be "/Documents/1/Metadata/Page2\_PT.xml". end example]
- The names of any non-standard parts that are associated with a particular fixed document SHOULD contain four segments, using "/Documents/n/Other/" as the first three segments. Here, *n* is the fixed document to which the part belongs [S2.33].

*Example 9–2. OpenXPS Document part naming*

An OpenXPS Document that contains two FixedDocument parts is represented as follows:

```

/FixedDocSeq.fdseq
/Documents/1/FixedDocument.fdoc
/Documents/1/Pages/1.fpage
/Documents/1/Pages/2.fpage
/Documents/1/Resources/Fonts/FontA.ttf
/Documents/1/Resources/Images/ImageB.jpg
/Documents/1/Metadata/Document_PT.xml
/Documents/1/Metadata/Page5_PT.xml
/Documents/1/Structure/DocStructure.struct
/Documents/1/Structure/Fragments/1.frag
/Documents/1/Structure/Fragments/2.frag
/Documents/1/Other/FabrikamIncBussinessAccount.xml
/Documents/2/FixedDocument.fdoc
/Documents/2/Pages/1.fpage
/Documents/2/Resources/Fonts/FontB.ttf
/Documents/2/Resources/Images/ImageA.png
/Documents/2/Metadata/ColorProfile.icm
/Documents/2/Metadata/Document_PT.xml
/Documents/2/Other/FabrikamIncInsuranceInfo.xml
/Metadata/Job_PT.xml
/Resources/Fonts/63B51F81-C868-11D0-999C-00C04FD655E1.ttf

```

*end example]*

---

### 9.3 OpenXPS Document Markup

OpenXPS Document Markup is used to describe the content of fixed pages within an OpenXPS Document. This XML-based markup has been designed to address the requirements for describing graphical content within electronic paper documents. The graphical primitives described by the elements, attributes and attribute values in the markup are completely sufficient for representing document content as acquired from, or output to, physical paper by a variety of document devices and applications. The OpenXPS Document Markup has also been developed consistent with the independent development of compatible systems that produce or consume OpenXPS Documents.

The design of OpenXPS Document Markup reflects the tradeoffs between the following two, sometimes competing, goals:

1. OpenXPS Document markup should be parsimonious; that is, it should include only the minimum set of primitive operations and markup constructs necessary to render text and graphics with full fidelity. Redundancy in the Standard increases the opportunity for independent implementations, such as printer-resident raster image processors (RIPs), viewers, and interactive applications, to introduce accidental incompatibilities. Redundancy also increases the cost of implementation and testing, and, typically, the required memory footprint.
2. OpenXPS Document markup should be compact; that is, the most common graphical primitives for vector graphics and text-rendering should have compact representations. Inefficient representations compromise the performance of systems handling OpenXPS Documents. As byte-count increases, so does communication time. Although compression

can be used to improve communication time, it cannot eliminate the performance loss caused by inefficient representations.

### 9.3.1 Support for Versioning and Extensibility

OpenXPS Document markup has been designed in anticipation of the evolution of this Standard. It also allows third parties to extend the markup. OpenXPS Document markup incorporates the Markup Compatibility and Extensibility Standard incorporated by the Office Open XML Standard.

The following parts MAY include elements and attributes defined in the Markup Compatibility and Extensibility Standard [O2.29]:

- DiscardControl
- DocumentStructure
- FixedDocument
- FixedDocumentSequence
- FixedPage
- Relationships
- Remote Resource Dictionary
- SignatureDefinitions
- StoryFragments

Consumers of these parts MUST support the Markup Compatibility and Extensibility Standard [M2.69]. Before attempting to validate one of these parts against a schema, processors MUST remove all markup compatibility elements and attributes and all ignorable elements and attributes not defined in the expected version of OpenXPS Document markup [M2.69].

Markup compatibility elements and attributes that appear in one OpenXPS Document part do not carry through to a second part via an inline URI reference in the XML markup. Likewise the markup compatibility mechanisms do not carry through from part to part via relationship.

### 9.3.2 XML Usage

All XML content of the parts defined in this Standard MUST conform to the following validation rules:

1. XML content MUST be encoded using either UTF-8 or UTF-16. If any such part includes an encoding declaration (as defined in §4.3.3 of the XML Standard), that declaration MUST NOT name any encoding other than UTF-8 or UTF-16 [M2.70]. [*Note: This Standard specifies unambiguously how implementations should operate with XML content and does so in terms of UTF-16 encoding. This does not preclude the use of UTF-8 in OpenXPS Document content. end note*]
2. The XML 1.0 Standard allows for the usage of Data Type Definitions (DTDs), which enable Denial of Service attacks, typically through the use of an internal entity expansion technique. As mitigation for this potential threat, DTD content MUST NOT be used in the XML markup defined in this Standard, and consumers MUST instantiate an error condition when encountering DTD content [M2.71].
3. If the XML content contains the Markup Compatibility and Extensibility namespace, as described in the Markup Compatibility and Extensibility Standard, it MUST be processed to remove Markup Compatibility and Extensibility elements and attributes, ignorable

namespace declarations, and ignored elements and attributes before applying further validation rules below [M2.69].

4. XML content MUST be valid against the corresponding W3C XSD schema defined in this Standard. In particular, the XML content MUST NOT contain elements or attributes drawn from namespaces that are not explicitly defined in the corresponding XSD unless the XSD allows elements or attributes drawn from any namespace to be present in particular locations in the XML markup [M2.72].
5. XML content MUST NOT contain elements or attributes drawn from "xml" or "xsi" namespaces unless they are explicitly defined in the W3C XSD schema or by other means in the Standard [M2.73].

### 9.3.3 Markup Model

OpenXPS Document markup is an XML-based markup language that uses elements, attributes, and namespaces. The schema for OpenXPS Document markup includes only elements and their attributes, comments, and whitespace. Arbitrary character data intermingled in the markup is not allowed.

Fixed page markup is expressed using elements and attributes and is based on a higher-level abstract model of contents and properties. Some fixed page elements can hold "contents," which are expressed as child elements. Properties can be expressed either as attributes or child elements.

OpenXPS Document markup also uses resources and resource dictionaries, which allow elements to share property values.

#### 9.3.3.1 Namespaces

The following XML namespaces are defined for use in OpenXPS Document markup:

- The OpenXPS Document namespace, the principal namespace used for elements and attributes in fixed page markup. For more information, see §D.
- The Resource Dictionary Key namespace, which allows certain OpenXPS Document elements to be included in a resource dictionary, as described in §14.2.
- The Markup Compatibility namespace, which supports the Markup Compatibility and Extensibility Standard as defined in the OPC Standard.

#### 9.3.3.2 Properties

A *property* is a characteristic of an element. OpenXPS Document property values can be expressed either as property attributes or property elements. *Property values* can be stored in a resource dictionary and referenced by an attribute that uses a special syntax to express its value. For more information, see §14.2.

Properties MUST NOT be set more than once, regardless of the syntax used to specify the value [M2.74]. In certain cases, they can be specified using either property attributes or property elements. Consumers MUST instantiate an error condition when encountering properties that are specified in both ways [M2.74].

Some properties are common to several fixed page elements. For more information, see §14.

#### 9.3.3.2.1 Composable Property Values

Some fixed page properties are composable, meaning that the page marking effect is determined by combining the property value of a given element with that of its parent and ancestor elements. [*Example: A <Path> element with an Opacity value of 0.5 nested inside a <Canvas> element with an Opacity value of 0.5 results in an effective 25% opacity of the <Path> element when rendered. end example*]

The coordinate space used to render page marking elements is also composable. By default, elements are rendered in a coordinate space with units of 1/96". The *effective coordinate space* for a particular element is created by sequentially applying each parent and ancestor element's affine matrix transformation, specified with the Transform or RenderTransform properties, from outermost to innermost, including the element's own affine matrix transformation.

For more information, see §18.1.3, and §18.5.

#### 9.3.3.2.2 Property Attribute Syntax

Some property values can be expressed using simple XML attribute syntax, that is, with a text string. The value of properties used to describe geometries can be expressed using an abbreviated syntax. For more information, see §11.2.3.

*Example 9-3. Property attribute syntax*

The following syntax can be used to specify the color of a brush:

```
<!-- Property Attribute Syntax -->  
<SolidColorBrush Color="#FF0000" />
```

*end example*]

#### 9.3.3.2.3 Property Element Syntax

Some property values can also be expressed using a child element to describe the property value. These property elements are included to enable usage of the markup compatibility mechanisms described in the Markup Compatibility and Extensibility Standard. The element name is derived from a combination of a parent element name and the property name, separated by a dot (.) character.

The order of child property elements is significant: they **MUST** occur before any contents of the parent element and they **MUST** appear in the sequence specified in the schema [M2.87].

*Example 9–4. Property element syntax*

When specifying Clip and RenderTransform properties of the canvas, both must appear before any path and glyphs contents of the canvas.

```
<Canvas>
  <!-- First, the property-related child elements -->
  <Canvas.RenderTransform>
    <MatrixTransform Matrix="1,0,0,1,0,0" />
  </Canvas.RenderTransform>
  <Canvas.Clip>
    <PathGeometry>
      ...
    </PathGeometry>
  </Canvas.Clip>
  <!-- Then, the "contents" -->
  <Path ...>
    ...
  </Path>
  <Glyphs ... />
</Canvas>
```

*end example]*

### 9.3.4 Whitespace

OpenXPS Documents allow flexible whitespace usage in markup. Wherever a single whitespace character is allowed, multiple whitespace characters MAY be used [O2.30]. Attributes that specify comma-delimited attribute values MAY, unless specified otherwise, OPTIONALLY include whitespace characters preceding or following the comma [O2.31]. OpenXPS Document markup MUST NOT use the xml:space attribute [M2.75]. Additionally, where the OpenXPS Document schema specifies attributes of types that allow whitespace collapsing, leading and trailing whitespace in the attribute value MAY be used along with other whitespace that relies on the whitespace collapsing behavior specified in the XML Schema Standard [O2.32].

[*Note*: Consult the OpenXPS Document Schema for exact whitespace allowed. *end note*]

### 9.3.5 Language

Language information supports the following features:

- Language-dependent find features
- Selection of a text-to-speech dictionary by a screen-reading program (to provide accessibility to persons with disabilities)
- Selection of a spelling checker for text copied to another document
- Selection of a grammar checker for text copied to another document
- Correct font rendering when copying the text to another document

The last point refers to instances in which multiple languages share the same script. [*Example*: The Devanagari script is shared by the Indic languages Bhojpuri, Bihari, Hindi, Kashmiri, Konkani, Marathi, Nepali, and Sanskrit. However, these languages render certain glyph sequences differently. When text is copied from an OpenXPS Document, the language of the copied characters is needed to ensure proper rendering of the glyphs when they are pasted into

another application. This scenario applies to most Indic-language fonts, some East Asian-language fonts, and others. *end example*]

#### **9.3.5.1 xml:lang Attribute**

The language of the contents of an OpenXPS Document MUST be identified using the `xml:lang` attribute, the value of which is inherited by child and descendant elements [M2.76].

This attribute is defined in the W3C XML Standard.

`xml:lang` is REQUIRED for `<FixedPage>` elements [M2.88]. `xml:lang` MAY be used with `<Canvas>`, `<Path>`, and `<Glyphs>` elements [O2.33]. `xml:lang` MUST NOT be used on any other fixed page markup element [M2.89]. `xml:lang` is also REQUIRED for the `<DocumentOutline>` element for document structure [M2.90]. `xml:lang` is OPTIONAL for the `<OutlineEntry>` element [O2.34]. When the language of the contents is unknown and is required, the value "und" (undetermined) MUST be used [M2.76].

# 10. Documents

OpenXPS Documents contain a root fixed document sequence that binds a collection of fixed documents which, in turn, bind a collection of fixed pages. All page markings are specified with <Glyphs> or <Path> elements on the fixed page. These elements can be grouped within one or more <Canvas> elements. Page markings are positioned by real-number coordinates in the coordinate space of the fixed page. The coordinate space can be altered by applying a render transformation.

## 10.1 <FixedDocumentSequence> Element

element **FixedDocumentSequence**

diagram	
annotation	Specifies a sequence of fixed documents.

The <FixedDocumentSequence> element contains one or more <DocumentReference> elements. The order of <DocumentReference> elements MUST match the order of the documents in the fixed document sequence [M3.1].

Example 10-1. <FixedDocumentSequence> usage

```
<FixedDocumentSequence xmlns="http://schemas.openxps.org/oxps/v1.0">
  <DocumentReference Source="Documents/1/FixedDocument.fdoc" />
  <DocumentReference Source="Documents/2/FixedDocument.fdoc" />
</FixedDocumentSequence>
```

end example]

### 10.1.1 <DocumentReference> Element

element **DocumentReference**

diagram													
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>Source</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	Source					
Name	Type	Use	Default	Fixed	Annotation								
Source													

	Source	xs:anyURI	required			Specifies the URI of the fixed document content. The specified URI MUST refer to a FixedDocument part within the OpenXPS Document [M3.2].
annotation	Contains a reference to a FixedDocument part.					

The <DocumentReference> element specifies a FixedDocument part as a URI in the Source attribute. Producers MUST NOT produce a document with multiple <DocumentReference> elements that reference the same fixed document [M3.3].

## 10.2 <FixedDocument> Element

element **FixedDocument**

diagram						
annotation	Binds an ordered sequence of fixed pages together into a single multi-page document.					

The <FixedDocument> element contains one or more <PageContent> elements. The order of <PageContent> elements MUST match the order of the pages in the document [M3.4].

Example 10-2. <FixedDocument> usage

```
<FixedDocument xmlns="http://schemas.openxps.org/oxps/v1.0">
  <PageContent Source="Pages/1.fpage" />
  <PageContent Source="Pages/2.fpage" />
</FixedDocument>
```

end example]

### 10.2.1 <PageContent> Element

element **PageContent**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation

	Source	xs:anyURI	required			Specifies a URI that refers to the page content, which is held in a distinct part within the package. The content identified MUST be a FixedPage part within the OpenXPS Document [M3.5].
	Width	<u>ST_GEOne</u>				The width of the page contained in the page content.
	Height	<u>ST_GEOne</u>				The height of the page contained in the page content.
annotation	Defines a reference from a fixed document to a part that contains a <FixedPage> element.					

Each <PageContent> element refers to the source of the content for a single page. The number of pages in the document can be determined by counting the number of <PageContent> elements.

The <PageContent> element has a single required attribute, Source, which refers to a FixedPage part. It can optionally include advisory Height and Width attributes to indicate the size of a single page. (The authoritative height and width are specified by the fixed page.) The Height and Width attribute values allow consumers such as viewers to make initial visual layout estimates quickly, without loading and parsing all of the individual fixed pages. These consumers then update the page dimensions when the fixed page is loaded, if they differ.

The <PageContent> element has one allowable child element, <PageContent.LinkTargets>, and it MUST NOT contain more than a single child element [M3.21].

Producers MUST NOT produce markup where a <PageContent> element references the same fixed page referenced by any other <PageContent> element in the entire OpenXPS Document, even in other fixed documents within the fixed payload [M3.6].

*Example 10-3. <PageContent> usage*

```
<FixedDocument xmlns="http://schemas.openxps.org/oxps/v1.0">
  <PageContent Source="Pages/1.fpage" Height="1056" Width="816" />
  <PageContent Source="Pages/2.fpage" Height="1056" Width="816" />
</FixedDocument>
```

*end example]*

### 10.2.2 <PageContent.LinkTargets> Element

element **PageContent.LinkTargets**

diagram	
annotation	Contains a collection of <LinkTarget> elements, each of which is addressable via hyperlink.

The <PageContent.LinkTargets> element defines the list of link targets that specify each named element on the page that can be addressed by hyperlink.

Example 10-4. <PageContent.LinkTargets> usage

In the following markup, Pages/2.fpage contains two <LinkTarget> elements with Name attribute values of Anchor1 and Anchor2:

```
<FixedDocument xmlns="http://schemas.openxps.org/oxps/v1.0">
  <PageContent Source="Pages/1.fpage" Height="1056" Width="816" />
  <PageContent Source="Pages/2.fpage" Height="1056" Width="816">
    <PageContent.LinkTargets>
      <LinkTarget Name="Anchor1" />
      <LinkTarget Name="Anchor2" />
    </PageContent.LinkTargets>
  </PageContent>
</FixedDocument>
```

end example]

### 10.2.3 <LinkTarget> Element


element **LinkTarget**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	Name	<u>ST_Name</u>	required			Contains a string value that identifies the current element as a named, addressable point in the document for the purpose of hyperlinking.
annotation	Specifies an addressable point on the page.					

The <LinkTarget> element specifies a Name attribute, which corresponds to a named location within the fixed page specified by its parent <PageContent> element. By encapsulating this information in the fixed document, consumers do not need to load every FixedPage part to determine if a particular Name value exists in the document. For more information, see §16.2.

### 10.3 <FixedPage> Element

element **FixedPage**



attributes	Name	Type	Use	Default	Fixed	Annotation
	Width	<u>ST_GEOne</u>	required			Width of the page, expressed as a real number in units of the effective coordinate space.
	Height	<u>ST_GEOne</u>	required			Height of the page, expressed as a real number in units of the effective coordinate space.
	ContentBox	<u>ST_ContentBox</u>				Specifies the area of the page containing imageable content that is to be fit within the imageable area when printing or viewing. Contains a list of four coordinate values (ContentOriginX, ContentOriginY, ContentWidth, ContentHeight), expressed as comma-separated real numbers. Specifying a value is RECOMMENDED [S3.1]. If omitted, the default value is (0,0,Width,Height).
	BleedBox	<u>ST_BleedBox</u>				Specifies the union of the ContentBox and the bounding box of all graphical content intended to appear on the final printed and trimmed page. Contains a list of four coordinate values (BleedOriginX, BleedOriginY, BleedWidth, BleedHeight), expressed as comma-separated real numbers. If omitted, the default value is (0,0,Width,Height).

	xml:lang		required		Specifies the default language used for the current element and for any child or descendant elements. The language is specified according to RFC 3066.
	Name	<u>ST Name</u>			Contains a string value that identifies the current element as a named, addressable point in the document for the purpose of hyperlinking.
annotation	Contains markup that describes the rendering of a single page of content.				

The <FixedPage> element contains the contents of a page and is the root element of a FixedPage part. The fixed page contains the elements that together form the basis for all markings rendered on the page: <Paths>, <Glyphs>, and the optional <Canvas> grouping element.

The fixed page MUST specify a height, width, and default language [M3.22].

The coordinate space of the fixed page is composable, meaning that the marking effects of its child and descendant elements are affected by the coordinate space of the fixed page.

*Example 10-5. Fixed page markup*

```
<FixedPage Height="1056" Width="816" xml:lang="en-US"
  xmlns="http://schemas.openxps.org/oxps/v1.0">
  <Glyphs
    OriginX="96"
    OriginY="96"
    UnicodeString="This is Page 1!"
    FontUri="../Resources/Fonts/Times.TTF"
    FontRenderingEmSize="16" />
</FixedPage>
```

*end example]*

### 10.3.1 BleedBox Attribute

The BleedBox attribute defines the union of the ContentBox and the bounding box of all graphical content intended to appear on the final printed and trimmed page. Workflow artifacts such as crop marks are not normally intended to appear in the final page and do not play a part in defining the size or position of the BleedBox.

The bleed box is expressed as four comma-separated, real-number coordinate values that correspond to BleedOriginX, BleedOriginY, BleedWidth, BleedHeight. These values are specified in units of 1/96".

Bleed boxes that do not satisfy the following conditions are invalid and SHOULD be ignored in favor of the default bleed box [S3.2]:

- The BleedBox BleedOriginX value MUST be less than or equal to 0 [M3.7].
- The BleedBox BleedOriginY value MUST be less than or equal to 0 [M3.8].
- The BleedBox BleedWidth value MUST be greater than or equal to the fixed page Width attribute value plus the absolute value of the Bleedbox BleedOriginX value [M3.9].

- The BleedBox BleedHeight value MUST be greater than or equal to the fixed page Height attribute value plus the absolute value of the BleedBox BleedOriginY value [M3.10].

If the BleedBox attribute is omitted, the default value is "0,0,Width,Height".

### 10.3.2 ContentBox Attribute

The ContentBox attribute specifies the area of the page that contains imageable content that must fit in the imageable area when printing or viewing. Specifying this attribute is RECOMMENDED [S3.1]. The content box is expressed as four comma-separated, real-number coordinate values that correspond to ContentOriginX, ContentOriginY, ContentWidth, ContentHeight. These values are specified in units of 1/96".

Content boxes that do not satisfy the following conditions are invalid and SHOULD be ignored in favor of the default content box [S3.3]:

- The ContentBox ContentOriginX value MUST be greater than or equal to 0 and less than the fixed page Width attribute value [M3.11].
- The ContentBox ContentOriginY value MUST be greater than or equal to 0 and less than the fixed page Height attribute value [M3.12].
- The ContentBox ContentWidth value MUST be less than or equal to the difference between the fixed page Width attribute value and the ContentBox ContentOriginX value [M3.13].
- The ContentBox ContentHeight value MUST be less than or equal to the difference between the fixed page Height attribute value and the ContentBox ContentOriginY value [M3.14].

If the ContentBox attribute is omitted, the default value is "0,0,Width,Height".


### 10.3.3 Media Orientation and Scaling

When rendering a FixedPage for printing, consumers are responsible for mapping from FixedPage content to the physical media. Differences in device capabilities and device configuration result in a large number of permutations for the mapping. The positioning, scaling, orientation, and clipping of FixedPage content when mapping to physical media MAY be controlled by settings provided in the PrintTicket [O3.1]. In the absence of settings provided in the PrintTicket, the mapping of FixedPage content to the physical media is implementation-defined.

By default, consumers SHOULD clip to the FixedPage Width and Height [S3.5]; consumers MAY provide implementation-defined mechanisms to select alternative clipping strategies [O3.2]. [Note: For example, an implementation can provide a PrintTicket setting to allow control of consumer clipping of FixedPage content to one of the defined bounding boxes. *end note*]

### 10.4 <Canvas> Element

element **Canvas**



attributes	Name	Type	Use	Default	Fixed	Annotation
	RenderTransform	<a href="#">ST_RscRefMatrix</a>				Establishes a new coordinate frame for the child and descendant elements of the canvas, such as another canvas. Also affects clip and opacity mask.
	Clip	<a href="#">ST_RscRefAbbrGeomF</a>				Limits the rendered region of the element.
	Opacity	<a href="#">ST_ZeroOne</a>		1.0		Defines the uniform

					transparency of the canvas. Values range from 0 (fully transparent) to 1 (fully opaque), inclusive. Values outside of this range are invalid.
OpacityMask	<u>ST_RscRef</u>				Specifies a mask of alpha values that is applied to the canvas in the same fashion as the Opacity attribute, but allowing different alpha values for different areas of the element.
Name	<u>ST_Name</u>				Contains a string value that identifies the current element as a named, addressable point in the document for the purpose of hyperlinking.
RenderOptions.EdgeMode	<u>ST_EdgeMode</u>			Aliased	Controls how edges of paths within the canvas are rendered. The only valid value is Aliased. Omitting this attribute causes the edges to be rendered in the consumer's default manner.
FixedPage.NavigateUri	xs:anyURI				Associates a hyperlink URI with the element. May be a relative reference or a URI that addresses a resource that is internal to or external to the package.
xml:lang					Specifies the default language used for the current element and for any child or descendant elements. The language is specified according to RFC 3066.
x:Key					Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M3.20].

	AutomationProperties.Name	xs:string				A brief description of the <Canvas> contents for accessibility purposes, particularly if filled with a set of vector graphics and text elements intended to comprise a single vector graphic.
	AutomationProperties.HelpText	xs:string				A detailed description of the <Canvas> contents for accessibility purposes, particularly if filled with a set of graphics and text elements intended to comprise a single vector graphic.
annotation	Groups <FixedPage> descendant elements together.					

The <Canvas> element groups elements together. [*Example: <Glyphs> and <Path> elements can be grouped in a canvas in order to be identified as a unit (as a hyperlink destination) or to apply a composed property value to each child and ancestor element. end example*]

Some properties of the <Canvas> element are composable and affect the rendering of child elements. This includes the coordinate space of the canvas. For details, see §14.

The `RenderOptions.EdgeMode` property can be set on the <Canvas> element to instruct anti-aliasing consumers to render the contents of the <Canvas> and all child and descendant elements without performing anti-aliasing, including child brushes and their contents as well as contents included via resource dictionary references.

*Example 10–6. Canvas composition*

The following markup describes a path that provides the background. On top of this is rendered a canvas with the composable `Opacity` and `RenderTransform` properties specified.

The path inside the canvas has the same path geometry as the background path, but since it is composing the <Canvas> element's `RenderTransform` property, it is rendered differently. The path is partially transparent due to the composable `Opacity` property of the parent <Canvas> element.

The <Glyphs> element inside the canvas specifies its own `RenderTransform` property. This property is composed with the <Canvas> element's `RenderTransform` property, such that the coordinate space of the <Glyphs> element is transformed within the context of the coordinate space transformed by the <Canvas> element.

```
<Path>
  <Path.Fill>
    <SolidColorBrush Color="#808080" />
  </Path.Fill>
  <Path.Data>
    <PathGeometry>
      <PathFigure StartPoint="0,0" IsClosed="true">
```

```

        <PolyLineSegment Points="200,0 200,100 0,100 0,0" />
    </PathFigure>
</PathGeometry>
</Path.Data>
</Path>

<Canvas Opacity="0.5" RenderTransform="0.75,0,0,0.75,25,46">
  <Path>
    <Path.Fill>
      <SolidColorBrush Color="#0000FF" />
    </Path.Fill>
    <Path.Data>
      <PathGeometry>
        <PathFigure StartPoint="0,0" IsClosed="true">
          <PolyLineSegment Points="200,0 200,100 0,100 0,0" />
        </PathFigure>
      </PathGeometry>
    </Path.Data>
  </Path>
  <Glyphs
    FontUri=" ../Resources/Fonts/times.ttf"
    OriginX="1"
    OriginY="100"
    UnicodeString="EXAMPLE"
    FontRenderingEmSize="42"
    RenderTransform="1.0,0,0,2.0,0,-100">
    <Glyphs.Fill>
      <SolidColorBrush Color="#FFFFFF" />
    </Glyphs.Fill>
  </Glyphs>
</Canvas>

```

This markup is rendered as follows:



*end example]*

---

## 10.5 <Path> Element

The <Path> element specifies a geometry that can be filled with a brush. For more information, see §11.1.

---

## 10.6 <Glyphs> Element


The <Glyphs> element is used to represent a run of uniformly-formatted text from a single font. The <Glyphs> element provides information for accurate rendering and supports search and selection features in OpenXPS Document consumers. For more information, see §12.1.

## 11. Graphics

Vector graphics are created using the `<Path>` element. A full set of properties is available to describe the visual characteristics of the graphic. These characteristics include the fill, opacity, clipping, rendering transformation, and various stroke details including thickness, fill, line join style, line miter limit, line cap style, dash style, and dash cap style. The description of the geometric area of the path (the geometry) is described by the `Data` property. Raster images are included in fixed page markup by specifying a `<Path>` element filled with an `<ImageBrush>`.

### 11.1 <Path> Element

element **Path**



attributes	Name	Type	Use	Default	Fixed	Annotation
	Data	<a href="#">ST_RscRefAbbrGeomF</a>				Describes the geometry of the path.
	Fill	<a href="#">ST_RscRefColor</a>				Describes the brush used to paint the geometry specified by the Data property of the path.
	RenderTransform	<a href="#">ST_RscRefMatrix</a>				Establishes a new coordinate frame for all attributes of the path and for all child elements of the path, such as the geometry defined by the <Path.Data> property element.
	Clip	<a href="#">ST_RscRefAbbrGeomF</a>				Limits the rendered region of the element.
	Opacity	<a href="#">ST_ZeroOne</a>		1.0		Defines the uniform transparency of the path element. Values range from 0 (fully transparent) to 1 (fully opaque), inclusive. Values outside of this range are invalid.
	OpacityMask	<a href="#">ST_RscRef</a>				Specifies a mask of alpha values that is applied to the path in the same fashion as the Opacity attribute, but allowing different alpha values for different areas of the element.
	Stroke	<a href="#">ST_RscRefColor</a>				Specifies the brush used to draw the stroke.
	StrokeDashArray	<a href="#">ST_EvenArrayPos</a>				Specifies the length of dashes and gaps of the outline stroke. These values are specified as multiples of the stroke thickness as a space-separated list with an even number of non-negative values. When a stroke is drawn, the dashes and gaps specified by these values are repeated to cover the length of the stroke. If this attribute is omitted, the stroke is drawn solid, without any

					gaps.
StrokeDashCap	<u>ST_DashCap</u>		Flat		Specifies how the ends of each dash are drawn. Valid values are Flat, Round, Square, and Triangle.
StrokeDashOffset	<u>ST_Double</u>		0.0		Adjusts the start point for repeating the dash array pattern. If this value is omitted, the dash array aligns with the origin of the stroke. Values are specified as multiples of the stroke thickness.
StrokeEndLineCap	<u>ST_LineCap</u>		Flat		Defines the shape of the end of the last dash in a stroke. Valid values are Flat, Square, Round, and Triangle.
StrokeStartLineCap	<u>ST_LineCap</u>		Flat		Defines the shape of the beginning of the first dash in a stroke. Valid values are Flat, Square, Round, and Triangle.
StrokeLineJoin	<u>ST_LineJoin</u>		Miter		Specifies how a stroke is drawn at a corner of a path. Valid values are Miter, Bevel, and Round. If Miter is selected, the value of StrokeMiterLimit is used in drawing the stroke.
StrokeMiterLimit	<u>ST_GEOne</u>		10.0		The ratio between the maximum miter length and half of the stroke thickness. This value is significant only if the StrokeLineJoin attribute specifies Miter.
StrokeThickness	<u>ST_GEZero</u>		1.0		Specifies the thickness of a stroke, in units of the effective coordinate space (includes the path's render transform). The stroke is drawn on top of the boundary of the geometry specified by the <Path> element's Data property. Half of the StrokeThickness extends outside of the geometry specified by the Data property

					and the other half extends inside of the geometry.
Name	<u>ST_Name</u>				Contains a string value that identifies the current element as a named, addressable point in the document for the purpose of hyperlinking.
FixedPage.NavigateUri	xs:anyURI				Associates a hyperlink URI with the element. Can be a relative reference or a URI that addresses a resource that is internal to or external to the package.
xml:lang					Specifies the default language used for the current element and for any child or descendant elements. The language is specified according to RFC 3066.
x:Key					Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M4.1].
AutomationProperties.Name	xs:string				A brief description of the <Path> for accessibility purposes, particularly if filled with an <ImageBrush>.
AutomationProperties.HelpText	xs:string				A detailed description of the <Path> for accessibility purposes, particularly if filled with an <ImageBrush>.
SnapsToDevicePixels	<u>ST_Boolean</u>				On Anti-aliasing consumers controls if control points snap to the nearest device pixels. Valid values are 'false' and 'true'. Consumers MAY ignore this attribute [O4.1].
annotation	Defines a single graphical effect to be rendered to the page. It paints a geometry with a brush and draws a stroke around it.				

The <Path> element is the sole means of adding vector graphics and images to a fixed page. It defines a single vector graphic to be rendered on a page. Some properties of the <Path> element are composable, meaning that the markings rendered to the page are determined by a combination of the property and all of the like-named properties of its parent and ancestor elements.

The Data property contains a geometric description of the area on which to apply a given effect. This description can take one of two forms: verbose or abbreviated. In the verbose form, the geometry is described in the <Path.Data> property element using the elements described in §11.2. In abbreviated form, it is described using abbreviated syntax in the Data attribute. For more information, see §11.2.3.

The <Path.Fill> property element describes the appearance of the area specified by the Data property. It contains a brush (see §13) that is used to fill the described areas. These can include a solid color, an image, a gradient, or a vector drawing pattern.

The <Path.Stroke> property element describes the appearance of the borders of the shape specified by the Data property. It also contains a <Brush> element, which is used to fill the borders according to the stroke properties (such as StrokeThickness). See §18 for detailed rendering rules of strokes, line caps, and dash caps.

If neither Stroke nor Fill properties are specified, the <Path> element has no visible effect.

The transparency of the rendered <Path> element is controlled by the Opacity attribute. More complex transparency descriptions can be defined using the OpacityMask attribute to control the transparency of the brushes described by the Fill and Stroke properties.

Consumers or viewers that perform anti-aliasing MAY “snap” those control points of the path that are situated on the path bounding box to whole device pixels if the ignorable SnapsToDevicePixels attribute is specified as true [O4.1].

Finally, the path can be cropped by specifying a clipping region in the Clip property, which describes the geometric area to be preserved. The remainder is not rendered. See §11.2.1 for how geometries are defined.

For details on the Clip, Opacity, OpacityMask, and RenderTransform properties, see §14.

### 11.1.1 <Path.Data> Element

element **Path.Data**

diagram	
annotation	Describes the geometry of the path.

The <Path.Data> property element describes the geometric area of a path. It contains a single geometry.

*Example 11-1. <Path.Data> usage*


```
<Path Stroke="#000000" StrokeThickness="1">
  <Path.Data>
    <PathGeometry>
```

```

    <PathFigure StartPoint="50,50" IsClosed="true">
      <PolyLineSegment Points="250,50 150,250" />
    </PathFigure>
  </PathGeometry>
</Path.Data>
</Path>

```


This markup produces the following results:



*end example]*

### 11.1.2 <Path.Fill> Element

element **Path.Fill**



The <Path.Fill> property element specifies the brush that is used to fill the region described by the Data property. This can be a solid color, an image, a gradient, or a vector drawing pattern.

Example 11-2. <Path.Fill> usage

In the following markup, the geometry is filled with a solid color:

```
<Path>
  <Path.Fill>
    <SolidColorBrush Color="#0000FF" />
  </Path.Fill>
  <Path.Data>
    <PathGeometry>
      <PathFigure StartPoint="10,10" IsClosed="true">
        <PolyLineSegment Points="50,200 100,40 150,200
          200,10 100,105" />
      </PathFigure>
    </PathGeometry>
  </Path.Data>
</Path>
```

This markup produces the following result:



*end example]*

### 11.1.3 <Path.Stroke> Element

element **Path.Stroke**

diagram	<pre> classDiagram     class PathStroke     class CT_CP_Brush {         ImageBrush         LinearGradientBrush         RadialGradientBrush         SolidColorBrush         VisualBrush     }     PathStroke --&gt; CT_CP_Brush   </pre>
annotation	Specifies the brush used to draw the stroke.

The <Path.Stroke> property element describes the border of the path's geometry. <Path.Stroke> contains a brush. Only those segments of the path figure in the <Path.Data> element that set the IsStroked attribute to true (the default value if omitted) are stroked. If IsClosed is set to true, an extra segment will be stroked, connecting the last point in the path figure with the first point in the path figure.

The <Path.Stroke> property element is then used to describe the appearance of the borders of the shape defined by the Data property. It also contains a brush, which is used to fill the borders according to the stroke properties (such as StrokeThickness).


For more information, see §18.6.

*Example 11-3. <Path.Stroke> usage*

The following <Path.Stroke> element uses a gradient brush to fill the border of a box:

```
<Path StrokeThickness="10" Data="M 20,20 L 170,20 L 170,170 L 20,170 Z">
  <Path.Stroke>
    <LinearGradientBrush MappingMode="Absolute"
      StartPoint="0,0" EndPoint="0,5" SpreadMethod="Reflect">
      <LinearGradientBrush.GradientStops>
        <GradientStop Color="#9999FF" Offset="0.0" />
        <GradientStop Color="#333366" Offset="1.0" />
      </LinearGradientBrush.GradientStops>
    </LinearGradientBrush>
  </Path.Stroke>
</Path>
```

This markup produces the following results:



*end example]*

---

## 11.2 Geometries and Figures

Geometries are used to build visual representations of geometric shapes.

The smallest atomic unit in a geometry is a segment. Segments can be lines or curves. One or more segments are combined into a path figure definition. A path figure is a single shape comprised of continuous segments. One or more path figures collectively define an entire path geometry. A path geometry MAY define the fill algorithm to be used on the component path figures [O4.2].

A single path geometry can be used in the Data property of the <Path> element to describe its overall geometry. A path geometry can also be used in the Clip property of the <Canvas>, <Path>, or <Glyphs> elements to describe a clipping region.

**11.2.1 Geometries**

A <PathGeometry> element constitutes a complete geometry definition.

**11.2.1.1 <PathGeometry> Element**

element **PathGeometry**

<p>diagram</p>																															
<p>attributes</p>	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>Figures</td> <td>ST_AbbrGeom</td> <td></td> <td></td> <td></td> <td>Describes the geometry of the path.</td> </tr> <tr> <td>FillRule</td> <td>ST_FillRule</td> <td></td> <td>EvenOdd</td> <td></td> <td>Specifies how the intersecting areas of geometric shapes are combined to form a region. Valid values are EvenOdd and NonZero.</td> </tr> <tr> <td>Transform</td> <td>ST_RscRefMatrix</td> <td></td> <td></td> <td></td> <td>Specifies the local matrix transformation that is applied to all child and descendant elements of the path geometry before it is used for filling, clipping, or stroking.</td> </tr> <tr> <td>x:Key</td> <td></td> <td></td> <td></td> <td></td> <td>Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M4.2].</td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	Figures	ST_AbbrGeom				Describes the geometry of the path.	FillRule	ST_FillRule		EvenOdd		Specifies how the intersecting areas of geometric shapes are combined to form a region. Valid values are EvenOdd and NonZero.	Transform	ST_RscRefMatrix				Specifies the local matrix transformation that is applied to all child and descendant elements of the path geometry before it is used for filling, clipping, or stroking.	x:Key					Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M4.2].
Name	Type	Use	Default	Fixed	Annotation																										
Figures	ST_AbbrGeom				Describes the geometry of the path.																										
FillRule	ST_FillRule		EvenOdd		Specifies how the intersecting areas of geometric shapes are combined to form a region. Valid values are EvenOdd and NonZero.																										
Transform	ST_RscRefMatrix				Specifies the local matrix transformation that is applied to all child and descendant elements of the path geometry before it is used for filling, clipping, or stroking.																										
x:Key					Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M4.2].																										
<p>annotation</p>	<p>Contains a set of &lt;PathFigure&gt; elements.</p>																														


A <PathGeometry> element contains a set of path figures specified either with the Figures attribute or with a child <PathFigure> element. Producers MUST NOT specify the path figures of a geometry with both the Figures attribute and a child <PathFigure> element [M4.3].

The union of the path figures defines the interior of the path geometry according to the FillRule attribute as described in §11.2.1.2.

*Example 11-4. <PathGeometry> usage*

```
<Path Stroke="#000000">
  <Path.Data>
    <PathGeometry>
      <PathFigure StartPoint="25,75">
        <PolyLineSegment Points="150,75 50,75" />
      </PathFigure>
      <PathFigure StartPoint="50,75" IsClosed="true">
        <ArcSegment
          Size="60,60"
          RotationAngle="0"
          IsLargeArc="true"
          SweepDirection="Counterclockwise"
          Point="125,75" />
      </PathFigure>
      <PathFigure StartPoint="50,75" IsClosed="true">
        <PolyLineSegment Points="25,25 150,25 125,75" />
      </PathFigure>
    </PathGeometry>
  </Path.Data>
</Path>
```

This markup produces the following results:



*end example]*


### 11.2.1.2 FillRule Attribute

The FillRule attribute specifies a fill algorithm. The fillable area of a geometry is defined by taking all of the contained path figures and applying the fill algorithm to determine the enclosed area. Fill algorithms determine how the intersecting areas of geometric shapes are combined to form a region.

#### 11.2.1.2.1 EvenOdd Fill Algorithm

This rule determines the “insideness” of a point on the canvas by drawing a ray from the point to infinity in any direction and counting the number of segments from the given shape that the ray crosses. If this number is odd, the point is inside; if it is even, the point is outside. This is the default rule used throughout OpenXPS Document markup.


Figure 11-1. Fill using EvenOdd algorithm



**11.2.1.2.2 NonZero Fill Algorithm**

This rule determines the “insideness” of a point on the canvas by drawing a ray from the point to infinity in any direction and then examining the places where a segment of the shape crosses the ray. Starting with a count of zero, add one each time a segment crosses the ray from left to right and subtract one each time a path segment crosses the ray from right to left. After counting the crossings, if the result is zero then the point is outside the path; otherwise, it is inside.

Figure 11-2. Fill using NonZero algorithm




**11.2.1.3 Figures Attribute**

The <PathGeometry> element’s Figures attribute can be used to describe the path figures the geometry contains using abbreviated syntax (see §11.2.3) with the exception that the FillRule command MUST NOT be used [M4.4].

**11.2.2 Figures**

**11.2.2.1 <PathFigure> Element**

element **PathFigure**



	IsClosed	<u>ST_Boolean</u>		false	Specifies whether the path is closed. If set to true, the stroke is drawn "closed," that is, the last point in the last segment of the path figure is connected with the point specified in the StartPoint attribute, otherwise the stroke is drawn "open," and the last point is not connected to the start point. Only applicable if the path figure is used in a <Path> element that specifies a stroke.
	StartPoint	<u>ST_Point</u>	required		Specifies the starting point for the first segment of the path figure.
	IsFilled	<u>ST_Boolean</u>		true	Specifies whether the path figure is used in computing the area of the containing path geometry. Can be true or false. When set to false, the path figure is considered only for stroking.
annotation	Specifies a set of one or more segment elements defining a closed region.				

A <PathFigure> element is composed of a set of one or more line or curve segments. The segment elements define the shape of the path figure. The initial point of the first segment element is specified as the StartPoint attribute of the path figure. The last point of each segment element is the first point of the following segment element.

Segment elements are:

- <ArcSegment>
- <PolyBezierSegment>
- <PolyLineSegment>
- <PolyQuadraticBezierSegment>

Line segments and curve segments SHOULD NOT be specified as zero-length [S4.1]. If they are specified as zero-length, they are not drawn. For full details of the behavior in cases such as those involving line caps, see §18.

11.2.2.2 <ArcSegment> Element

element **ArcSegment**

<p>diagram</p>																																																
<p>attributes</p>	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>Point</td> <td><u>ST_Point</u></td> <td>required</td> <td></td> <td></td> <td>Specifies the endpoint of the elliptical arc.</td> </tr> <tr> <td>Size</td> <td><u>ST_PointGE0</u></td> <td>required</td> <td></td> <td></td> <td>Specifies the x and y radius of the elliptical arc as an x,y pair.</td> </tr> <tr> <td>RotationAngle</td> <td><u>ST_Double</u></td> <td>required</td> <td></td> <td></td> <td>Indicates how the ellipse is rotated relative to the current coordinate system.</td> </tr> <tr> <td>IsLargeArc</td> <td><u>ST_Boolean</u></td> <td>required</td> <td></td> <td></td> <td>Determines whether the arc is drawn with a sweep of 180 or greater. Can be true or false.</td> </tr> <tr> <td>SweepDirection</td> <td><u>ST_SweepDirection</u></td> <td>required</td> <td></td> <td></td> <td>Specifies the direction in which the arc is drawn. Valid values are Clockwise and Counterclockwise.</td> </tr> <tr> <td>IsStroked</td> <td><u>ST_Boolean</u></td> <td></td> <td>true</td> <td></td> <td>Specifies whether the stroke for this segment of the path is drawn. Can be true or false.</td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	Point	<u>ST_Point</u>	required			Specifies the endpoint of the elliptical arc.	Size	<u>ST_PointGE0</u>	required			Specifies the x and y radius of the elliptical arc as an x,y pair.	RotationAngle	<u>ST_Double</u>	required			Indicates how the ellipse is rotated relative to the current coordinate system.	IsLargeArc	<u>ST_Boolean</u>	required			Determines whether the arc is drawn with a sweep of 180 or greater. Can be true or false.	SweepDirection	<u>ST_SweepDirection</u>	required			Specifies the direction in which the arc is drawn. Valid values are Clockwise and Counterclockwise.	IsStroked	<u>ST_Boolean</u>		true		Specifies whether the stroke for this segment of the path is drawn. Can be true or false.					
Name	Type	Use	Default	Fixed	Annotation																																											
Point	<u>ST_Point</u>	required			Specifies the endpoint of the elliptical arc.																																											
Size	<u>ST_PointGE0</u>	required			Specifies the x and y radius of the elliptical arc as an x,y pair.																																											
RotationAngle	<u>ST_Double</u>	required			Indicates how the ellipse is rotated relative to the current coordinate system.																																											
IsLargeArc	<u>ST_Boolean</u>	required			Determines whether the arc is drawn with a sweep of 180 or greater. Can be true or false.																																											
SweepDirection	<u>ST_SweepDirection</u>	required			Specifies the direction in which the arc is drawn. Valid values are Clockwise and Counterclockwise.																																											
IsStroked	<u>ST_Boolean</u>		true		Specifies whether the stroke for this segment of the path is drawn. Can be true or false.																																											
<p>annotation</p>	<p>Represents an elliptical arc between two points.</p>																																															

The <ArcSegment> element describes an elliptical arc. It is geometrically defined by the intersection of two ellipses that have the same x radius and y radius. The ellipses intersect at the starting and ending points of the arc.

Table 11-1. Arc segment definition

Term	Description
Starting Point	Implicitly defined by the previous point in the path figure definition.

---

Ending Point	Specified by the Point attribute.
Arc Size	Defined by the Size attribute. This value consists of the comma-delimited <i>x</i> and <i>y</i> radii of the ellipses that will be used to define the arc. [ <i>Example: "100,50" end example</i> ]
Rotation Angle	Specified by the RotationAngle attribute, this determines how the ellipses defining the arc are rotated with respect to the <i>x</i> axis, in degrees. Positive values are clockwise and negative values are counter-clockwise.
Large Arc Flag	Specified by the IsLargeArc attribute, this flag indicates which of the arc pairs created by the intersecting ellipses to use. When the flag is true, it uses the larger arc (arc length $\geq 180^\circ$ ), and when it is false it uses the smaller arcs (arc length $< 180^\circ$ ).
Sweep Direction	Specified by the SweepDirection attribute, this flag determines which of the two possible arcs (selected by the Large Arc Flag) is used. Beginning at the starting point, one arc proceeds in the positive (clockwise) direction, while the other proceeds in the negative (counter-clockwise) direction.

---

Figure 11-3. Arc choice A

IsLargeArc = false; SweepDirection = Counterclockwise




Figure 11-4. Arc choice B

IsLargeArc = false; SweepDirection = Clockwise




Figure 11-5. Arc choice C

IsLargeArc = true; SweepDirection = Counterclockwise





Figure 11-6. Arc choice D

IsLargeArc = true; SweepDirection = Clockwise



Example 11-5. &lt;ArcSegment&gt; usage


```
<Path Stroke="#000000" StrokeThickness="1">
  <Path.Data>
```

```

    <PathGeometry>
      <PathFigure StartPoint="10,10">
        <ArcSegment
          Size="100,50"
          RotationAngle="45"
          IsLargeArc="true"
          SweepDirection="Counterclockwise"
          Point="200,100" />
      </PathFigure>
    </PathGeometry>
  </Path.Data>
</Path>

```

This markup generates the following arc:



*end example]*

#### 11.2.2.2.1 Out-of-Range Attributes

The following guidelines are followed when encountering incompatible attribute values on an <ArcSegment> element:

- If the arc is impossible to render given the combination of radii specified in the Size attribute and the angle of rotation specified in the RotationAngle attribute, the ellipses are scaled equally until there is exactly one solution that satisfies the arc requirements to pass through the specified Point attribute.
- If the Point attribute is the same as the previous point in the path figure, the segment is omitted.
- If either the x or y radius in the Size attribute is 0, the segment is rendered as a poly line segment with a single line segment to the x,y coordinates specified by the Point attribute.
- The x or y radius in the Size attribute MUST NOT be negative [M4.5].
- If the RotationAngle value is greater than 360, it is replaced by the value of the RotationAngle modulo 360. If it is less than 0, it is replaced with a value normalized to the range 0–360.

### 11.2.2.3 <PolyBezierSegment> Element

element **PolyBezierSegment**


diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	Points	<u>ST_PointsM3</u>	required			Specifies control points for multiple Bézier segments. Coordinate values within each pair are comma-separated and additional whitespace can appear. Coordinate pairs are separated from other coordinate pairs by whitespace.
	IsStroked	<u>ST_Boolean</u>		true		Specifies whether the stroke for this segment of the path is drawn. Can be true or false.
annotation	A series of Bézier segments.					

The <PolyBezierSegment> element describes a set of cubic Bézier curves. Bézier curves are drawn from the previous point in the path figure or the previous Bézier curve in the segment and terminate at the third point ( $x_{3n}, y_{3n}$ ) in the Points attribute (where  $n$  is the curve being drawn). The tangents and curvature of each Bézier curve are controlled by the first two control points ( $x_{3n-2}, y_{3n-2}$  and  $x_{3n-1}, y_{3n-1}$ ) in the Points attribute. The Points attribute contains a multiple of three whitespace-delimited pairs of comma-delimited  $x, y$  values.

*Example 11-6. <PolyBezierSegment> usage*

```
<Path Stroke="#000000" StrokeThickness="1">
  <Path.Data>
    <PathGeometry>
      <PathFigure StartPoint="20,80">
        <PolyBezierSegment Points="70,0 120,160 170,80 120,0 70,160
          20,80" />
      </PathFigure>
    </PathGeometry>
  </Path.Data>
</Path>
```

This markup generates the following results:



*end example]*

**11.2.2.4 <PolyLineSegment> Element**

element **PolyLineSegment**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	Points	<u>ST_Points</u>	required			Specifies a set of coordinates for the multiple segments that define the poly line segment. Coordinate values within each pair are comma-separated and additional whitespace can appear. Coordinate pairs are separated from other coordinate pairs by whitespace.
	IsStroked	<u>ST_Boolean</u>		true		Specifies whether the stroke for this segment of the path is drawn. Can be true or false.
annotation	Specifies a set of points between which lines are drawn.					

The <PolyLineSegment> element describes a polygonal drawing containing an arbitrary number of individual vertices. The Points attribute defines the vertices and contains whitespace-delimited pairs of comma-delimited x,y values.

*Example 11-7. <PolyLineSegment> usage*

```

<Path Stroke="#000000" StrokeThickness="1">
  <Path.Data>
    <PathGeometry>
      <PathFigure StartPoint="10,10">
        <PolyLineSegment Points="140,10 140,55 95,55 65,85 95,115


```

```

        140,115 140,160 10,160" />
    </PathFigure>
</PathGeometry>
</Path.Data>
</Path>

```

This markup produces the following figure:



*end example]*

**11.2.2.5 <PolyQuadraticBezierSegment> Element**

element **PolyQuadraticBezierSegment**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	Points	<u>ST_PointsM2</u>	required			Specifies control points for multiple quadratic Bézier segments. Coordinate values within each pair are comma-separated and additional whitespace can appear. Coordinate pairs are separated from other coordinate pairs by whitespace.
	IsStroked	<u>ST_Boolean</u>		true		Specifies whether the stroke for this segment of the path is drawn. Can be true or false.
annotation	A series of quadratic Bézier segments.					


The <PolyQuadraticBezierSegment> element describes a set of quadratic Bézier curves from the previous point in the path figure through a set of vertices, using specified control points. The Points attribute defines an off-curve control point ( $x_{2n-1}, y_{2n-1}$ ) followed by the end point ( $x_{2n}, y_{2n}$ ) for each quadratic Bézier curve (where  $n$  represents the quadratic Bézier curve). The

Points attribute contains a multiple of two whitespace-delimited pairs of comma-delimited x,y values.

*Example 11-8. <PolyQuadraticBezierSegment> usage*

```
<Path Stroke="#000000" StrokeThickness="1">
  <Path.Data>
    <PathGeometry>
      <PathFigure StartPoint="10,10">
        <PolyQuadraticBezierSegment Points="50,200 100,40 150,200
          200,10" />
      </PathFigure>
    </PathGeometry>
  </Path.Data>
</Path>
```

This markup produces the following curve:



*end example]*

#### 11.2.2.6 Closed <PathFigure>

If the `IsClosed` attribute of the `<PathFigure>` element is set to `true`, a straight line is drawn from the last point in the last segment of the `<PathFigure>` element to the `StartPoint` attribute of the `<PathFigure>` element. If the `IsClosed` attribute is omitted, its default setting is `false`.


`<PathFigure>` elements used in filled `<Path>` elements or as `Clip` attributes are implicitly closed.

*Example 11-9. Closed <PathFigure> usage*

The following markup shows the arc segment as shown in Example 11-5 with the `IsClosed` attribute of the `<PathFigure>` element set to `true`.

```
<Path Stroke="#000000" StrokeThickness="1">
  <Path.Data>
    <PathGeometry>
      <PathFigure StartPoint="10,10" IsClosed="true">
        <ArcSegment
          Size="100,50"
          RotationAngle="45"
          IsLargeArc="true"
          SweepDirection="Counterclockwise"
          Point="200,100" />
      </PathFigure>
    </PathGeometry>
  </Path.Data>
</Path>
```

This markup generates the following figure:



*end example]*

### 11.2.3 Abbreviated Geometry Syntax

Abbreviated geometry syntax MAY be used to specify a geometry of one or more figures comprised of multiple segments [O4.3]. A geometry is specified with an optional FillRule command (not allowed in the Figures attribute of a <PathGeometry> element) followed by one or more figure definitions. Figure definitions are specified with a Move command, a set of one or more drawing commands to create segments, and an optional Close command to create a closing segment. The behavior of a degenerate geometry with no drawing commands is implementation-defined. Drawing commands include:

- Line
- Horizontal Line
- Vertical Line
- Cubic Bézier Curve
- Quadratic Bézier Curve
- Smooth Cubic Bézier Curve
- Elliptical Arc

A command is represented by a single letter and is followed by zero or more whitespace characters, which are followed by command parameters. Parameters are whitespace-delimited. Points are specified as a comma-delimited pair with zero or more whitespace characters.

Uppercase letters denote absolute values and lowercase letters denote relative values. When relative coordinate values are specified, each coordinate pair expresses an offset relative to the current endpoint (the previous command's terminating coordinate pair). If a relative value is used for the first Move command, the current endpoint is, by definition, 0,0.

If a relative value is used following a Close command, the current endpoint is the first point of the previous figure.

If entering more than one drawing command of the same type sequentially, the duplicate command entry MAY be omitted [O4.4]. [*Example*: "L 100,200 300,400" is equivalent to "L 100,200 L 300,400". *end example*] The current endpoint is determined as though each command appeared individually.

Values specifying coordinates can be real numbers.

For more information, see §C.

Table 11-2. Commands

Name	Syntax	Description	Non-Abbreviated Equivalent
FillRule	F FillRule	Establishes the fill rule that should be used for this geometry. A value of 0 is equivalent to a FillRule value of EvenOdd; a value of 1 is equivalent to a FillRule value of NonZero. The default value if this command is omitted is 0.  This command MUST appear only as the first command in the abbreviated geometry syntax [M4.6]. This command MUST NOT be specified in the value of the Figures attribute of the <PathGeometry> element [M4.7]. [Example: F 0 end example]	<PathGeometry> FillRule attribute
Move	M x,y or m x,y	Establishes a new current endpoint. Every geometry MAY specify one or more figures, and MAY be preceded by a FillRule command where allowed [O4.5]. The first figure in a geometry MUST begin with a Move command [M4.8]. Subsequent Move commands indicate the start of a new figure but MAY be omitted, indicating the current endpoint for the subsequent figure is the same as the end point of the previous figure [O4.6]. [Example: M 1.0,1.5 end example]	<PathFigure> StartPoint attribute
Line	L x,y or l x,y	Draws a straight line from the current point to the specified point. [Example: L 20,30 end example]	<PolyLineSegment> element
Horizontal Line	H x or h x	Draws a horizontal line from the current endpoint to the specified x coordinate. [Example: H 90 end example]	<PolyLineSegment> element
Vertical Line	V y or v y	Draws a vertical line from the current endpoint to the	<PolyLineSegment> element

Name	Syntax	Description	Non-Abbreviated Equivalent
	<code>v y</code>	specified <i>y</i> coordinate. [ <i>Example: v 90 end example</i> ]	
Cubic Bézier Curve	<code>C x<sub>1</sub>, y<sub>1</sub> x<sub>2</sub>, y<sub>2</sub> x<sub>3</sub>, y<sub>3</sub></code> or <code>c x<sub>1</sub>, y<sub>1</sub> x<sub>2</sub>, y<sub>2</sub> x<sub>3</sub>, y<sub>3</sub></code>	Draws a cubic Bézier curve from the current endpoint to the specified point ( <i>x</i> <sub>3</sub> , <i>y</i> <sub>3</sub> ) using the two specified control points ( <i>x</i> <sub>1</sub> , <i>y</i> <sub>1</sub> and <i>x</i> <sub>2</sub> , <i>y</i> <sub>2</sub> ). The first control point determines the initial direction (tangent) of the curve, and the second determines the terminating direction (tangent) of the curve. [ <i>Example: C 100, 200 200, 400 300, 200 end example</i> ]	<PolyBezierSegment> element
Quadratic Bézier Curve	<code>Q x<sub>1</sub>, y<sub>1</sub> x<sub>2</sub>, y<sub>2</sub></code> or <code>q x<sub>1</sub>, y<sub>1</sub> x<sub>2</sub>, y<sub>2</sub></code>	Draws a quadratic Bézier curve from the current endpoint to the specified point ( <i>x</i> <sub>2</sub> , <i>y</i> <sub>2</sub> ) using the specified control point ( <i>x</i> <sub>1</sub> , <i>y</i> <sub>1</sub> ). [ <i>Example: q 100, 200 300, 200 end example</i> ]	<PolyQuadraticBezierSegment> element
Smooth Cubic Bézier Curve	<code>S x<sub>1</sub>, y<sub>1</sub> x<sub>2</sub>, y<sub>2</sub></code> or <code>s x<sub>1</sub>, y<sub>1</sub> x<sub>2</sub>, y<sub>2</sub></code>	Draws a cubic Bézier curve from the current endpoint to the specified point ( <i>x</i> <sub>2</sub> , <i>y</i> <sub>2</sub> ). The first control point is assumed to be the reflection of the second control point of the previous command, relative to the current endpoint. If there is no previous command or if the previous command was not a Cubic Bézier Curve command or Smooth Cubic Bézier Curve command, the first control point is assumed to be coincident with the current endpoint. The second control point is specified by <i>x</i> <sub>1</sub> , <i>y</i> <sub>1</sub> . [ <i>Example: S 100, 200 200, 300 end example</i> ]	<PolyBezierSegment> element
Elliptical Arc	<code>A x<sub>r</sub>, y<sub>r</sub> r<sub>x</sub> fArc fSweep x, y</code> or <code>a x<sub>r</sub>, y<sub>r</sub> r<sub>x</sub> fArc fSweep x, y</code>	Draws an elliptical arc from the current endpoint to the specified point ( <i>x</i> , <i>y</i> ). The size and orientation of the ellipse are defined by <i>x</i> <sub>r</sub> , <i>y</i> <sub>r</sub> , <i>r</i> <sub>x</sub> , <i>r</i> <sub>y</sub> defines the <i>x</i> radius, <i>y</i> <sub>r</sub> defines the <i>y</i> radius, and <i>r</i> <sub>x</sub> defines the <i>x</i> -axis rotation in degrees,	<ArcSegment> element

Name	Syntax	Description	Non-Abbreviated Equivalent
		<p>which indicates how the ellipse is rotated relative to the current coordinate system. The center of the ellipse is calculated automatically.</p> <p>In most situations, four different arcs satisfy the specified constraints. <i>fArc</i> and <i>fSweep</i> indicate which arc to use.</p> <p>Of the four candidate arc sweeps, two represent large arcs with sweeps of 180° or greater, and two represent smaller arcs with sweeps less than 180°.</p> <p>If <i>fArc</i> is 1, one of the two larger arc sweeps is chosen. If <i>fArc</i> is 0, one of the smaller arc sweeps is chosen. No other values of <i>fArc</i> are valid.</p> <p>If <i>fSweep</i> is 1, the arc is drawn in a positive-angle (clockwise) direction. If <i>fSweep</i> is 0, the arc is drawn in a negative-angle (counter-clockwise) direction. No other values of <i>fSweep</i> are valid. [Example: <code>a 200,70 10 0 1 100,100 end example</code>]</p>	
Close	z or z	<p>Draws a straight line from the current endpoint to the first point of the current figure and then ends the figure.</p> <p>If the command following a Close command is a Move command, the Move command specifies the initial point of the next figure. Otherwise, the next figure starts at the same initial point as the current figure.</p>	<PathFigure> IsClosed attribute

*Example 11-10. A path described using abbreviated syntax*

The following markup demonstrates a simple path, which is drawn using the abbreviated syntax:

```
<Path Stroke="#000000" Data="M 100,100 L 300,100 L 200,300 z" />
```


*end example]*

### 11.2.3.1 Smooth Bézier Curve Abbreviated Syntax

Smooth Bézier curves specified with the abbreviated geometry syntax are basic cubic Bézier curves with an implied first control point. This control point is coincident with the endpoint of the previous segment unless the previous segment is also a Bézier curve. In this case, the first control point of the smooth Bézier curve is a reflection of the second control point of the previous curve segment around the start point of the smooth Bézier curve segment, as shown below.

*Example 11-11. Smooth Bézier curve*

In the following example,  $C_1$  and  $C_2$  represent the first and second control points of the first cubic Bézier curve segment, respectively.  $S_1$  represents the implied first control point of the smooth Bézier curve segment.  $S_2$  represents the specified control point of the smooth Bézier curve segment.  $I$  represents the inflection point around which control point  $S_1$  is derived from control point  $C_2$ .



The above diagram is generated with the following markup:

```
<Canvas RenderTransform="1.25,0,0,1.25,-40,20" >
  <!-- Main Path -->
  <Path Stroke="#000000" StrokeThickness="30" StrokeLineJoin="Round"
    Data="M50,80 L100,80 C130,0 170,160 200,80 S270,160 300,80 L350,80"/>
  <Path Stroke="#CCCCCC" StrokeThickness="2"
    Data="M50,80 L100,80 C130,0 170,160 200,80 S270,160 300,80 L350,80"/>
  <!-- C1 -->
  <Path Stroke="#AAAAAA" StrokeThickness="1" Data="M 100,80 L 130,0" />
  <Path Stroke="#0000CC" StrokeThickness="5" StrokeStartLineCap="Round"
    StrokeEndLineCap="Round" Data="M 130,0 L 130,0" />
  <Glyphs Fill="#000000" UnicodeString="C" OriginX="130" OriginY="15"
    FontUri="../Resources/Fonts/Verdana.ttf" FontRenderingEmSize="10"
  />
  <Glyphs Fill="#000000" UnicodeString="I" OriginX="138" OriginY="18"
    FontUri="../Resources/Fonts/Verdana.ttf" FontRenderingEmSize="6"
  />
```

```

<!-- C2 -->
<Path Stroke="#AAAAAA" Data="M 200,80 L 170,160" />
<Path Stroke="#0000CC" StrokeThickness="5" StrokeStartLineCap="Round"
  StrokeEndLineCap="Round" Data="M 170,160 L 170,160" />
<Glyphs Fill="#000000" UnicodeString="C" OriginX="175"
  OriginY="175" FontUri=" ../Resources/Fonts/Verdana.ttf"
  FontRenderingEmSize="10" />
<Glyphs Fill="#000000" UnicodeString="2" OriginX="183"
  OriginY="178" FontUri=" ../Resources/Fonts/Verdana.ttf"
  FontRenderingEmSize="6" />
<!-- S1 -->
<Path Stroke="#AAAAAA" StrokeThickness="2"
  StrokeDashArray="0.75 0.75" Data="M 200,80 L 230,0" />
<Path Stroke="#0000CC" StrokeThickness="5" StrokeStartLineCap="Round"
  StrokeEndLineCap="Round" Data="M 230,0 L 230,0" />
<Path Stroke="#FFFFFF" StrokeThickness="3" StrokeStartLineCap="Round"
  StrokeEndLineCap="Round" Data="M 230,0 L 230,0" />
<Glyphs Fill="#000000" UnicodeString="S" OriginX="230" OriginY="15"
  FontUri=" ../Resources/Fonts/Verdana.ttf" FontRenderingEmSize="10"
/>
<Glyphs Fill="#000000" UnicodeString="1" OriginX="238" OriginY="18"
  FontUri=" ../Resources/Fonts/Verdana.ttf" FontRenderingEmSize="6"
/>
<!-- S2 -->
<Path Stroke="#AAAAAA" StrokeThickness="1" Data="M 300,80 L 270,160"
/>
<Path Stroke="#0000CC" StrokeThickness="5" StrokeStartLineCap="Round"
  StrokeEndLineCap="Round" Data="M 270,160 L 270,160" />
<Glyphs Fill="#000000" UnicodeString="S" OriginX="275" OriginY="175"
  FontUri=" ../Resources/Fonts/Verdana.ttf" FontRenderingEmSize="10"
/>
<Glyphs Fill="#000000" UnicodeString="2" OriginX="283" OriginY="178"
  FontUri=" ../Resources/Fonts/Verdana.ttf" FontRenderingEmSize="6"
/>
<!-- Inflection -->
<Path Stroke="#FFFFFF" StrokeThickness="3" StrokeStartLineCap="Round"
  StrokeEndLineCap="Round" Data="M 200,80 L 200,80" />
<Glyphs Fill="#FFFFFF" UnicodeString="I" OriginX="203" OriginY="90"
  FontUri=" ../Resources/Fonts/Verdana.ttf" FontRenderingEmSize="10"
/>
</Canvas>

```

*end example]*

### 11.2.3.2 Relative Commands and Curve Control Points

When using relative (lowercase) commands with the abbreviated geometry syntax, each control point and end point are individually specified relative to the start point of that segment.

*Example 11–12. Relative commands and curves*

The following markup describes a simple shape using cubic Bézier curves:

```

<Path Stroke="#000000" Data="M 50,20 L 150,20 C 250,75 170,130 120,100
  C 70,70 90,110 130,160 Q 0,150 50,20" />

```

This markup describes the same shape, using relative commands:

```
<Path Stroke="#000000" Data="M 50,20 l 100,0 c 100,55 20,110 -30,80  
c -50,-30 -30,10 10,60 q -130,-10 -80,-140" />
```


*end example]*

## 12. Text

A run of text sharing the same characteristics is represented by a <Glyphs> element. Text runs are broken by line advances and formatting changes. The set of properties on the <Glyphs> element allows for a complete description of the glyph characteristics, such as the fill and opacity, as well as clipping information. The <Glyphs> element allows specification of a Unicode string and supports bidirectional and vertical text.

## 12.1 <Glyphs> Element

element **Glyphs**



attributes	Name	Type	Use	Default	Fixed	Annotation
		BidiLevel			0	

					<p>odd values imply right-to-left layout. Right-to-left layout places the run origin at the right side of the first glyph, with positive advance widths (representing advances to the left) placing subsequent glyphs to the left of the previous glyph. Valid values range from 0 to 61, inclusive.</p>
CaretStops	<u>ST_CaretStops</u>				<p>Identifies the positions within the sequence of Unicode characters at which a text-selection tool can place a text-editing caret. Potential caret-stop positions are identified by their indices into the UTF-16 code units represented by the UnicodeString attribute value. When this attribute is missing, the text in the UnicodeString attribute value MUST be interpreted as having a caret stop between every Unicode UTF-16 code unit and at the beginning and end of the text [M5.1].</p> <p>The value SHOULD indicate that the caret cannot stop in front of most combining marks or in front of the second UTF-16 code unit of UTF-16 surrogate pairs [S5.1].</p>
DeviceFontName	<u>ST_UnicodeString</u>				<p>Uniquely identifies a specific device font. The identifier is typically defined by a hardware vendor or font vendor.</p>
Fill	<u>ST_RscRefColor</u>				<p>Describes the brush used to fill the shape of the rendered glyphs.</p>
FontRenderingEmSize	<u>ST_GEZero</u>	required			<p>Specifies the font size in drawing surface units, expressed as a float in units of the effective coordinate space. A value of 0 results in no visible text.</p>
FontUri	xs:anyURI	required			<p>The URI of the physical font from which all glyphs in the run are drawn. The URI MUST reference a font contained in the package [M2.1]. If the physical font referenced is a TrueType Collection (containing multiple font faces),</p>

					the fragment portion of the URI is a 0-based index indicating which font face of the TrueType Collection should be used.
OriginX	<u>ST_Double</u>	required			Specifies the x coordinate of the first glyph in the run, in units of the effective coordinate space. The glyph is placed so that the leading edge of its advance vector and its baseline intersect with the point defined by the OriginX and OriginY attributes.
OriginY	<u>ST_Double</u>	required			Specifies the y coordinate of the first glyph in the run, in units of the effective coordinate space. The glyph is placed so that the leading edge of its advance vector and its baseline intersect with the point defined by the OriginX and OriginY attributes.
IsSideways	<u>ST_Boolean</u>		false		Indicates that a glyph is turned on its side, with the origin being defined as the top center of the unturned glyph.
Indices	<u>ST_Indices</u>				Specifies a series of glyph indices and their attributes used for rendering the glyph run. If the UnicodeString attribute of the <Glyphs> element is not specified or contains an empty value (" or "{ }"), and if the Indices attribute is not specified or contains no glyph indices, then a consumer MUST instantiate an error condition [M5.2].
UnicodeString	<u>ST_UnicodeString</u>				Contains the string of text rendered by the <Glyphs> element. The text is specified as Unicode code points. If the UnicodeString attribute of the <Glyphs> element is not specified or contains an empty value (" or "{ }"), and if the Indices attribute is not specified or contains no glyph indices, then a consumer MUST instantiate an error condition [M5.2].

StyleSimulations	<u>ST_StyleSimulations</u>		None		Specifies a style simulation. Valid values are None, ItalicSimulation, BoldSimulation, and BoldItalicSimulation.
RenderTransform	<u>ST_RscRefMatrix</u>				Establishes a new coordinate frame for the glyph run specified by the <Glyphs> element. The render transform affects clip, opacity mask, fill, x origin, y origin, the actual shape of individual glyphs, and the advance widths. The render transform also affects the font size and values specified in the Indices attribute.
Clip	<u>ST_RscRefAbbrGeomF</u>				Limits the rendered region of the element. Only portions of the <Glyphs> element that fall within the clip region (even partially clipped characters) produce marks on the page.
Opacity	<u>ST_ZeroOne</u>		1.0		Defines the uniform transparency of the glyph element. Values range from 0 (fully transparent) to 1 (fully opaque), inclusive. Values outside of this range are invalid.
OpacityMask	<u>ST_RscRef</u>				Specifies a mask of alpha values that is applied to the glyphs in the same fashion as the Opacity attribute, but allowing different alpha values for different areas of the element.
Name	<u>ST_Name</u>				Contains a string value that identifies the current element as a named, addressable point in the document for the purpose of hyperlinking.
FixedPage.NavigateUri	xs:anyURI				Associates a hyperlink URI with the element. May be a relative reference or a URI that addresses a resource that is internal to or external to the package.
xml:lang					Specifies the default language used for the current element. The

						language is specified according to RFC 3066.
	x:Key					Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M5.3].
annotation	Represents a run of text from a single font.					

The <Glyphs> element represents a run of uniformly-formatted text from a single font. It provides information necessary for accurate rendering and supports search and selection features in viewing consumers.

If the Fill property is not specified, the <Glyphs> element has no visible effect.

Some properties of the <Glyphs> element are composable, meaning that the markings rendered to the page are determined by a combination of the property and all the like-named properties of the <Glyphs> element’s parent and ancestor elements. For details, see §14.

### 12.1.1 Glyph Metrics

Each glyph defines metrics that specify how it aligns with other glyphs. The metrics are illustrated below.

Figure 12-1. Glyph metrics




Figure 12-2. Upright (usually horizontal) glyph metrics





Figure 12–3. Sideways (usually vertical) glyph metrics



In general, glyphs within a font are either base glyphs or combining marks that can be attached to base glyphs. Base glyphs usually have an advance width that is non-zero, and a 0,0 glyph offset vector. Combining marks usually have a zero advance width. The glyph offset vector can be used to adjust the position of a combining mark and, therefore, can have a non-0,0 value for combining marks.

The position of each glyph in the glyph run is controlled by the following values:

- *Origin*. Each glyph is assumed to be given a nominal origin. For the first glyph in the run, this is the origin of the run.
- *Advance Width*. The advance width for each glyph provides the origin of the next glyph relative to the origin of the current glyph. The advance vector is drawn in the direction of the run progression.
- *Glyph Offset (Base or Mark)*. The glyph offset vector (as set by `uOffset` and `vOffset` in the Indices attribute; see §12.1.3) adjusts the position of this glyph relative to its nominal origin. The orientation of the glyph offset vector is not affected by the value of the `IsSideways` attribute, but is affected by the value of the `BidiLevel` attribute.

### 12.1.2 Mapping Code Units to Glyphs

A Unicode scalar value in a `UnicodeString` attribute is typically represented by a single UTF-16 code unit and has a single corresponding glyph representation in the font. More complex mapping scenarios are common in non-Latin scripts: a single Unicode scalar value can map to two UTF-16 code units, multiple UTF-16 code units can map to a single glyph, single UTF-16 code units can map to multiple glyphs based on context, and multiple UTF-16 code units can map indivisibly to multiple glyphs. In these cases, the clusters of UTF-16 code units are mapped using a cluster map.


The cluster map contains one entry for each UTF-16 code unit in the `UnicodeString` attribute. Each entry specifies the offset of the first glyph that represents the cluster of UTF-16 code units.

### 12.1.2.1 One-to-One Mappings

When each UTF-16 code unit is represented by exactly one glyph, the cluster map entries are 0, 1, 2, and so on.

*Example 12-1. One-to-one cluster map*

Each character in the word “file” is represented by a single glyph.




*end example]*

### 12.1.2.2 Many-to-One Mappings

When two or more UTF-16 code units map to a single glyph, the entries for those UTF-16 code units specify the offset of that glyph in the glyph index buffer.

*Example 12-2. Many-to-one cluster map*

In the following mapping, the *f* and *i* characters are replaced by a ligature.




*end example]*

### 12.1.2.3 One-to-Many Mappings

When one UTF-16 code unit maps to two or more glyphs, the value in the cluster map for that UTF-16 code unit references the first glyph in the Indices attribute that represents that UTF-16 code unit.

*Example 12-3. One-to-many cluster map*


The Thai *Sara Am* character contains a part that sits on top of the previous base character (the ring), and a part that sits to the right of the base character (the hook). When Thai text is micro-justified, the hook is spaced apart from the base character, while the ring remains on top of the base character. Many fonts encode the ring and the hook as separate glyphs.



The markup appears as follows:

```
<Glyphs
  FontUri=" ../Resources/Fonts/browau.ttf"
  UnicodeString="&#xe20;&#xe31;&#xe33;&#x21;"
  Indices="153;106,,,16;(1:2)124;198;4"
  OriginX="10" OriginY="60"
  FontRenderingEmSize="70"
  Fill="#000000"/>
```

The markup above is rendered as follows:




*end example]*


**12.1.2.4 Many-to-Many Mappings**

In some fonts, an indivisible group of UTF-16 code units for a character maps to more than one glyph. This is common in fonts that support Indic scripts. When an indivisible group of UTF-16 code units maps to one or more glyphs, the value in the cluster map for each of the UTF-16 code units references the first glyph in the Indices attribute representing that code point.

*Example 12-4. Many-to-many cluster map*

The following mapping shows the Unicode and glyph representations of a Tamil word that has two glyph clusters. Each cluster has a base character and a combining mark. The first pair of UTF-16 code units generates three glyphs because the combining mark splits both sides of the base character. The second pair of UTF-16 code units is represented by a single glyph that incorporates the effect of the combining mark.





The markup appears as follows:

```
<Glyphs
  FontUri="../Resources/Fonts/latha.ttf"
  UnicodeString="#xbaa;&#xabc;&#xba4;&#xabc1;"
  Indices="(2:3)94;76;88;(2:1)162"
  OriginX="10" OriginY="120"
  FontRenderingEmSize="40"
  Fill="#000000"/>
```

The markup above is rendered as follows:



*end example]*

### 12.1.3 Indices Attribute

The <Glyphs> element MAY have an Indices attribute [O5.7]. The glyph specifications within the Indices attribute are OPTIONAL [O5.8]. The GlyphIndex portion of the Indices attribute MAY be used to specify a series of glyphs, complex character-to-glyph cluster mappings, or a combination of both [O5.9]. The Indices attribute MAY also include glyph placement information [O5.10].

Within the Indices attribute, each glyph specification is separated by a semicolon. The Indices attribute MUST adhere to the glyph specification syntax as follows [M5.25]:

```

GlyphIndices  = *1GlyphMapping *( ";" *1GlyphMapping )
GlyphMapping  = *1([ClusterMapping] GlyphIndex) [GlyphMetrics]
ClusterMapping = "(" ClusterCodeUnitCount [":" ClusterGlyphCount ")"
ClusterCodeUnitCount = 1*DIGIT
ClusterGlyphCount   = 1*DIGIT
GlyphIndex        = *DIGIT
GlyphMetrics      = "," *1AdvanceWidth ["," *1uOffset ["," vOffset]]
AdvanceWidth     = ["+"] RealNum
uOffset          = ["+" | "-"] RealNum
vOffset          = ["+" | "-"] RealNum
RealNum          = ((1*DIGIT ["." 1*DIGIT]) | ( "." 1*DIGIT)) [Exponent]
Exponent         = *1( ("E"|"e") ("+"|"-") 1*DIGIT )
```

The sum of the code unit counts for all the GlyphMapping entries in the Indices attribute MUST NOT exceed the number of UTF-16 code units in the UnicodeString attribute if the UnicodeString attribute is specified and does not contain an empty value (“” or “{}”). If a ClusterMapping is not specified within a GlyphMapping entry, the code unit count is 1 [M5.4]. If the Indices attribute specifies a GlyphIndex that does not exist in the font, the consumer MUST instantiate an error condition [M5.24]. If the Indices attribute is specified, the values provided MUST be used in preference to values determined from the UnicodeString attribute alone [M5.23].

Table 12–3. Glyph specifications

Name	Description
GlyphIndex	<p>Index of the glyph (16-bit) in the physical font. The entry MAY be empty [O5.11], in which case the glyph index is determined by looking up the UTF-16 code unit in the font character map table. If there is not a one-to-one mapping between code units in the UnicodeString attribute and the glyph indices, the GlyphIndex value in the Indices attribute MUST be specified [M5.5].</p> <p>In cases where character-to-glyph mappings are not one-to-one, a cluster mapping specification precedes the glyph index (further described below).</p>
AdvanceWidth	<p>Advance width indicating placement for the subsequent glyph, relative to the origin of the current glyph. Measured in direction of advance as defined by the IsSideways and BidiLevel attributes. Base glyphs generally have a non-zero advance width and combining glyphs have a zero advance width.</p> <p>Advance width is measured in hundredths of the font em size. The default value is defined in the horizontal metrics font table (hmtx) if the IsSideways attribute is specified as false or the vertical metrics font table (vmtx) if the IsSideways attribute is specified as true. Advance width is a real number with units specified in hundredths of an em.</p> <p>So that rounding errors do not accumulate, the advance MUST be calculated as the exact unrounded origin of the subsequent glyph minus the sum of the calculated (that is, rounded) advance widths of the preceding glyphs [M5.6].</p> <p>The advance MUST be 0 or greater [M5.26]. The right-to-left writing direction can be specified using the BidiLevel attribute.</p>

Name	Description
uOffset, vOffset	<p>Offset in the effective coordinate space relative to glyph origin to move this glyph (<math>x</math> offset for uOffset and <math>-y</math> offset for vOffset. The sign of vOffset is reversed from the direction of the <math>y</math> axis. A positive vOffset value shifts the glyph by a negative <math>y</math> offset and vice versa.). Used to attach marks to base characters. The value is added to the nominal glyph origin calculated using the advance width to generate the actual origin for the glyph. The setting of the IsSideways attribute does not change the interpretation of uOffset and vOffset.</p> <p>Measured in hundredths of the font em size. The default offset values are 0.0,0.0. uOffset and vOffset are real numbers.</p> <p>Base glyphs generally have a glyph offset of 0.0,0.0. Combining glyphs generally have an offset that places them correctly on top of the nearest preceding base glyph.</p> <p>For left-to-right text, a positive uOffset value points to the right; for right-to-left text, a positive uOffset value points to the left.</p>

*Example 12-5. Using indices to specify advance width*

The following Indices attribute specifies that the seventh glyph in the Unicode string has an advance width of 40:

```
Indices = ";;;;;,40"
```

*end example]*

### 12.1.3.1 Specifying Character-to-Glyph Mappings

A cluster map specification MAY precede the glyph specification for the first glyph of the cluster [O5.12].

Empty Indices attribute values indicate that the corresponding UTF-16 code unit within the Unicode string has a one-to-one relationship with the glyph index as specified by the character mapping table within the font.

Cluster maps that specify 0:n or n:0 mappings are invalid.

See the glyph specification syntax above for details of how to specify cluster maps.

*Table 12-4. Portions of the cluster specification*

Name	Description
ClusterCodeUnitCount	Number of UTF-16 code units that combine to form this cluster. One or more code units can be specified. Default value is 1.
ClusterGlyphCount	Number of glyph indices that combine to form this cluster. One or more indices can be specified. Default value is 1.

*Example 12-6. Using the Indices attribute to specify glyph replacement for a cluster*

The following Indices attribute specifies that the sixth and seventh UTF-16 code units in the Unicode string should be replaced by a single glyph having an index of 191:

```
Indices = ";;;;;(2:1)191"
```

*end example]*

#### **12.1.4 UnicodeString Attribute**

The UnicodeString attribute holds the array of Unicode scalar values that are represented by the current <Glyphs> element. Specifying a Unicode string is RECOMMENDED, as it supports searching, selection, and accessibility [S5.5]. If the Unicode string contains Unicode scalar values that require two UTF-16 code units, a cluster map with a many-to-one or many-to-many mapping MUST be specified for the values [M5.28].

The standard XML escaping mechanisms are used to specify XML-reserved characters. In order to use an open brace at the beginning of the Unicode string, it MUST be escaped with a prefix of "{ }" [M5.7]. If the UnicodeString attribute value starts with "{ }", consumers MUST ignore those first two characters in processing the Unicode string and in calculating index positions for the characters of the Unicode string [M5.7].

If the UnicodeString attribute of the <Glyphs> element is not specified or contains an empty value (" or "{ }"), and if the Indices attribute is not specified or contains no glyph indices, then a consumer MUST instantiate an error condition [M5.2]. If the UnicodeString attribute contains a Unicode code unit that cannot be mapped to a glyph index via a cmap table in the font and there is no corresponding GlyphIndex entry in the Indices attribute, the consumer MUST display the .notdef glyph [M5.9].

Producers MAY include Unicode control marks in the Unicode string [O5.1]. Such marks include control codes, layout controls, invisible operators, deprecated format characters, variation selectors, non-characters, and specials, according to their definition within the Unicode Standard. If producers include control marks in the Unicode string, they SHOULD include an Indices attribute to specify glyph indices and/or character-to-glyph mapping information for the control marks [S5.2]. In the absence of such information, consumers MUST treat Unicode control marks like ordinary characters and render the glyphs to which the Unicode control marks are mapped in the CMAP table [M5.10]. The resulting glyphs might produce an inappropriate rendering of the original Unicode string.

Producers MAY choose to generate UnicodeString attribute values that are not normalized by any Unicode-defined algorithm [O5.2]. Because advance-widths, glyph indices, and caret-stops are associated with the generated Unicode string, consumers MUST NOT normalize the UnicodeString attribute value to produce an internal representation [M5.11]. See §9.1.7.5 for details and exceptions.

#### **12.1.5 StyleSimulations Attribute**

Synthetic style simulations can be applied to the shape of the glyphs by using the StyleSimulations attribute. Style simulations can be applied in addition to the designed style of a font. The default value for the StyleSimulations attribute is None, in which case the shapes of glyphs are not modified from their original design.

When the StyleSimulations value is specified as BoldSimulation, synthetic emboldening is applied by geometrically widening the strokes of glyphs by 1% of the em size for each of the two boundaries of the stroke, so that the centers of strokes remain at the same position relative to the character coordinate system. This leaves the baseline origin unmodified. The black box grows 1% all around for a total of 2% horizontal and 2% vertical. As a result, the character height and the advance width of each glyph are increased by 2% of the em size. Producers MUST lay out algorithmically emboldened glyphs using advance widths that are 2% of the em size larger than when not algorithmically emboldened [M5.12]. When rendering glyphs where the StyleSimulations value is specified as BoldSimulation, consumers SHOULD offset each glyph

up and to the right by 1% of the em size so that baseline and left edge alignments are preserved [S5.6].

Consumers MUST implement the effect of algorithmic emboldening such that the black box of the glyph grows by 2% of the em size [M5.13]. When advance widths are omitted from the markup and the glyphs are algorithmically emboldened, the advance widths obtained from the horizontal metrics font table (if `IsSideways` is false) or the vertical metrics font table (if `IsSideways` is true) of the font MUST be increased by 2% of the em size [M5.13].

When `StyleSimulations` is specified as `ItalicSimulation`, synthetic italicizing is applied to glyphs with an `IsSideways` value of false by skewing the top edge of the alignment box of the character by 20° to the right, relative to the baseline of the character. Glyphs with an `IsSideways` value of true are italicized by skewing the right edge of the alignment box of the character by 20° down, relative to the baseline origin of the glyph. The character height and advance width are not modified. Producers MUST lay out algorithmically italicized glyphs using exactly the same advance widths as when not algorithmically italicized [M5.14].

When `StyleSimulations` is specified as `BoldItalicSimulation`, both `BoldSimulation` and `ItalicSimulation` are applied.

### 12.1.6 `IsSideways` Attribute

Glyphs for text in vertical writing systems are normally represented by rotating the coordinate system and using the `IsSideways` attribute. `<Glyphs>` elements with the `IsSideways` attribute set to true will be rotated 90° counter-clockwise and placed so that the sideways baseline origin is coincident with the nominal origin of the character (within the character coordinate system), as modified by the glyph offset vector in the `Indices` attribute. The advance vector places the nominal origin of the next character a distance along the direction of progression of the run. The direction of the advance vector is unaffected by `IsSideways`, however the method by which the size of the advance vector is chosen is different.

[*Example: To represent a run of characters top to bottom on a page, a render transform can be used to rotate the `<Glyphs>` coordinate system 90° clockwise. `OriginX` and `OriginY` can be used to specify a position at the top of the column of text. Text from a vertical writing system can then be written using `<Glyphs>` elements with the `IsSideways` attribute set to true. The individual glyphs appear in the normal orientation because the rotation effected by the `IsSideways` attribute undoes the effect of the render transform. end example*]

Text from horizontal writing systems can be included in the column by using `<Glyphs>` elements without specifying `IsSideways`, or using a value of false for it. The rotated coordinate system makes them appear top to bottom on the page, but with the glyphs rotated to the right.

If alternate vertical character representations are available in the font, the producer SHOULD use those and provide their glyph indices in the `Indices` attribute [S5.3].

#### 12.1.6.1 Calculating Sideways Text Origin and Advance Width

The formulas below describe the method used to calculate each glyph's nominal origin, which is used for positioning the glyphs on the fixed page and for calculating the default advance width for each glyph.

The origin is the top center of the unturned glyph. The *x* origin of the unturned glyph is calculated to be exactly one-half the advance width of the glyph, as specified in the horizontal metrics table of the font. This formula is expressed as follows (in pseudo code):

$$\text{TopOriginX} = \text{hmtx.advanceWidth}[\text{GlyphIndex}] / 2$$

If the font is a CFF Open Font Format font, the y origin of the unturned glyph is determined from the vertical origin (vorg) table for the font, which can be specified for a particular glyph index but falls back to the default vertical origin if the glyph index is not present in the vertical origin table. This formula is expressed as follows (in pseudo code):

$$\text{TopOriginY} = \text{vorg.vertOriginY}[\text{glyphIndex}]$$

or:

$$\text{TopOriginY} = \text{vorg.defaultVertOriginY}$$

If the vertical origin table is not present, the glyph data (glyf) and vertical metrics (vmtx) font tables are consulted. The glyph bounding box is retrieved from the glyph data table and added to the top side-bearing for the glyph, specified in the vertical metrics table. This formula is expressed as follows (in pseudo code):

$$\text{TopOriginY} = \text{glyf.yMax}[\text{glyphIndex}] + \text{vmtx.topSideBearing}[\text{glyphIndex}]$$

[*Note:* CFF fonts do not contain the glyf.yMax information; instead the yMax for each glyph is computed by calculating the top of the glyph's bounding box from the CFF charstring data. *end note*]

If the vertical metrics font table does not exist but the "OS/2" metrics table does exist and is at least 78 bytes long, the "OS/2" table is consulted and the sTypoAscender and sTypoDescender values are used, as follows (in pseudo code):

$$\begin{aligned} \text{TopOriginY} &= \text{os/2.sTypoAscender} \\ \text{Descender} &= \text{abs}(\text{os/2.typoDescender}) \end{aligned}$$

In all other circumstances, the Ascender value from the horizontal header (hhea) table is used. This formula is expressed as follows (in pseudo code):

$$\begin{aligned} \text{TopOriginY} &= \text{hhea.Ascender} \\ \text{Descender} &= \text{abs}(\text{hhea.Descender}) \end{aligned}$$

Finally, the advance width for sideways text is computed as follows (in pseudo code), unless specifically overridden by the Indices attribute:

$$\text{AdvanceWidth} = \text{TopOriginY} + \text{Descender}$$

#### 12.1.6.2 IsSideways and BidiLevel Effects on Glyph Positioning

Right-to-left text (BidiLevel attribute set to an odd value) changes the direction of the AdvanceWidth and uOffset (horizontal offset) values of the Indices attribute, as well as the position of the glyph origin. Vertical text (IsSideways attribute set to true) changes the position of the glyph origin.

Producers MUST NOT specify text that is both right-to-left (BidiLevel attribute set to an odd value) and vertical (IsSideways attribute set to true) [M5.15].

Table 12–5. IsSideways and BidiLevel effects on origin placement


IsSideways	BidiLevel	Glyph origin	Direction of advance width and positive uOffset
Horizontal (false)	Left-to-right	Left end of horizontal advance vector along Latin baseline	To the right

IsSideways	BidiLevel	Glyph origin	Direction of advance width and positive uOffset
Horizontal (false)	Right-to-left	Right end of horizontal advance vector along Latin baseline	To the left
Vertical (true)	Left-to-right	Top end of vertical advance vector through the glyph centerline	To the right
Vertical (true)	Right-to-left	<i>Invalid combination</i>	

*Example 12-7. Text with positive uOffset and vOffset Indices values*

In this example, the position of the glyphs is shown relative to the origin shown at the crossed lines centered at 100,100. The text in gray shows where this text would be rendered without modification of the uOffset and vOffset value of the Indices attributes.

```
<Glyphs Fill="#000000" FontRenderingEmSize="48"
  OriginX="100" OriginY="100"
  UnicodeString="AFQ"
  Indices=";,100,30,10;"
  FontUri=" ../Resources/Fonts/Arial.ttf" />
```



*end example]*

*Example 12-8. Right-to-left text (odd BidiLevel)*

The markup for this example matches the previous example, except the BidiLevel attribute is set to 1. Note the change in the origin, and the reversal of the glyph advance direction.

```
<Glyphs Fill="#000000" FontRenderingEmSize="48"
  OriginX="100" OriginY="100"
  UnicodeString="AFQ"
  Indices=";,100,30,10;"
  BidiLevel="1"
  FontUri=" ../Resources/Fonts/Arial.ttf" />
```




*end example]*

*Example 12-9. Sideways text (IsSideways set to true)*

This example shows the `IsSideways` attribute set to true. The `BidiLevel` MUST be even when the `IsSideways` attribute is set to true [M5.15]. Note that the origin has changed to be the top-center of the first glyph, with each glyph rotated 90° counter-clockwise. The interpretation of the advance direction and `uOffset` and `vOffset` values in the `Indices` attribute are otherwise unchanged.

```
<Glyphs Fill="#000000" FontRenderingEmSize="48"
  OriginX="100" OriginY="100"
  UnicodeString="AFQ"
  Indices="; ,100,30,10;"
  IsSideways="true"
  FontUri=" ../Resources/Fonts/Arial.ttf" />
```




*end example]*

*Example 12-10. Vertical text*

The markup for this example matches the previous example, with the addition of a render transformation to rotate and position the element as vertical text. For more information on render transformations, see §14.4.

```
<Glyphs Fill="#000000" FontRenderingEmSize="48"
  OriginX="100" OriginY="100"
  UnicodeString="AFQ"
```

```
Indices=";,100,30,10;"
IsSideways="true"
FontUri="../Resources/Fonts/Arial.ttf"
RenderTransform="0,1,-1,0,200,0" />
```



*end example]*

*Example 12-11. Japanese vertical text*

This example demonstrates a real-world usage of vertical text. Japanese text is shown below where the text is read down each column, from right to left across the page. The `IsSideways` attribute is set to `true`, thus rotating the each glyph 90° counter-clockwise. Then, the `RenderTransform` attribute (see §14.4) rotates the overall block of text 90° clockwise to achieve the final result of columns of text.

```
<Glyphs Fill="#000000" FontRenderingEmSize="24" OriginX="10" OriginY="10"
UnicodeString="これは、縦書きの日本語テキストが"
FontUri="../Resources/Fonts/msmincho.ttf" IsSideways="true"
RenderTransform="0,1,-1,0,145,0"/>
<Glyphs Fill="#000000" FontRenderingEmSize="24" OriginX="10" OriginY="45"
UnicodeString="どのように列で書かれるかの例です。"
FontUri="../Resources/Fonts/msmincho.ttf" IsSideways="true"
RenderTransform="0,1,-1,0,145,0"/>
<Glyphs Fill="#000000" FontRenderingEmSize="24" OriginX="10" OriginY="80"
UnicodeString="テキストは縦に読み、一行ずつ進みます。"
FontUri="../Resources/Fonts/msmincho.ttf" IsSideways="true"
RenderTransform="0,1,-1,0,145,0"/>
<Glyphs Fill="#000000" FontRenderingEmSize="24" OriginX="10"
OriginY="115" UnicodeString="他の言語も縦書きで書かれます。"
FontUri="../Resources/Fonts/msmincho.ttf" IsSideways="true"
RenderTransform="0,1,-1,0,145,0"/>
```

This markup is rendered as follows:

これは、縦書きの日本語テキストが、  
 どのように列で書かれるかの例です。  
 テキストは縦に読み、一行ずつ進みます。  
 他の言語も縦書きで書かれます。

*end example]*

### 12.1.7 DeviceFontName Attribute

Printer device fonts are specified by the DeviceFontName attribute. Device manufacturers define the values for this attribute. Producers SHOULD NOT produce markup that will result in different rendering between consumers using the embedded font to render and consumers using the device font to render [S5.4].

Consumers that understand the device font name MAY ignore the embedded font and use the device-resident version [O5.3]. By definition, a consumer “understands” a printer device font if it can unambiguously correlate the device font name to a set of font metrics resident on the device. If a consumer does not understand the specified device font name, it MUST render the embedded version of the font [M5.16].

When rendering a printer device font, consumers MUST use the UnicodeString attribute and ignore the glyph index components of the Indices attribute [M5.17]. The consumer MUST still honor the advance width and x,y offset values present in the Indices attribute [M5.18].

For producers, a <Glyphs> element with a specified device font name MUST have exactly one Indices glyph per code unit in the UnicodeString attribute. Its Indices attribute MUST NOT include any cluster specifications. If the Indices attribute includes a cluster mapping, the consumer MUST NOT use the device font and MUST render the embedded version of the font [M5.19].

This means that a device font cannot be used for characters outside the basic multilingual plane.

If a device font name is specified, each of the <Glyphs> element's Indices glyphs MUST include a specified advance width and MUST include specified x and y offset values if they are non-zero [M5.20].

### 12.1.8 xml:lang Attribute

OpenXPS Document consumers might need to override the default language for a specific run of glyphs, particularly in multilingual documents. The language defaults to the value specified for the xml:lang attribute of the <FixedPage> element but MAY be overridden by an xml:lang attribute on a <Glyphs> element [O5.13]. For larger blocks of text, the producer MAY specify the xml:lang attribute on the <Canvas> element [M5.27].

The language specified does not affect rendering of <Glyphs> elements, but it can be used by consumers for searching or selecting text. For more information, see §9.3.5.

### 12.1.9 CaretStops Attribute

The CaretStops attribute contains an array of Boolean bit-flags, which is represented as a string of hexadecimal characters. The flags indicate whether it is legal to place the caret before the corresponding UTF-16 code unit in the UnicodeString attribute. ("Before" refers to a *logical* placement, not a *physical* placement.) [*Example: If the flag is set in right-to-left text, the caret can be placed before (to the right of) that UTF-16 code unit. end example*] The CaretStops attribute includes a final flag for placement of the caret following the final UTF-16 code unit in the Unicode string.

Each hexadecimal character in the CaretStops value represents the flags for four UTF-16 code units in the Unicode string, with the highest-order bit representing the first UTF-16 code unit. Any unused bits in the last UTF-16 code unit must be 0.

If the CaretStops attribute is omitted, it is legal to place the caret before any of the UTF-16 code units in the Unicode string. Therefore, omitting the CaretStops attribute is equivalent to specifying a string that has all the bits set to 1. If there are insufficient flags in the CaretStops string to correspond to all the UTF-16 code units in the Unicode string, all remaining UTF-16 code units in the Unicode string MUST be considered valid caret stops [M5.22].

*Example 12-12. Using the CaretStops attribute to determine a valid caret stop position*

Given the following attributes, the *m* in "example" is not a valid caret stop position:

```
UnicodeString = "This is an example string of text."
CaretStops = "fffd"
```

*end example*]

### 12.1.10 Optimizing Glyph Markup

Markup details such as glyph indices and advance widths can be omitted from the markup under the circumstances described below. The following options allow optimization of commonly used simple scripts.

#### 12.1.10.1 Optimizing Glyph Indices Markup

Glyph indices MAY be omitted from markup where *all* of the following are true [O5.4]:

- There is a one-to-one mapping between the positions of Unicode scalar values in the UnicodeString attribute and the positions of glyphs in the glyph string.
- The glyph index is the value in selected character mapping table of the font.

#### 12.1.10.2 Optimizing Glyph Position Markup

Glyph advance width MAY be omitted from the markup in the following cases [O5.5]:

- For glyphs that have not been algorithmically emboldened, the desired advance width is the value listed in the horizontal metrics font table (if the IsSideways attribute value is false) or as calculated in §12.1.6.1 (if the IsSideways attribute value is true).
- For algorithmically emboldened glyphs, the desired advance width is exactly 2% larger than the values in the horizontal metrics font table (if the IsSideways attribute value is false) or as calculated in §12.1.6.1 (if the IsSideways attribute value is true).

Glyph horizontal offset MAY be omitted from the markup when the offset is 0.0, and Glyph vertical offset MAY be omitted from the markup when the offset is 0.0 [O5.6]. This is almost always true for base characters, and commonly true for combining marks in simple scripts. However, this is often false for combining marks in complex scripts such as Arabic and Indic.

#### 12.1.11 Glyph Markup Examples

Example 12–13. Basic italic font

```
<Canvas>
  <Glyphs
    FontUri=" ../Resources/Fonts/Timesi.ttf"
    FontRenderingEmSize="20"
    OriginX="35"
    OriginY="35"
    UnicodeString="Basic italic font..."
    Fill="#009900" />
  </Glyphs>
</Canvas>
```

This text is rendered as follows:



*Basic italic font...*

end example]

Example 12–14. Italic font using StyleSimulations attribute

```
<Canvas>
  <Glyphs
    FontUri=" ../Resources/Fonts/Times.ttf"
    FontRenderingEmSize="20"
    StyleSimulations="ItalicSimulation"
    OriginX="35"
    OriginY="35"
    UnicodeString="Simulated italic font..."
    Fill="#009900" />
  </Glyphs>
</Canvas>
```

This text is rendered as follows:



*Simulated italic font...*

*end example]*

*Example 12-15. Kerning*

```
<Canvas>

  <!-- "WAVE" without kerning -->


  <Glyphs
    OriginX="35"
    OriginY="35"
    UnicodeString="WAVE (no kerning)"
    FontUri="../../Resources/Fonts/Times.ttf"
    FontRenderingEmSize="20"
    Fill="#009900" />

  <!-- "WAVE" with kerning -->

  <Glyphs
    OriginX="35"
    OriginY="70"
    UnicodeString="WAVE (with kerning)"
    Indices=",88;,59"
    FontUri="../../Resources/Fonts/Times.ttf"
    FontRenderingEmSize="20"
    Fill="#009900" />

</Canvas>
```

This text is rendered as follows:



WAVE (no kerning)  
WAVE (with kerning)

*end example]*

*Example 12-16. Ligatures*

```
<Canvas>

  <!-- "Open file" without "fi" ligature -->

  <Glyphs
    OriginX="35"
    OriginY="35"
    UnicodeString="Open file (no ligature)"
    FontUri="../../Resources/Fonts/Times.ttf"
```

```

    FontRenderingEmSize="20"
    Fill="#009900" />


<!-- "Open file" with "fi" ligature -->

<Glyphs
  OriginX="35"
  OriginY="70"
  UnicodeString="Open file (with ligature)"
  Indices=";;;(2:1)191"
  FontUri="../Resources/Fonts/Times.ttf"
  FontRenderingEmSize="20"
  Fill="#009900" />

</Canvas>

```

This text is rendered as follows:



Open file (no ligature)  
Open file (with ligature)

*end example]*

*Example 12-17. Cluster maps*

```

<Canvas>

  <!-- "ёжик в тумане" using pre-composed "ё" -->

  <Glyphs
    OriginX="35"
    OriginY="35"
    xml:lang="ru-RU"
    UnicodeString="ёжик в тумане"
    FontUri="../Resources/Fonts/Times.ttf"
    FontRenderingEmSize="20"
    Fill="#009900" />

  <!-- "ёжик в тумане" using composition of "e" and diaeresis -->

  <Glyphs
    OriginX="35"
    OriginY="70"
    xml:lang="ru-RU"
    UnicodeString="ёжик в тумане"
    Indices="(1:2)72;142,0,-40"
    FontUri="../Resources/Fonts/Times.ttf"
    FontRenderingEmSize="20"
    Fill="#009900" />

  <!-- "ёжик в тумане" Forced rendering right-to-left showing
  combining mark in logical order -->

```


```

<Glyphs
  OriginX="155"
  OriginY="105"
  BidiLevel="1"
  xml:lang="ru-RU"
  UnicodeString="ёжик в тумане"
  Indices="(1:2)72;142,0,-40"
  FontUri=" ../Resources/Fonts/Times.ttf"
  FontRenderingEmSize="20"
  Fill="#009900" />

</Canvas>

```


This text is rendered as follows:



*end example]*

## 12.2 <Glyphs.Fill> Element

element **Glyphs.Fill**



The Fill property specifies the brush that fills a glyph. Any brush can be used.



# 13. Brushes

Brushes are used to paint the interior of the geometric shapes defined by a <Path> element and the characters rendered with a <Glyphs> element. They are also used to define the alpha-transparency mask in the <Canvas.OpacityMask>, <Path.OpacityMask>, and <Glyphs.OpacityMask> property elements.

All brushes are defined relative to a coordinate space. Most brushes (including image brushes, visual brushes, linear gradient brushes, and radial gradient brushes) can specify a coordinate-space transform, in which the Transform property is concatenated with the current effective coordinate space to yield an effective coordinate space local to the brush. For image brushes and visual brushes, the viewport is transformed using the local effective render transform. For linear gradient brushes, the start point and end point are transformed. For radial gradient brushes, the ellipse defined by the center, x radius, y radius, and gradient origin is transformed.

Table 13-1. Brush types

Name	Description
Solid color brush	Fills a region with a solid color
Image brush	Fills a region with an image
Visual brush	Fills a region with a drawing
Linear gradient brush	Fills a region with a linear gradient
Radial gradient brush	Fills a region with a radial gradient

## 13.1 <SolidColorBrush> Element

element **SolidColorBrush**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	Opacity	<u>ST_ZeroOne</u>		1.0		Defines the uniform transparency of the brush fill. Values range from 0 (fully transparent) to 1 (fully opaque), inclusive. Values outside of this range are invalid.

	x:Key					Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M6.1].
	Color	<u>ST_Color</u>	required			Specifies the color for filled elements.
annotation	Fills defined geometric regions with a solid color.					


The `<SolidColorBrush>` element is used to fill defined geometric regions with a solid color. If there is an alpha component of the color, it is combined in a multiplicative way with the corresponding `Opacity` attribute.

*Example 13-1. <SolidColorBrush> usage*

The following markup illustrates how a solid color brush fills a path.

```
<Path Stroke="#000000">
  <Path.Fill>
    <SolidColorBrush Color="#00FFFF" />
  </Path.Fill>
  <Path.Data>
    <PathGeometry>
      <PathFigure StartPoint="20,20" IsClosed="true">
        <PolyLineSegment Points="250,20 135,150" />
      </PathFigure>
    </PathGeometry>
  </Path.Data>
</Path>
```


This markup is rendered as follows:



*end example]*

### 13.2 <ImageBrush> Element

element **ImageBrush**



attributes	Name	Type	Use	Default	Fixed	Annotation
	Opacity	<u>ST_ZeroOne</u>		1.0		Defines the uniform transparency of the brush fill. Values range from 0 (fully transparent) to 1 (fully opaque), inclusive. Values outside of this range are invalid.
	x:Key					Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M6.2].
	Transform	<u>ST_RscRefMatrix</u>				Describes the matrix transformation applied to the coordinate space of the brush. The Transform property is concatenated with the current effective render transform to yield an effective render transform local to the brush. The viewport for the brush is transformed using the local effective render transform.
	Viewbox	<u>ST_ViewBox</u>	required			Specifies the position and dimensions of the brush's source content. Specifies four comma-separated real numbers (x, y, width, height), where width and height are non-negative. The dimensions specified are relative to the image's physical dimensions expressed in

					units of 1/96". The corners of the viewbox are mapped to the corners of the viewport, thereby providing the default clipping and transform for the brush's source content.
Viewport	<u>ST_ViewBox</u>	required			Specifies the region in the containing coordinate space of the prime brush tile that is (possibly repeatedly) applied to fill the region to which the brush is applied. Specifies four comma-separated real numbers (x, y, width, height), where width and height are non-negative. The alignment of the brush pattern is controlled by adjusting the x and y values.
TileMode	<u>ST_TileMode</u>		None		Specifies how contents will be tiled in the filled region. Valid values are None, Tile, FlipX, FlipY, and FlipXY.
ViewboxUnits	<u>ST_ViewUnits</u>	required		Absolute	Specifies the relationship of the viewbox coordinates to the containing coordinate space.
ViewportUnits	<u>ST_ViewUnits</u>	required		Absolute	Specifies the relationship of the viewport coordinates to the containing coordinate space.
ImageSource	<u>ST_UriCtxBmp</u>	required			Specifies the URI of an image resource or a combination of the URI of an image resource a color profile resource. See §15.3.7. The URI MUST refer to parts in the package [M2.1].
annotation	Fills a region with an image.				

The `<ImageBrush>` element is used to fill a region with an image. The image is defined in a coordinate space specified by the resolution of the image. The image MUST refer to a JPEG, PNG, TIFF, or JPEG XR image part within the OpenXPS Document package [M6.3]. For more information, see §9.1.5 and §15.3. A URI part name for the image is specified using the `ImageSource` attribute.

Image brushes share a number of tile-related properties with visual brushes. For details, see §13.4.


*Example 13-2. <ImageBrush> usage*

The following markup describes an image on a canvas.

```
<Canvas>
  <Path Stroke="#008000">
    <Path.Fill>
      <ImageBrush
        ImageSource="dog.jpg"
```

```
        TileMode="None"  
        Viewbox="0,0,270,423"  
        ViewboxUnits="Absolute"  
        Viewport="25,25,125,185"  
        ViewportUnits="Absolute" />  
</Path.Fill>  
<Path.Data>  
  <PathGeometry>  
    <PathFigure StartPoint="25,25" IsClosed="true">  
      <PolyLineSegment Points="150,25 150,210 25,210" />  
    </PathFigure>  
  </PathGeometry>  
</Path.Data>  
</Path>  
</Canvas>
```


This markup produces the following results:



*end example]*

### 13.3 <VisualBrush> Element

element **VisualBrush**



attributes	Name	Type	Use	Default	Fixed	Annotation
	Opacity	<u>ST_ZeroOne</u>		1.0		Defines the uniform transparency of the brush fill. Values range from 0 (fully transparent) to 1 (fully opaque), inclusive. Values outside of this range are invalid.
	x:Key					Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M6.4].
	Transform	<u>ST_RscRefMatrix</u>				Describes the matrix transformation applied to the coordinate space of the brush. The Transform property is concatenated with the current effective render transform to yield an effective render transform local to the brush. The viewport for the brush is transformed using that local effective render transform.
	Viewbox	<u>ST_ViewBox</u>	required			Specifies the position and dimensions of the brush's source content. Specifies four comma-separated real numbers (x, y, width, height), where width and height are non-negative. The


						viewbox defines the default coordinate system for the element specified in the <VisualBrush.Visual> property element. The corners of the viewbox are mapped to the corners of the viewport, thereby providing the default clipping and transform for the brush's source content.
	Viewport	<a href="#">ST_ViewBox</a>	required			Specifies the region in the containing coordinate space of the prime brush tile that is (possibly repeatedly) applied to fill the region to which the brush is applied. Specifies four comma-separated real numbers (x, y, width, height), where width and height are non-negative. The alignment of the brush pattern is controlled by adjusting the x and y values.
	TileMode	<a href="#">ST_TileMode</a>		None		Specifies how contents will be tiled in the filled region. Valid values are None, Tile, FlipX, FlipY, and FlipXY.
	ViewboxUnits	<a href="#">ST_ViewUnits</a>	required		Absolute	Specifies the relationship of the viewbox coordinates to the containing coordinate space.
	ViewportUnits	<a href="#">ST_ViewUnits</a>	required		Absolute	Specifies the relationship of the viewport coordinates to the containing coordinate space.
	Visual	<a href="#">ST_RscRef</a>				Specifies resource reference to a <Path>, <Glyphs>, or <Canvas> element defined in a resource dictionary and used to draw the brush's source content.
annotation	Fills a region with a drawing. The drawing can be specified as either a child of the <VisualBrush> element, or as a resource reference. Drawing content is expressed using <Canvas>, <Path>, and <Glyphs> elements.					

The <VisualBrush> element is used to fill a region with a drawing. The drawing can be specified as either a <VisualBrush.Visual> property element or as a resource reference. Drawing content can include exactly one <Canvas>, <Path>, or <Glyphs> element and that element's child and descendant elements.

Visual brushes share a number of tile-related properties with image brushes. For details, see §13.4.

### 13.3.1 <VisualBrush.Visual> Element

element **VisualBrush.Visual**



The <VisualBrush.Visual> property element contains markup that defines the contents of a single visual brush tile. The tile can be used to fill the geometric region to which the visual brush is applied. The <VisualBrush.Visual> property element contains a single child element. For simple tiles, this can be a single <Path> or <Glyphs> element. More complex visuals containing multiple <Path> and <Glyphs> elements can be grouped within a <Canvas> child element.

*Example 13-3. <VisualBrush.Visual> usage*

```

<Path>
  <Path.Fill>
    <VisualBrush
      Viewbox="0,0,1,1"
      Viewport="50,50,100,100"
      ViewportUnits="Absolute"
      ViewboxUnits="Absolute"
      TileMode="Tile">
      <VisualBrush.Visual>
        <Path>
          <Path.Fill>
            <SolidColorBrush Color="#FF0000" />
          </Path.Fill>
          <Path.Data>
            <PathGeometry>
              <PathFigure StartPoint="0,0.5" IsClosed="true">
                <PolyLineSegment Points="0.5,0 1.0,0.5
                  0.5,1.0" />
              </PathFigure>
            </PathGeometry>
          </Path.Data>
        </Path>
      </VisualBrush.Visual>
    </VisualBrush>
  </Path.Fill>
  <Path.Data>
    <PathGeometry>
      <PathFigure StartPoint="50,50" IsClosed="true">
        <PolyLineSegment Points="350,50 350,350 50,350" />
      </PathFigure>
    </PathGeometry>
  </Path.Data>

```

```

    </Path.Data>
  </Path>

```

This markup produces the following result:



*end example]*

---

### 13.4 Common Attributes for Tiling Brushes

Image brushes and Visual brushes share certain tiling characteristics. These characteristics are controlled by a common set of attributes described in the table below.

*Table 13-2. Common attributes for <ImageBrush> and <VisualBrush> elements*

<b>Name</b>	<b>Description</b>
Viewbox	Specifies the region of the source content of the brush that is to be mapped to the viewport.
Viewport	Specifies the position and dimensions of the first brush tile. Subsequent tiles are positioned relative to this tile, as specified by the tile mode.
ViewboxUnits	Specifies the unit type for the Viewbox attribute. MUST have the value "Absolute" [M6.7].
ViewportUnits	Specifies the unit type for the Viewport attribute. MUST have the value "Absolute" [M6.8].
TileMode	Specifies how tiling is performed in the filled geometry. The value is optional, and defaults to "None" if no value is specified.

Both image brushes and visual brushes assume that the background of the brush itself is initially transparent.

### 13.4.1 Viewbox, Viewport, ViewboxUnits, and ViewportUnits Attributes

The Viewbox attribute specifies the portion of a source image or visual to be rendered to the page as a tile. The Viewport attribute specifies the dimensions and location, in the effective coordinate space, of the initial tile that will be filled with the specified image or visual fragment. In other words, the Viewport attribute defines the initial tile whose origin (x and y values of the top left corner of the tile relative to the current effective render transform) is specified by the first two parameters and whose size (width and height values) is specified by the last two parameters. The tile is then used to fill the geometry specified by the parent element according to the TileMode attribute relative to the initial tile.

For images, the dimensions specified by the viewbox are expressed in units of 1/96". The pixel coordinates in the source image are calculated as follows, where HorizontalImageResolution and VerticalImageResolution are specified in dpi:

```
SourceLeft = HorizontalImageResolution * Viewbox.Left / 96
SourceTop = VerticalImageResolution * Viewbox.Top / 96
SourceWidth = HorizontalImageResolution * Viewbox.Width / 96
SourceHeight = VerticalImageResolution * Viewbox.Height / 96
```

The image resolution used is that specified in the header or tag information of the image. If no resolution is specified, a default resolution of 96 dpi is assumed. The coordinates of the upper-left corner of the image are 0,0.

The viewbox can specify a region larger than the image itself, including negative values.

*Example 13-4. ViewboxUnits and ViewportUnits attribute usage*

The following markup contains an image brush:

```
<ImageBrush
  ImageSource=" ../Resources/Images/tiger.jpg"
  Viewbox="24,24,48,48"
  ViewboxUnits="Absolute"
  Viewport="96,96,192,192"
  ViewportUnits="Absolute"
  TileMode="None" />
```

Assuming the default fixed page coordinate system and that tiger.jpg specifies a resolution of 50 dpi and measures 100 pixels horizontally and 50 pixels vertically, the physical dimensions of the image are expressed (in units of 1/96") as  $96 * 100 / 50 = 192$  horizontal and  $96 * 50 / 50 = 96$  vertical.

The viewbox uses a square starting at 24,24 (a quarter-inch from left and a quarter-inch from top) in the image, and extending for 48,48 (a half-inch to the right and a half-inch down) and scales it to a square starting at one inch from the left edge of the physical page and one inch from the top of the physical page and extending two inches to the right and two inches down. *end example]*

#### 13.4.1.1 Viewbox and Viewport Examples


The following examples demonstrate how adjusting the viewbox and viewport can affect output.

*Example 13-5. Tiling brush base image and rendering*

The following markup describes a base image.

```
<!-- Draw background diamond to show where fill affects background -->
<Path Fill="#CCCC66" Data="M 150,0 L 300,150 L 150,300 L 0,150 Z" />
<Path Data="M 150,0 L 300,150 L 150,300 L 0,150 Z">
  <Path.Fill>
    <VisualBrush
      Viewbox="0,0,1,1"
      Viewport="150,75,50,50"
      ViewboxUnits="Absolute"
      ViewportUnits="Absolute"
      TileMode="Tile">
      <VisualBrush.Visual>
        <Canvas>
          <Path Fill="#333399" Data="M 0.1,0.1 L 0.9,0.1 L 0.9,0.9
            L 0.1,0.9 Z" />
          <Path Fill="#FFFF00" Data="M 0.1,0.35 L 0.35,0.1
            L 0.6,0.35 L 0.35,0.6 Z" />
        </Canvas>
      </VisualBrush.Visual>
    </VisualBrush>
  </Path.Fill>
</Path>
```

This markup is rendered as follows:



*end example]*

*Example 13-6. Tiling brush Viewport adjustments*

By adjusting the viewport, the position of the tiles within the image can be changed:


```
<!-- Draw background diamond to show where fill affects background -->
<Path Fill="#CCCC66" Data="M 150,0 L 300,150 L 150,300 L 0,150 Z" />
<Path Data="M 150,0 L 300,150 L 150,300 L 0,150 Z">
```

```

<Path.Fill>
  <VisualBrush
    Viewbox="0,0,1,1"
    Viewport="125,125,50,50"
    ViewboxUnits="Absolute"
    ViewportUnits="Absolute"
    TileMode="Tile">
    <VisualBrush.Visual>
      <Canvas>
        <Path Fill="#333399" Data="M 0.1,0.1 L 0.9,0.1 L 0.9,0.9
          L 0.1,0.9 Z" />
        <Path Fill="#FFFF00" Data="M 0.1,0.35 L 0.35,0.1
          L 0.6,0.35 L 0.35,0.6 Z" />
      </Canvas>
    </VisualBrush.Visual>
  </VisualBrush>
</Path.Fill>
</Path>

```

This markup is rendered as follows:



*end example]*

*Example 13-7. Tiling brush viewport adjustments*

The following markup uses a smaller window on the viewport to zoom in on each tile:

```

<!-- Draw background diamond to show where fill affects background -->
<Path Fill="#CCCC66" Data="M 150,0 L 300,150 L 150,300 L 0,150 Z" />
<Path Data="M 150,0 L 300,150 L 150,300 L 0,150 Z">
  <Path.Fill>
    <VisualBrush
      Viewbox="0.25,0.25,0.75,0.75"
      Viewport="150,75,50,50"
      ViewboxUnits="Absolute"
      ViewportUnits="Absolute"


```

```

    TileMode="Tile">
    <VisualBrush.Visual>
      <Canvas>
        <Path Fill="#333399" Data="M 0.1,0.1 L 0.9,0.1 L 0.9,0.9
          L 0.1,0.9 Z" />
        <Path Fill="#FFFF00" Data="M 0.1,0.35 L 0.35,0.1
          L 0.6,0.35 L 0.35,0.6 Z" />
      </Canvas>
    </VisualBrush.Visual>
  </VisualBrush>
</Path.Fill>
</Path>

```

This markup is rendered as follows:



*end example]*

*Example 13–8. Image brush with a Viewbox larger than the image*


An image brush can specify a tile with the Viewbox attribute that exceeds the size of the image it uses, including negative values, as shown below.

```

<Path Fill="#CCCCCC" Data="M 10,10 L 265,10 L 265,125 L 10,125 Z" />
<Path Stroke="#803333" StrokeThickness="3"
  Data="M 25,25 L 250,25 L 250,200 L 25,200 Z">
  <Path.Fill>
    <ImageBrush ImageSource="../../Resources/Images/dog.jpg"
      TileMode="Tile"
      Viewbox="-10,-10,290,443" ViewboxUnits="Absolute"
      Viewport="50,50,90,125" ViewportUnits="Absolute" />
  </Path.Fill>
</Path>

```

This markup is rendered as follows. Note that the area around the image is transparent, revealing the underlying path between the tiles.



*end example]*

### 13.4.2 TileMode Attribute

Valid values for the TileMode attribute are None, Tile, FlipX, FlipY, and FlipXY.


#### 13.4.2.1 None

In this mode, only the single base tile is drawn. The remaining area is left transparent.

*Example 13-9. Image brush with TileMode value of None*

```
<!-- Draw background diamond to show where fill affects background -->
<Path Fill="#CCCC66" Data="M 200,0 L 400,200 L 200,400 L 0,200 Z" />
<Path Data="M 200,0 L 400,200 L 200,400 L 0,200 Z">
  <Path.Fill>
    <ImageBrush
      ImageSource="newspaper.png"
      Viewbox="0,0,350,284"
      Viewport="200,100,87,71"
      ViewportUnits="Absolute"
      ViewboxUnits="Absolute"
      TileMode="None" />
  </Path.Fill>
</Path>
```

This markup is rendered as follows:



*end example]*


Example 13-10. Visual brush with *TileMode* value of *None*

```

<!-- Draw background diamond to show where fill affects background -->
<Path Fill="#CCCC66" Data="M 200,0 L 400,200 L 200,400 L 0,200 Z" />
<Path Data="M 200,0 L 400,200 L 200,400 L 0,200 Z">
  <Path.Fill>
    <VisualBrush
      Viewbox="0,0,1,1"
      Viewport="200,133,67,67"
      ViewboxUnits="Absolute"
      ViewportUnits="Absolute"
      TileMode="None">
      <VisualBrush.Visual>
        <Canvas>
          <Path Fill="#333399" Data="M 0.1,0.1 L 0.9,0.1 L 0.9,0.9
            L 0.1,0.9 Z" />
          <Path Fill="#FFFF00" Data="M 0.1,0.35 L 0.35,0.1
            L 0.6,0.35 L 0.35,0.6 Z" />
        </Canvas>
      </VisualBrush.Visual>
    </VisualBrush>
  </Path.Fill>
</Path>

```

This markup is rendered as follows:



*end example]*

### 13.4.2.2 Tile

In this mode, the base tile is drawn and the remaining area is filled by repeating the base tile such that the right edge of each tile abuts the left edge of the next, and the bottom edge of each tile abuts the top edge of the next.

*Example 13–11. Image brush with a TileMode value of Tile*

```
<!-- Draw background diamond to show where fill affects background -->
<Path Fill="#CCCC66" Data="M 200,0 L 400,200 L 200,400 L 0,200 Z" />
<Path Data="M 200,0 L 400,200 L 200,400 L 0,200 Z">
  <Path.Fill>
    <ImageBrush
      ImageSource="newspaper.png"
      Viewbox="0,0,350,284"
      Viewport="200,100,87,71"
      ViewportUnits="Absolute"
      ViewboxUnits="Absolute"
      TileMode="Tile" />
  </Path.Fill>
</Path>
```

This markup is rendered as follows:



*end example]*


Example 13-12. Visual brush with a *TileMode* value of *Tile*

```

<!-- Draw background diamond to show where fill affects background -->
<Path Fill="#CCCC66" Data="M 200,0 L 400,200 L 200,400 L 0,200 Z" />
<Path Data="M 200,0 L 400,200 L 200,400 L 0,200 Z">
  <Path.Fill>
    <VisualBrush
      Viewbox="0,0,1,1"
      Viewport="200,133,67,67"
      ViewboxUnits="Absolute"
      ViewportUnits="Absolute"
      TileMode="Tile">
      <VisualBrush.Visual>
        <Canvas>
          <Path Fill="#333399" Data="M 0.1,0.1 L 0.9,0.1 L 0.9,0.9
            L 0.1,0.9 Z" />
          <Path Fill="#FFFF00" Data="M 0.1,0.35 L 0.35,0.1
            L 0.6,0.35 L 0.35,0.6 Z" />
        </Canvas>
      </VisualBrush.Visual>
    </VisualBrush>
  </Path.Fill>
</Path>

```

This markup is rendered as follows:



*end example]*

### 13.4.2.3 FlipX

The tile arrangement is similar to the Tile tile mode, but alternate columns of tiles are flipped horizontally. The base tile is positioned as specified by the viewport. Tiles in the columns to the left and right of this tile are flipped horizontally.

*Example 13–13. Image brush with a TileMode value of FlipX*

```
<!-- Draw background diamond to show where fill affects background -->
<Path Fill="#CCCC66" Data="M 200,0 L 400,200 L 200,400 L 0,200 Z" />
<Path Data="M 200,0 L 400,200 L 200,400 L 0,200 Z">
  <Path.Fill>
    <ImageBrush
      ImageSource="newspaper.png"
      Viewbox="0,0,350,284"
      Viewport="200,100,87,71"
      ViewportUnits="Absolute"
      ViewboxUnits="Absolute"
      TileMode="FlipX" />
  </Path.Fill>
</Path>
```

This markup is rendered as follows:



*end example]*


Example 13-14. Visual brush with a *TileMode* value of *FlipX*

```

<!-- Draw background diamond to show where fill affects background -->
<Path Fill="#CCCC66" Data="M 200,0 L 400,200 L 200,400 L 0,200 Z" />
<Path Data="M 200,0 L 400,200 L 200,400 L 0,200 Z">
  <Path.Fill>
    <VisualBrush
      Viewbox="0,0,1,1"
      Viewport="200,133,67,67"
      ViewboxUnits="Absolute"
      ViewportUnits="Absolute"
      TileMode="FlipX">
      <VisualBrush.Visual>
        <Canvas>
          <Path Fill="#333399" Data="M 0.1,0.1 L 0.9,0.1 L 0.9,0.9
            L 0.1,0.9 Z" />
          <Path Fill="#FFFF00" Data="M 0.1,0.35 L 0.35,0.1
            L 0.6,0.35 L 0.35,0.6 Z" />
        </Canvas>
      </VisualBrush.Visual>
    </VisualBrush>
  </Path.Fill>
</Path>

```

This markup is rendered as follows:



*end example]*

#### 13.4.2.4 FlipY

The tile arrangement is similar to the Tile tile mode, but alternate rows of tiles are flipped vertically. The base tile is positioned as specified by the viewport. Rows above and below are flipped vertically.

*Example 13–15. Image brush with a TileMode value of FlipY*

```

<!-- Draw background diamond to show where fill affects background -->
<Path Fill="#CCCC66" Data="M 200,0 L 400,200 L 200,400 L 0,200 Z" />
<Path Data="M 200,0 L 400,200 L 200,400 L 0,200 Z">
  <Path.Fill>
    <ImageBrush
      ImageSource="newspaper.png"
      Viewbox="0,0,350,284"
      Viewport="200,100,87,71"
      ViewportUnits="Absolute"
      ViewboxUnits="Absolute"
      TileMode="FlipY" />
  </Path.Fill>
</Path>

```

This markup is rendered as follows:



*end example]*


Example 13-16. Visual Brush with a TileMode value of FlipY

```

<!-- Draw background diamond to show where fill affects background -->
<Path Fill="#CCCC66" Data="M 200,0 L 400,200 L 200,400 L 0,200 Z" />
<Path Data="M 200,0 L 400,200 L 200,400 L 0,200 Z">
  <Path.Fill>
    <VisualBrush
      Viewbox="0,0,1,1"
      Viewport="200,133,67,67"
      ViewboxUnits="Absolute"
      ViewportUnits="Absolute"
      TileMode="FlipY">
      <VisualBrush.Visual>
        <Canvas>
          <Path Fill="#333399" Data="M 0.1,0.1 L 0.9,0.1 L 0.9,0.9
            L 0.1,0.9 Z" />
          <Path Fill="#FFFF00" Data="M 0.1,0.35 L 0.35,0.1
            L 0.6,0.35 L 0.35,0.6 Z" />
        </Canvas>
      </VisualBrush.Visual>
    </VisualBrush>
  </Path.Fill>
</Path>

```

This markup is rendered as follows:



end example]


### 13.4.2.5 FlipXY

The tile arrangement is similar to the Tile tile mode, but alternate columns of tiles are flipped horizontally and alternate rows of tiles are flipped vertically. The base tile is positioned as specified by the viewport.

*Example 13–17. Image brush with a TileMode value of FlipXY*

```
<!-- Draw background diamond to show where fill affects background -->
<Path Fill="#CCCC66" Data="M 200,0 L 400,200 L 200,400 L 0,200 Z" />
<Path Data="M 200,0 L 400,200 L 200,400 L 0,200 Z">
  <Path.Fill>
    <ImageBrush
      ImageSource="newspaper.png"
      Viewbox="0,0,350,284"
      Viewport="200,100,87,71"
      ViewportUnits="Absolute"
      ViewboxUnits="Absolute"
      TileMode="FlipXY" />
  </Path.Fill>
</Path>
```

This markup is rendered as follows:



*end example]*


Example 13-18. Visual brush with a *TileMode* value of *FlipXY*

```

<!-- Draw background diamond to show where fill affects background -->
<Path Fill="#CCCC66" Data="M 200,0 L 400,200 L 200,400 L 0,200 Z" />
<Path Data="M 200,0 L 400,200 L 200,400 L 0,200 Z">
  <Path.Fill>
    <VisualBrush
      Viewbox="0,0,1,1"
      Viewport="200,133,67,67"
      ViewboxUnits="Absolute"
      ViewportUnits="Absolute"
      TileMode="FlipXY">
      <VisualBrush.Visual>
        <Canvas>
          <Path Fill="#333399" Data="M 0.1,0.1 L 0.9,0.1 L 0.9,0.9
            L 0.1,0.9 Z" />
          <Path Fill="#FFFF00" Data="M 0.1,0.35 L 0.35,0.1
            L 0.6,0.35 L 0.35,0.6 Z" />
        </Canvas>
      </VisualBrush.Visual>
    </VisualBrush>
  </Path.Fill>
</Path>

```


This markup is rendered as follows:



*end example]*

### 13.5 <LinearGradientBrush> Element

element **LinearGradientBrush**



attributes	Name	Type	Use	Default	Fixed	Annotation
	Opacity	<u>ST_ZeroOne</u>		1.0		Defines the uniform transparency of the linear gradient. Values range from 0 (fully transparent) to 1 (fully opaque), inclusive. Values outside of this range are invalid.
	x:Key					Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M6.5].
	ColorInterpolationMode	<u>ST_ClrIntMode</u>		SRgbLinear Interpolation		Specifies the gamma function for color interpolation. The gamma adjustment should not be applied to the alpha component, if specified. Valid values are SRgbLinearInterpolation and ScRgbLinearInterpolation.
	SpreadMethod	<u>ST_Spread Method</u>		Pad		Describes how the brush should fill the content area outside of

						the primary, initial gradient area. Valid values are Pad, Reflect and Repeat.
	MappingMode	<a href="#">ST_MappingMode</a>	required		Absolute	Specifies that the start point and end point are defined in the effective coordinate space (includes the Transform attribute of the brush).
	Transform	<a href="#">ST_RscRefMatrix</a>				Describes the matrix transformation applied to the coordinate space of the brush. The Transform property on a brush is concatenated with the current effective render transform to yield an effective render transform local to the brush. The start point and end point are transformed using the local effective render transform.
	StartPoint	<a href="#">ST_Point</a>	required			Specifies the starting point of the linear gradient.
	EndPoint	<a href="#">ST_Point</a>	required			Specifies the end point of the linear gradient. The linear gradient brush interpolates the colors from the start point to the end point, where the start point represents an offset of 0, and the EndPoint represents an offset of 1. The Offset attribute value specified in a GradientStop element relates to the 0 and 1 offsets defined by the start point and end point.
annotation	Fills a region with a linear gradient.					

The `<LinearGradientBrush>` element is used to specify a linear gradient brush along a vector. For details about computing a linear gradient, see §18.3.

*Example 13–19. <LinearGradientBrush> usage*

The following markup describes a page with a rectangular path that is filled with a linear gradient:


```
<Path>
  <Path.Fill>
    <LinearGradientBrush
      MappingMode="Absolute"
      StartPoint="0,0"
```

```

        EndPoint="300,300">
        <LinearGradientBrush.GradientStops>
            <GradientStop Color="#FFFF00" Offset="0" />
            <GradientStop Color="#0000FF" Offset="1" />
        </LinearGradientBrush.GradientStops>
    </LinearGradientBrush>
</Path.Fill>
<Path.Data>
    <PathGeometry>
        <PathFigure StartPoint="0,0">
            <PolyLineSegment Points="300,0 300,300 0,300" />
        </PathFigure>
    </PathGeometry>
</Path.Data>
</Path>

```

This markup is rendered as follows:



*end example]*

### 13.5.1 SpreadMethod Attribute

The `SpreadMethod` attribute describes the fill for areas beyond the start point and end point of the linear gradient brush. Valid values are `Pad`, `Reflect`, and `Repeat`. For details see §18.3.2.

*Example 13–20. Linear gradient brush with a `SpreadMethod` value of `Pad`*

In this method, the first color and the last color are used to fill the remaining fill area at the beginning and end.

```

<Path Data="M 150,0 L 300,150 L 150,300 L 0,150 Z">
    <Path.Fill>
        <LinearGradientBrush
            MappingMode="Absolute"
            StartPoint="120,0"
            EndPoint="180,0"


```

```

        SpreadMethod="Pad">
        <LinearGradientBrush.GradientStops>
            <GradientStop Color="#FFFF00" Offset="0.0" />
            <GradientStop Color="#0000FF" Offset="1.0" />
        </LinearGradientBrush.GradientStops>
        </LinearGradientBrush>
    </Path.Fill>
</Path>

```

This markup is rendered as follows:



*end example]*

*Example 13–21. Linear gradient brush with a SpreadMethod value of Reflect*


In this method, the gradient stops are replayed in reverse order repeatedly to cover the fill area.

```

<Path Data="M 150,0 L 300,150 L 150,300 L 0,150 Z">
    <Path.Fill>
        <LinearGradientBrush
            MappingMode="Absolute"
            StartPoint="120,0"
            EndPoint="180,0"
            SpreadMethod="Reflect">
            <LinearGradientBrush.GradientStops>
                <GradientStop Color="#FFFF00" Offset="0.0" />
                <GradientStop Color="#0000FF" Offset="1.0" />
            </LinearGradientBrush.GradientStops>
        </LinearGradientBrush>
    </Path.Fill>
</Path>

```

This markup is rendered as follows:




*end example]*

*Example 13–22. Linear gradient brush with a SpreadMethod value of Repeat*

In this method, the gradient stops are repeated in order until the fill area is covered.

```
<Path Data="M 150,0 L 300,150 L 150,300 L 0,150 Z">
  <Path.Fill>
    <LinearGradientBrush
      MappingMode="Absolute"
      StartPoint="120,0"
      EndPoint="180,0"
      SpreadMethod="Repeat">
      <LinearGradientBrush.GradientStops>
        <GradientStop Color="#FFFF00" Offset="0.0" />
        <GradientStop Color="#0000FF" Offset="1.0" />
      </LinearGradientBrush.GradientStops>
    </LinearGradientBrush>
  </Path.Fill>
</Path>
```

This markup is rendered as follows:



*end example]*

### 13.5.2 <LinearGradientBrush.GradientStops> Element


element **LinearGradientBrush.GradientStops**

<p>diagram</p>	
<p>annotation</p>	<p>Holds a sequence of GradientStop elements.</p>

The <LinearGradientBrush.GradientStops> property element specifies a collection of gradient stops that comprise the linear gradient. For more information, see §13.7.

### 13.6 <RadialGradientBrush> Element

element **RadialGradientBrush**



attributes	Name	Type	Use	Default	Fixed	Annotation
	Opacity	<u>ST_ZeroOne</u>		1.0		Defines the uniform transparency of the radial gradient. Values range from 0 (fully transparent) to 1 (fully opaque), inclusive. Values outside of this range are invalid.
	x:Key					Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M6.6].
	ColorInterpolationMode	<u>ST_ClrIntMode</u>		SRgbLinear Interpolation		Specifies the gamma function for color interpolation. The gamma adjustment should not be applied to the alpha component, if specified. Valid values are SRgbLinearInterpolation and ScRgbLinearInterpolation.

SpreadMethod	<a href="#">ST_SpreadMethod</a>		Pad		Describes how the brush should fill the content area outside of the primary, initial gradient area. Valid values are Pad, Reflect and Repeat.
MappingMode	<a href="#">ST_MappingMode</a>	required		Absolute	Specifies that center, x radius, and y radius are defined in the effective coordinate space (includes the Transform attribute of the brush).
Transform	<a href="#">ST_RscRefMatrix</a>				Describes the matrix transformation applied to the coordinate space of the brush. The Transform property is concatenated with the current effective render transform to yield an effective render transform local to the brush. The ellipse defined by the center, gradient origin, x radius, and y radius values is transformed using the local effective render transform.
Center	<a href="#">ST_Point</a>	required			Specifies the center point of the radial gradient (that is, the center of the ellipse). The radial gradient brush interpolates the colors from the gradient origin to the circumference of the ellipse. The circumference is determined by the center and the radii.
GradientOrigin	<a href="#">ST_Point</a>	required			Specifies the origin point of the radial gradient.
RadiusX	<a href="#">ST_GEZero</a>	required			Specifies the radius in the x dimension of the ellipse which defines the radial gradient.
RadiusY	<a href="#">ST_GEZero</a>	required			Specifies the radius in the y dimension of the ellipse which defines the radial gradient.
annotation	Fills a region with a radial gradient.				


Radial gradient brushes are similar to linear gradient brushes. However, whereas a linear gradient brush has a start point and end point to define the gradient vector, a radial gradient

brush has an ellipse (defined by the center,  $x$  radius, and  $y$  radius) and a gradient origin. The gradient origin defines the start point of the gradient. The circumference of the ellipse defines the end point of the gradient. In other words, a gradient stop with an offset at 1.0 defines the color at the circumference of the ellipse. A gradient stop with an offset at 0.0 defines the color at the gradient origin.

For details about computing a radial gradient, see §18.3.3.

*Example 13–23. A radial gradient brush*

The following figure is a radial gradient that transitions from white to gray. The outside ellipse represents the gradient ellipse while the dot denotes the gradient origin. This gradient has a `SpreadMethod` value of `Pad`.



*end example]*

*Example 13–24. RadialGradientBrush usage*

The following markup describes a page with a rectangular path that is filled with a radial gradient:


```
<Path>
  <Path.Fill>
    <RadialGradientBrush
      MappingMode="Absolute"
      Center="30,150"
      GradientOrigin="30,150"
      RadiusX="250"
      RadiusY="250">
      <RadialGradientBrush.GradientStops>
        <GradientStop Color="#FFFF00" Offset="0" />
        <GradientStop Color="#0000FF" Offset="1" />
      </RadialGradientBrush.GradientStops>
    </RadialGradientBrush>
  </Path.Fill>
  <Path.Data>
    <PathGeometry>
      <PathFigure StartPoint="0,0" IsClosed="true">
        <PolyLineSegment Points="300,0 300,300 0,300" />
      </PathFigure>
    </PathGeometry>
  </Path.Data>
</Path>
```

```

    </PathGeometry>
  </Path.Data>
</Path>

```

This markup is rendered as follows:



*end example]*

### 13.6.1 SpreadMethod Attribute

The `SpreadMethod` attribute describes the fill of areas beyond the ellipse described by the center,  $x$  radius, and  $y$  radius of the radial gradient brush. Valid values are `Pad`, `Reflect`, and `Repeat`. For details see §18.3.3.

*Example 13–25. Radial gradient brush with a `SpreadMethod` value of `Pad`*


In the following markup, the last color is used to cover the fill area outside the ellipse.

```

<Path Data="M 150,0 L 300,150 L 150,300 L 0,150 Z">
  <Path.Fill>
    <RadialGradientBrush
      MappingMode="Absolute"
      Center="150,150"
      GradientOrigin="125,125"
      RadiusX="60"
      RadiusY="60"
      SpreadMethod="Pad">
      <RadialGradientBrush.GradientStops>
        <GradientStop Color="#FFFF00" Offset="0.0" />
        <GradientStop Color="#0000FF" Offset="1.0" />
      </RadialGradientBrush.GradientStops>
    </RadialGradientBrush>
  </Path.Fill>
</Path>

```

This markup is rendered as follows:




*end example]*

*Example 13-26. Radial gradient brush with a SpreadMethod value of Reflect*

In the following markup, the gradient stops are replayed in reverse order repeatedly to cover the fill area.

```
<Path Data="M 150,0 L 300,150 L 150,300 L 0,150 Z">
  <Path.Fill>
    <RadialGradientBrush
      MappingMode="Absolute"
      Center="150,150"
      GradientOrigin="125,125"
      RadiusX="60"
      RadiusY="60"
      SpreadMethod="Reflect">
      <RadialGradientBrush.GradientStops>
        <GradientStop Color="#FFFF00" Offset="0.0" />
        <GradientStop Color="#0000FF" Offset="1.0" />
      </RadialGradientBrush.GradientStops>
    </RadialGradientBrush>
  </Path.Fill>
</Path>
```

This markup is rendered as follows:




*end example]*

*Example 13–27. Radial gradient brush with a SpreadMethod value of Repeat*

In the following markup, the gradient stops are repeated in order until the fill area is covered.

```
<Path Data="M 150,0 L 300,150 L 150,300 L 0,150 Z">
  <Path.Fill>
    <RadialGradientBrush
      MappingMode="Absolute"
      Center="150,150"
      GradientOrigin="125,125"
      RadiusX="60"
      RadiusY="60"
      SpreadMethod="Repeat">
      <RadialGradientBrush.GradientStops>
        <GradientStop Color="#FFFF00" Offset="0.0" />
        <GradientStop Color="#0000FF" Offset="1.0" />
      </RadialGradientBrush.GradientStops>
    </RadialGradientBrush>
  </Path.Fill>
</Path>
```


This markup is rendered as follows:



*end example]*

### 13.6.2 <RadialGradientBrush.GradientStops> Element


element **RadialGradientBrush.GradientStops**



The <RadialGradientBrush.GradientStops> property element specifies a collection of gradient stops that comprise the radial gradient. For more information, see §13.7.

### 13.7 <GradientStop> Element

element **GradientStop**



attributes	Name	Type	Use	Default	Fixed	Annotation
	Color	<u>ST_Color</u>	required			
Offset	<u>ST_Double</u>	required				Specifies the gradient offset. The offset indicates a point along the progression of the gradient at which a color is specified. Colors between gradient offsets in the progression are interpolated.
annotation	Indicates a location and range of color progression for rendering a gradient.					

The <GradientStop> element is used by both the <LinearGradientBrush> and <RadialGradientBrush> elements to define the location and range of color progression for rendering a gradient.

For linear gradient brushes, the offset value of 0.0 is mapped to the start point of the gradient, and the offset value of 1.0 is mapped to the end point. Intermediate offset values are interpolated between these two points to determine their location.

For radial gradient brushes, the offset value of 0.0 is mapped to the gradient origin location. The offset value of 1.0 is mapped to the circumference of the ellipse as determined by the center, *x* radius, and *y* radius. Offsets between 0.0 and 1.0 are positioned at a location interpolated between these points.

For full details of rendering of gradient brushes, including handling of offsets, please see §18.3.

---

## 13.8 Using a Brush as an Opacity Mask

Each pixel carries an alpha value ranging from 0.0 (fully transparent) to 1.0 (fully opaque). The alpha value is used when blending elements to achieve the visual effect of transparency. Each element can have an Opacity attribute by which the alpha value of each pixel is multiplied uniformly.

The OpacityMask property allows the specification of per-pixel opacity, which controls how rendered content is blended with its destination. The opacity values specified by the opacity mask are combined multiplicatively with any opacity already present in the alpha channel of the contents. The per-pixel opacity specified by the opacity mask is determined by the alpha channel of each pixel in the mask. The color channels of the brush are ignored.

The per-pixel alpha values of the OpacityMask not marked by the brush are 0.0. The required computations for blending two elements when rendering, also known as *alpha blending*, are described in §18.4.

An opacity mask always has a brush as the child element (see §14.5).

*Example 13–28. Opacity mask with linear gradient*

The following markup illustrates how an opacity mask is used to create a fade effect on a glyph. The opacity mask is a linear gradient that fades from opaque black to transparent black.

```
<FixedPage Height="1056" Width="816" xml:lang="en-US">
  <Glyphs
```

```

OriginX="25"
OriginY="50"
UnicodeString="This is a fading text example."
FontUri=" ../Resources/Fonts/Times.TTF"
FontRenderingEmSize="32">
<Glyphs.OpacityMask>
  <LinearGradientBrush
    StartPoint="25,0"
    EndPoint="450,0"
    MappingMode="Absolute">
    <LinearGradientBrush.GradientStops>
      <GradientStop Color="#FF000000" Offset="0" />
      <GradientStop Color="#00000000" Offset="1" />
    </LinearGradientBrush.GradientStops>
  </LinearGradientBrush>
</Glyphs.OpacityMask>
<Glyphs.Fill>
  <SolidColorBrush Color="#000000" />
</Glyphs.Fill>
</Glyphs>
</FixedPage>

```

This markup is rendered as follows:



*end example]*

*Example 13–29. Opacity mask with radial gradient*

In the following markup, the opacity mask is a radial gradient:

```

<FixedPage Width="816" Height="1056" xml:lang="en-US">
  <Path>
    <Path.OpacityMask>
      <RadialGradientBrush
        MappingMode="Absolute"
        Center="200,300"
        GradientOrigin="200,300"
        RadiusX="200"
        RadiusY="300">
        <RadialGradientBrush.GradientStops>
          <GradientStop Color="#FF000000" Offset="0" />
          <GradientStop Color="#20000000" Offset="1" />
        </RadialGradientBrush.GradientStops>
      </RadialGradientBrush>
    </Path.OpacityMask>
  <Path.Fill>
    <ImageBrush
      Viewbox="0,0,400,600"
      ViewboxUnits="Absolute"
      Viewport="0,0,400,600"

```

```
        ViewportUnits="Absolute"  
        TileMode="None"  
        ImageSource="images/jpeg3.jpg" />  
    </Path.Fill>  
    <Path.Data>  
        <PathGeometry>  
            <PathFigure StartPoint="0,0" IsClosed="true">  
                <PolyLineSegment Points="400,0 400,600 0,600" />  
            </PathFigure>  
        </PathGeometry>  
    </Path.Data>  
</Path>  
</FixedPage>
```

This markup is rendered as follows:



*end example]*



## 14. Common Properties

Several OpenXPS Document elements share property attributes and elements as summarized in Table 14–1 and Table 14–2 and detailed in the following sections. Other than the Name, FixedPage.NavigateUri, and xml:lang attributes, these properties compose their results from parent to child, as described in §18.5.

Table 14–1. Common property attributes

Name	Applies to	Description
Clip	<Canvas> <Glyphs> <Path>	Restricts the region to which a brush can be applied.
Opacity	<Canvas> <Glyphs> <ImageBrush> <LinearGradientBrush> <Path> <RadialGradientBrush> <SolidColorBrush> <VisualBrush>	Defines the uniform transparency of the element.
OpacityMask	<Canvas> <Glyphs> <Path>	Specifies a mask of alpha values that is applied in the same fashion as the Opacity attribute, but allows different alpha values on a pixel-by-pixel basis.
RenderTransform	<Canvas> <Glyphs> <Path>	Establishes a new coordinate space through the use of an affine matrix transformation. For more information, see §14.4.
Transform	<ImageBrush> <LinearGradientBrush> <PathGeometry> <RadialGradientBrush> <VisualBrush>	Establishes a new coordinate space through the use of an affine matrix transformation.
Name	<Canvas> <FixedPage> <Glyphs> <Path>	Defines a hyperlink target or identifies an element uniquely for document structure markup to reference. For more information, see §16.2.
FixedPage.NavigateUri	<Canvas> <Glyphs> <Path>	Defines a hyperlink source. For more information, see §16.2.

Name	Applies to	Description
xml:lang	<Canvas> <FixedPage> <Glyphs> <Path>	Specifies a language.

Table 14–2. Common property elements

Name	Description
<Canvas.Resources> <FixedPage.Resources>	Contains elements that can be reused by reference throughout the markup of the <FixedPage> or <Canvas> child or descendant elements.
<Canvas.Clip> <Glyphs.Clip> <Path.Clip>	Restricts the region to which a brush can be applied.
<Canvas.RenderTransform> <Glyphs.RenderTransform> <Path.RenderTransform>	Establishes a new coordinate space through the use of an affine matrix transformation. For more information, see §14.4.
<ImageBrush.Transform> <LinearGradientBrush.Transform> <PathGeometry.Transform> <RadialGradientBrush.Transform> <VisualBrush.Transform>	Establishes a new effective coordinate space through the use of an affine matrix transformation.
<Canvas.OpacityMask> <Glyphs.OpacityMask> <Path.OpacityMask>	Specifies a mask of alpha values that is applied in the same fashion as the Opacity attribute, but allows different alpha values on a pixel-by-pixel basis.

## 14.1 Opacity

The Opacity property attribute is used to blend the current element with previously specified elements, also known as alpha blending. The opacity value MUST fall within the 0 (fully transparent) to 1 (fully opaque) range, inclusive [M7.12].

For more information, see §18.4.

## 14.2 Resources and Resource References

Fixed page markup supports the use of resources. A *resource* is a reusable property value that is expressed in markup, identified by a key, and stored in a *resource dictionary*. In general, any property value that can be expressed using property element syntax can be held in a resource dictionary.

Each resource in a resource dictionary has a key. Any property that specifies its value by referencing a resource key in a resource dictionary is called a *resource reference*.

The <Canvas> and <FixedPage> elements can carry a resource dictionary. A resource dictionary is expressed in markup by the <FixedPage.Resources> or <Canvas.Resources> property element. Individual resource values MUST be specified within a resource dictionary [M7.1].


The <Canvas.Resources> or <FixedPage.Resources> property elements MUST precede any other property elements of the <Canvas> or <FixedPage> elements [M2.72]. Likewise, they MUST precede any path, glyphs, or canvas children of the <Canvas> or <FixedPage> elements [M7.14].

Alternatively, resource dictionaries MAY be specified in separate parts and referenced from within the <FixedPage.Resources> or <Canvas.Resources> property element [O7.1]. Such a *remote resource dictionary* can be shared across multiple pages. [*Example: By defining a brush in a remote resource dictionary, graphical elements that are common to multiple pages can be reused. end example*]

The <Path>, <Glyphs>, and <Canvas> elements can appear as a resource definition solely for the purpose of using these elements in the Visual attribute of a <VisualBrush> element. Brushes and geometries appear in resource dictionaries far more frequently.

### 14.2.1 <FixedPage.Resources> Element

element **FixedPage.Resources**

diagram	 <pre> classDiagram     class FixedPageResources["FixedPage.Resources"]     class ResourceDictionary     FixedPageResources --&gt; ResourceDictionary     </pre>
annotation	Contains the resource dictionary for the <FixedPage> element.


*Example 14-1. <FixedPage.Resources> usage*

```

<FixedPage Width="816" Height="1056" xml:lang="en-US"
  xmlns="http://schemas.openxps.org/oxps/v1.0"
  xmlns:x=
    "http://schemas.openxps.org/oxps/v1.0/resourcedictionary-key">
  <FixedPage.Resources>
    <ResourceDictionary>
      <PathGeometry x:Key="Rectangle">
        <PathFigure StartPoint="20,20" IsClosed="true">
          <PolyLineSegment Points="120,20 120,70 20,70" />
        </PathFigure>
      </PathGeometry>
    </ResourceDictionary>
  </FixedPage.Resources>
  <Path Stroke="#000000"
    StrokeThickness="1"
    Data="{StaticResource Rectangle}" />
</FixedPage>

```


This markup is rendered as follows:



*end example]*

### 14.2.2 <Canvas.Resources> Element


element **Canvas.Resources**



Example 14–2. <Canvas.Resources> usage

```
<Canvas
  xmlns:x=
    "http://schemas.openxps.org/oxps/v1.0/resourcedictionary-key">
  <Canvas.Resources>
    <ResourceDictionary>
      <PathGeometry x:Key="Circle">
        <PathFigure StartPoint="20,70">
          <ArcSegment
            Point="120,70"
            Size="50,50"
            RotationAngle="0"
            IsLargeArc="true"
            SweepDirection="Clockwise" />
          <ArcSegment
            Point="20,70"
            Size="50,50"
            RotationAngle="0"
            IsLargeArc="true"
            SweepDirection="Clockwise" />
        </PathFigure>
      </PathGeometry>
    </ResourceDictionary>
  </Canvas.Resources>
  <Path Stroke="#000000"
    StrokeThickness="1"
    Data="{StaticResource Circle}" />
</Canvas>
```


This markup is rendered as follows:



end example]

### 14.2.3 <ResourceDictionary> Element

element **ResourceDictionary**



attributes	Name	Type	Use	Default	Fixed	Annotation
	Source	xs:anyURI				

annotation Defines a set of reusable resource definitions that can be used as property values in the fixed page markup.

The <FixedPage.Resources> and <Canvas.Resources> property elements contain exactly one <ResourceDictionary> element. A resource dictionary contains *resource definition* element entries. Each resource definition has a key specified in the x:Key attribute that is unique within the scope of the resource dictionary. The x:Key attribute is included in the Resource Dictionary namespace specified in §D.

Resource dictionaries MAY be declared, either inline inside a <FixedPage.Resources> or <Canvas.Resources> element, or in a separate part and referenced by a <ResourceDictionary> element inside a <FixedPage.Resources> or <Canvas.Resources> element [O7.1]. This allows resource dictionaries to be shared across parts. [*Example: A single resource dictionary can be used by every fixed page in the OpenXPS Document. end example*] See §14.2.3.1 for more details.

A resource definition MAY reference another resource defined earlier in the same resource dictionary [O7.2]. If the resource dictionary does not appear in a separate part, a resource definition MAY reference a previously defined resource in a resource dictionary of a parent or ancestor <Canvas> or <FixedPage> element [O7.3].

Namespace prefixes in resource definitions MUST apply in the context of the definition, rather than in the context of the resource reference [M7.2]. An xml:lang attribute within a resource definition MUST be interpreted in the context of the resource reference, not the resource definition [M7.3].

*Example 14-3. Resource dictionary markup*

The following markup defines two geometries, one for a rectangle, and the other for a circle:

```
<Canvas
  xmlns:x=
  "http://schemas.openxps.org/oxps/v1.0/resourcedictionary-key">
  <Canvas.Resources>
    <ResourceDictionary>
      <PathGeometry x:Key="Rectangle">
        <PathFigure StartPoint="20,20" IsClosed="true">
          <PolyLineSegment Points="120,20 120,70 20,70" />
        </PathFigure>
      </PathGeometry>
      <PathGeometry x:Key="Circle">
        <PathFigure StartPoint="20,70">
          <ArcSegment
            Point="120,70"
            Size="50,50"
            RotationAngle="0"
            IsLargeArc="true"
            SweepDirection="Clockwise" />
          <ArcSegment
            Point="20,70"
            Size="50,50"
            RotationAngle="0"
            IsLargeArc="true"
            SweepDirection="Clockwise" />
        </PathFigure>
      </PathGeometry>
    </ResourceDictionary>
  </Canvas.Resources>
  <Path Data="{StaticResource Rectangle}">
    <Path.Fill>
      <SolidColorBrush Color="#FF0000" />
    </Path.Fill>
  </Path>
</Canvas>
```

*end example]*

#### 14.2.3.1 Remote Resource Dictionaries

A resource dictionary MAY be defined in a separate part [O7.1]. This is referred to as a *remote resource dictionary*. A remote resource dictionary MUST follow the requirements above that apply to all resource dictionaries [M7.4]. A remote resource dictionary MUST NOT contain any resource definition children that reference another remote resource dictionary [M7.5].

The <FixedPage.Resources> and <Canvas.Resources> property elements MAY include a remote resource dictionary via reference, using the Source attribute of the <ResourceDictionary> element [O7.1].

A <ResourceDictionary> element that specifies a remote resource dictionary in its Source attribute MUST NOT contain any resource definition children [M7.6]. <FixedPage.Resources> and <Canvas.Resources> elements that include a remote resource dictionary MUST include exactly one <ResourceDictionary> element [M2.72].

A remote Resource Dictionary part MUST be added as a Required Resource relationship from the FixedPage part that references it [M2.10]. In addition, producers MUST add each resource such as fonts or images referenced in the Resource Dictionary part as a Required Resource relationship from the FixedPage part (*not* the Resource Dictionary part) to the indirectly required resource, even if the particular fixed page does not reference the resource [M2.10]. For more information, see §D.3.

Inline references to fonts or images in remote resource dictionary entries MUST be interpreted with the same base URI as the Remote Resource Dictionary part, not from the base URI of the part referring to the particular remote resource dictionary entry [M7.7].

*Example 14-4. A remote resource dictionary and reference*

The following markup defines a resource dictionary that contains two geometries, one for a rectangle and the other for a circle:

```
<!-- Contents of /resource.xml -->
<ResourceDictionary xmlns="http://schemas.openxps.org/oxps/v1.0"
  xmlns:x=
    "http://schemas.openxps.org/oxps/v1.0/resourcedictionary-key">
  <PathGeometry x:Key="Rectangle">
    <PathFigure StartPoint="20,20" IsClosed="true">
      <PolyLineSegment Points="120,20 120,70 20,70" />
    </PathFigure>
  </PathGeometry>
  <PathGeometry x:Key="Circle">
    <PathFigure StartPoint="20,70">
      <ArcSegment
        Point="120,70"
        Size="50,50"
        RotationAngle="0"
        IsLargeArc="true"
        SweepDirection="Clockwise" />
      <ArcSegment
        Point="20,70"
        Size="50,50"
        RotationAngle="0"
        IsLargeArc="true"
```

```

        SweepDirection="Clockwise" />
    </PathFigure>
</PathGeometry>
</ResourceDictionary>

```

The following markup references the previously defined resource dictionary:

```

<Canvas
  xmlns:x=
  "http://schemas.openxps.org/oxps/v1.0/resourcedictionary-key">
  <Canvas.Resources>
    <ResourceDictionary Source="/resource.xml"/>
  </Canvas.Resources>
  <Path Data="{StaticResource Rectangle}">
    <Path.Fill>
      <SolidColorBrush Color="#FF0000" />
    </Path.Fill>
  </Path>
</Canvas>

```

*end example]*

#### 14.2.4 Resource References

To set a property value to a defined resource, use the form:

```
{StaticResource key}
```

Where *key* is the same string specified with *x:Key* in the resource definition.

The context of the resource reference determines how defined resources are rendered (such as the transformation matrix to be applied). Specifically, the effective coordinate space for rendering the referenced resource is a composition of the effective coordinate space of the referring element plus any *Transform* or *RenderTransform* properties included in the resource definition itself.

A consumer SHOULD instantiate an error condition if a static resource reference cannot be resolved, or if it *can* be resolved but the resource type does not match the usage at the location of reference [S7.1].

*Example 14–5. Using a resource reference to fill a brush*

In the following markup, the rectangular region defined by the geometry specified in the dictionary is filled by a solid color brush:

```

<Canvas
  xmlns:x=
  "http://schemas.openxps.org/oxps/v1.0/resourcedictionary-key">
  <Canvas.Resources>
    <ResourceDictionary>
      <PathGeometry x:Key="Rectangle">
        <PathFigure StartPoint="20,20" IsClosed="true">
          <PolyLineSegment Points="120,20 120,70 20,70" />
        </PathFigure>
      </PathGeometry>
    </ResourceDictionary>
  </Canvas.Resources>

```

```

    <Path Data="{StaticResource Rectangle}">
      <Path.Fill>
        <SolidColorBrush Color="#FF0000" />
      </Path.Fill>
    </Path>
  </Canvas>

```

*end example]*

### 14.2.5 Scoping Rules for Resolving Resource References

The value of the `x:Key` attribute MUST be unique within the resource dictionary [M2.72]. However, the resource dictionary of a `<Canvas>` element MAY re-use an `x:Key` value defined in the resource dictionary of a parent or ancestor `<Canvas>` or `<FixedPage>` element [O7.5]. Resource references are resolved from the innermost to the outermost resource dictionary.

A resource definition MAY reference a previously defined resource with the same name that is defined in an ancestor resource dictionary [O7.6]; the reference MUST be resolved before the redefined resource is added to the dictionary [M7.8].

A resource definition MAY reference another resource defined prior to the point of reference, including a resource previously defined within the same resource dictionary [O7.2]. If a resource definition references another resource, the reference MUST be resolved in the context of the resource definition, not in the context of the resource use [M7.9].

To find a resource, the nearest parent or ancestor canvas or fixed page is searched. If the desired name is not defined in the initially searched resource dictionary, then the next-nearest parent or ancestor canvas or fixed page is searched. A consumer SHOULD instantiate an error condition if the search has continued to the root `<FixedPage>` element and a specified resource has not been found [S7.2]. This search occurs only within the containing `FixedPage` part.

*Example 14–6. Using scoping rules*

```

<FixedPage
  xmlns="http://schemas.openxps.org/oxps/v1.0"
  xmlns:x=
    "http://schemas.openxps.org/oxps/v1.0/resourcedictionary-key"
  Height="1056" Width="816" xml:lang="en-US">
  <FixedPage.Resources>
    <ResourceDictionary>
      <SolidColorBrush x:Key="FavoriteColorFill" Color="#808080" />
    </ResourceDictionary>
  </FixedPage.Resources>
  <Canvas>
    <Canvas.Resources>
      <ResourceDictionary>
        <SolidColorBrush x:Key="FavoriteColorFill"
          Color="#000000" />
      </ResourceDictionary>
    </Canvas.Resources>
    <!-- The following path is filled with color #000000 -->
    <Path Fill="{StaticResource FavoriteColorFill}">
      <Path.Data>
        ...
      </Path.Data>
    </Path>

```

```

<Canvas>
  <!-- The following path is filed with color #000000 -->
  <Path Fill="{StaticResource FavoriteColorFill}">
    <Path.Data>
      ...
    </Path.Data>
  </Path>
</Canvas>
</Canvas>
<!-- The following path is filled with color #808080 -->
<Path Fill="{StaticResource FavoriteColorFill}">
  <Path.Data>
    ...
  </Path.Data>
</Path>
</FixedPage>

```

*end example]*

### 14.2.6 Support for Markup Compatibility

If a resource dictionary contains Markup Compatibility and Extensibility elements and attributes, the processing of the Markup Compatibility and Extensibility markup **MUST** occur in the context of the definition of the resource dictionary, not in the context of resource references [M7.10].

---

## 14.3 Clipping

The Clip property specifies a geometric area that restricts the rendered region of an element.

The geometry is specified by a child <PathGeometry> element as detailed in §11.2, or by abbreviated geometry syntax, described in §11.2.3.

The default fill rule for geometries that do not specify a value is EvenOdd.

### 14.3.1 <Canvas.Clip> Element

element **Canvas.Clip**

diagram	<pre> classDiagram     class CanvasClip[Canvas.Clip]     class PathGeometry     class CT_CP_Geometry     CanvasClip -- PathGeometry     PathGeometry -- CT_CP_Geometry     style CT_CP_Geometry fill:#ffff00 </pre>
annotation	Limits the rendered region of the element.

The <Canvas.Clip> property element applies to all child and descendant elements of the canvas.

*Example 14-7. Canvas clip markup and rendering*

```

<Canvas>
  <Canvas.Clip>
    <PathGeometry>

```

```

    <PathFigure StartPoint="25,25" IsClosed="true">
      <PolyLineSegment Points="60,25 70,60 80,25 115,25
        115,115 80,115 70,80 60,115 25,115" />
    </PathFigure>
  </PathGeometry>
</Canvas.Clip>
<Path Fill="#9999CC">
  <Path.Data>
    <PathGeometry>
      <PathFigure StartPoint="20,70">
        <ArcSegment
          Point="120,70"
          Size="50,50"
          RotationAngle="0"
          IsLargeArc="true"
          SweepDirection="Clockwise" />
        <ArcSegment
          Point="20,70"
          Size="50,50"
          RotationAngle="0"
          IsLargeArc="true"
          SweepDirection="Clockwise" />
      </PathFigure>
    </PathGeometry>
  </Path.Data>
</Path>
</Canvas>

```

This markup is rendered as follows:



*end example]*

### 14.3.2 <Path.Clip> Element

element **Path.Clip**

diagram	
annotation	Limits the rendered region of the element.


A clipping region can also be applied to a specific path.

Example 14-8. <Path.Clip> usage

The following markup describes a complex clipping behavior:

```
<Path Fill="#9999CC">
  <Path.Clip>
    <PathGeometry>
      <PathFigure StartPoint="25,25" IsClosed="true">
        <PolyLineSegment Points="115,25 115,115 25,115" />
      </PathFigure>
      <PathFigure StartPoint="55,55" IsClosed="true">
        <PolyLineSegment Points="85,55 85,85 55,85" />
      </PathFigure>
    </PathGeometry>
  </Path.Clip>
  <Path.Data>
    <PathGeometry>
      <PathFigure StartPoint="20,70">
        <ArcSegment
          Point="120,70"
          Size="50,50"
          RotationAngle="0"
          IsLargeArc="true"
          SweepDirection="Clockwise" />
        <ArcSegment
          Point="20,70"
          Size="50,50"
          RotationAngle="0"
          IsLargeArc="true"
          SweepDirection="Clockwise" />
      </PathFigure>
    </PathGeometry>
  </Path.Data>
</Path>
```


This markup is rendered as follows:



end example]

### 14.3.3 <Glyphs.Clip> Element

element **Glyphs.Clip**

diagram	 <p>The diagram illustrates the relationship between three elements: <b>Glyphs.Clip</b>, <b>CT_CP_Geometry</b>, and <b>PathGeometry</b>. <b>Glyphs.Clip</b> is connected to <b>PathGeometry</b> via a dashed line with a double-headed arrow. <b>CT_CP_Geometry</b> is connected to <b>PathGeometry</b> via a solid line with a double-headed arrow. <b>CT_CP_Geometry</b> is highlighted in yellow.</p>
annotation	<p>Limits the rendered region of the element. Only portions of the &lt;Glyphs&gt; element that fall within the clip region (even partially clipped characters) produce marks on the page.</p>

*Example 14–9. <Glyphs.Clip> usage*

The following markup uses abbreviated geometry syntax to define the clipping region:

```
<Glyphs
  Fill="#000000"
  Clip="M 0,0 L 180,0 L 180,140 L 0,140 Z M 20,60 L 140,60 L 140,80
      L 20,80 Z"
  OriginX="20"
  OriginY="130"
  UnicodeString="N"
  FontRenderingEmSize="170"
  FontUri="../../Resources/Fonts/Timesbd.ttf" />
```

This markup is rendered as follows:



*end example]*

## 14.4 Positioning Content

Content is positioned according to the properties specified for the fixed page or canvas, the properties specified for elements within the fixed page or canvas, and the compositional rules defined for the fixed payload namespace.

Elements are positioned relative to the current origin (0,0) of the coordinate space. The current origin can be moved by setting the `RenderTransform` property of a canvas, path, or glyph. The render transformation establishes a new coordinate frame for all children of the parent element.

Geometries and brushes can be manipulated in a similar way by setting the `Transform` property. The transform results are concatenated with the current render transformation to create an effective render transformation for the local element.

The `RenderTransform` and `Transform` properties both specify an affine matrix transformation to the local coordinate space, using the `<MatrixTransform>` element as their value. An abbreviated matrix transformation syntax MAY be used to specify a `RenderTransform` or `Transform` attribute value [O7.7].

### 14.4.1 `<MatrixTransform>` Element

element **MatrixTransform**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	Matrix	<a href="#">ST_Matrix</a>	required			Specifies the matrix structure that defines the transformation.
	x:Key					Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M7.11].
annotation	Creates an arbitrary affine matrix transformation that manipulates objects or coordinate systems in a two-dimensional plane.					

The `<MatrixTransform>` element defines an arbitrary affine matrix transformation used to manipulate the coordinate systems of elements. A 3x3 matrix is used for transformations in an x,y plane. Affine transformation matrices can be multiplied to form any number of linear transformations, such as rotation and skew (shear), followed by translation. An affine transformation matrix has its final column equal to 0,0,1, so only the members in the first two columns are specified.

$$\begin{bmatrix} M11 & M12 & 0 \\ M21 & M22 & 0 \\ OffsetX & OffsetY & 1 \end{bmatrix}$$

This structure is specified by the `Matrix` attribute of the `<MatrixTransform>` element as the six numbers in the first two columns. [Example: "M11,M12,M21,M22,OffsetX,OffsetY". end example]

A matrix transform can also be specified as a `RenderTransform` or `Transform` property attribute using the following abbreviated matrix transformation syntax:

M11,M12,M21,M22,OffsetX,OffsetY

The values M11, M12, M21, and M22 control linear transformations such as rotation, scale, and skew, while OffsetX and OffsetY provide positional translation. Some typical affine matrix transformation examples follow.

*Example 14–10. Matrix scaling*

$$\begin{bmatrix} \text{ScaleX} & 0 & 0 \\ 0 & \text{ScaleY} & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

*end example]*

*Example 14–11. Matrix reversing the x axis*

$$\begin{bmatrix} -1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

*end example]*

*Example 14–12. Matrix reversing the y axis*

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & -1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

*end example]*

*Example 14–13. Matrix skewing*

$$\begin{bmatrix} 1 & \text{SkewY} & 0 \\ \text{SkewX} & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

*end example]*

*Example 14–14. Matrix Rotating*

$$\begin{bmatrix} \cos \theta & \sin \theta & 0 \\ -\sin \theta & \cos \theta & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

*end example]*

*Example 14–15. Matrix positioning*

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ \text{OffsetX} & \text{OffsetY} & 1 \end{bmatrix}$$

*end example]*


Example 14-16. `<MatrixTransform>` usage

The following markup describes a box (with the top edge marked) that is rotated 90° and shifted 50 units down and to the right:


```
<Path
  Stroke="#000000"
  Fill="#9999BB"
  Data="M 0,0 L 60,0 L 60,25 L 60,0 L 120,0 L 120,120 L 0,120 Z">
  <Path.RenderTransform>
    <MatrixTransform Matrix="0,1,-1,0,170,50" />
  </Path.RenderTransform>
</Path>
```

Since the *x* origin has been shifted, the overall box must be additionally shifted the width of the box to achieve the desired visual effect.

Before the render transformation, the box appears like this:



After the render transformation, the box appears like this:



*end example]*

Example 14–17. Using abbreviated matrix transformation syntax


The following markup uses abbreviated syntax to produce the above image:

```
<Path
  Stroke="#000000"
  Fill="#9999BB"
  Data="M 0,0 L 60,0 L 60,25 L 60,0 L 120,0 L 120,120 L 0,120 Z"
  RenderTransform="0,1, -1,0,170,50" />
```

*end example]*

## 14.4.2 <Canvas.RenderTransform> Element

element **Canvas.RenderTransform**

diagram	
annotation	<p>Establishes a new coordinate frame for the child and descendant elements of the canvas, such as another canvas. Also affects clip and opacity mask.</p>

Example 14–18. <Canvas.RenderTransform> usage

In the following markup, child elements of the canvas are positioned by the render transformation:

```
<Canvas>
  <Canvas.Resources>
    <ResourceDictionary>
      <PathGeometry x:Key="StarFish">
        <PathFigure StartPoint="50,0" IsClosed="true">
          <PolyLineSegment Points="55,45 100,25 55,50 80,100 50,55
            20,100 45,50 0,25 45,45" />
        </PathFigure>
      </PathGeometry>
    </ResourceDictionary>
  </Canvas.Resources>

  <!-- Draw a green starfish shifted 25 to the right and 50 down -->
  <Canvas>
    <Canvas.RenderTransform>
      <MatrixTransform Matrix="1,0,0,1,25,50" />
    </Canvas.RenderTransform>
    <Path Data="{StaticResource StarFish}">
      <Path.Fill>
        <SolidColorBrush Color="#00FF00" />
      </Path.Fill>
    </Path>
  </Canvas>


  <!-- Draw a red starfish shifted 100 to the right and 150 down -->
  <Canvas>
```

```

<Canvas.RenderTransform>
  <MatrixTransform Matrix="1,0,0,1,100,150" />
</Canvas.RenderTransform>
<Path Data="{StaticResource StarFish}">
  <Path.Fill>
    <SolidColorBrush Color="#FF0000" />
  </Path.Fill>
</Path>
</Canvas>
</Canvas>

```

This markup is rendered as follows:



*end example]*

### 14.4.3 <Path.RenderTransform> Element

element **Path.RenderTransform**

diagram	
annotation	<p>Establishes a new coordinate frame for all attributes of the path and for all child elements of the path, such as the geometry defined by the &lt;Path.Data&gt; property element.</p>

*Example 14-19. <Path.RenderTransform> usage*

The following markup describes a *y*-skew transformation applied to a circular path. (Before the render transformation, the middle of the right edge of the circle was marked with a horizontal line.)

```

<Path
  Fill="#999999"
  Stroke="#000000"
  Data="M 20,70 A 50,50 0 1 1 120,70 L 100,70 L 120,70 A 50,50 0 1 1
    20,70 Z" >


```

```

<Path.RenderTransform>
  <MatrixTransform Matrix="1,0.5,0,1,0,0" />
</Path.RenderTransform>
</Path>

```

This markup is rendered as follows:



*end example]*

#### 14.4.4 <Glyphs.RenderTransform> Element

element **Glyphs.RenderTransform**

diagram	
annotation	<p>Establishes a new coordinate frame for the glyph run specified by the &lt;Glyphs&gt; element. The render transform affects clip, opacity mask, fill, x origin, y origin, the actual shape of individual glyphs, and the advance widths. The render transform also affects the font size and values specified in the Indices attribute.</p>

*Example 14-20. <Glyphs.RenderTransform> usage*

The following markup describes the letter J, flipped vertically and repositioned.

```

<Glyphs
  Fill="#000000"
  OriginX="20"
  OriginY="130"
  UnicodeString="J"
  FontRenderingEmSize="170"
  FontUri="../Resources/Fonts/Timesbd.ttf" >
  <Glyphs.RenderTransform>
    <MatrixTransform Matrix="1,0,0,-1,0,150" />
  </Glyphs.RenderTransform>
</Glyphs>

```

This markup is rendered as follows:



*end example]*

#### 14.4.5 <PathGeometry.Transform> Element

element **PathGeometry.Transform**


diagram	
annotation	<p>Specifies the local matrix transformation that is applied to all child and descendant elements of the path geometry before it is used for filling, clipping, or stroking.</p>

*Example 14–21. <PathGeometry.Transform> usage*

The following markup demonstrates a simple 150% zoom and positional transformation:

```
<Path StrokeThickness="2" Stroke="#000000">
  <Path.Data>
    <PathGeometry>
      <PathGeometry.Transform>
        <MatrixTransform Matrix="1.5,0,0,1.5,20,20" />
      </PathGeometry.Transform>
      <PathFigure StartPoint="50,0" IsClosed="true">
        <PolyLineSegment Points="150,0 200,100 0,100" />
      </PathFigure>
    </PathGeometry>
  </Path.Data>
</Path>
```

This markup is rendered as follows. The pre-transform path is indicated in light gray. Note that the stroke thickness did not change. If this transformation had been applied to the entire Path, the stroke thickness would also have increased by 150%.



*end example]*

#### 14.4.6 <ImageBrush.Transform> Element

element **ImageBrush.Transform**

diagram	
annotation	<p>Describes the matrix transformation applied to the coordinate space of the brush. The Transform property is concatenated with the current effective render transform to yield an effective render transform local to the brush. The viewport for the brush is transformed using the local effective render transform.</p>

The Transform property can result in a non-rectangular (that is, skewed) viewport that defines the tile shape. In this circumstance, tile mode operations (FlipX, FlipY, and FlipXY) are treated as if the tile was rectangular, a larger tile was constructed from a 2-by-2 arrangement of regular tiles, the skew transform was applied afterward, and the new non-rectangular tile was tiled with adjacent edges and without flipping.

*Example 14-22. <ImageBrush.Transform> usage*

The following markup describes an image rotated 20° and repositioned within a path. The path itself remains untransformed; the viewport of the image brush is transformed instead.

```
<Path
  StrokeThickness="5"
  Stroke="#996666"
  StrokeLineJoin="Round"
  Data="M 25,25 L 350,25 L 350,250 L 25,250 Z">
  <Path.Fill>
    <ImageBrush
      ImageSource="dog.jpg"
      TileMode="Tile"
      Viewbox="0,0,270,423"
      ViewboxUnits="Absolute"
      Viewport="75,75,90,125"
```

```

ViewportUnits="Absolute" >
  <ImageBrush.Transform>
    <MatrixTransform Matrix=".939,.342,-.342,.939,0,-80" />
  </ImageBrush.Transform>
</ImageBrush>
</Path.Fill>
</Path>

```

This markup is rendered as follows:



*end example]*

#### 14.4.7 <VisualBrush.Transform> Element

element **VisualBrush.Transform**

diagram	
annotation	<p>Describes the matrix transformation applied to the coordinate space of the brush. The Transform property is concatenated with the current effective render transform to yield an effective render transform local to the brush. The viewport for the brush is transformed using the local effective render transform.</p>

The Transform property can result in a non-rectangular (that is, skewed) viewport that defines the tile shape. In this circumstance, tile mode operations (FlipX, FlipY, and FlipXY) are treated as if the tile was rectangular, a larger tile was constructed from a 2-by-2 arrangement of regular tiles, the skew transform was applied afterward, and the new non-rectangular tile was tiled with adjacent edges and without flipping.

*Example 14-23. <VisualBrush.Transform> usage*

The following markup describes a solid background and vertical pinstripe rotated 45° to fill a frame:

```

<Path
  StrokeThickness="5"
  Stroke="#336666"
  StrokeLineJoin="Round"
  Data="M 25,25 L 365,25 L 365,250 L 25,250 Z M 70,70 L 320,70
    L 320,205 L 70,205 Z">
  <Path.Fill>
    <VisualBrush
      TileMode="Tile"
      Viewbox="0,0,60,100"
      ViewboxUnits="Absolute"
      Viewport="25,25,50,50"
      ViewportUnits="Absolute">
      <VisualBrush.Transform>
        <MatrixTransform Matrix=".707,.707,-.707,.707,0,0" />
      </VisualBrush.Transform>
      <VisualBrush.Visual>
        <Canvas>
          <Path
            Fill="#99CCCC"
            Data="M 0,0 L 60,0 L 60,100 L 0,100 Z" />
          <Path
            Stroke="#336666"
            Data="M 0,0 L 0,100 M 20,0 L 20,100 M 40,0 L 40,100
              M 60,0 L 60,100 M 80,0 L 80,100" />
          </Canvas>
        </VisualBrush.Visual>
      </VisualBrush>
    </Path.Fill>
  </Path>

```

This markup is rendered as follows:




*end example]*

Example 14-24. `<VisualBrush.Transform>` usage with tiling behavior

This example demonstrates tile rendering behavior when applying a transform.

```
<!-- Draw background diamond to show where fill affects background -->
<Path Fill="#CCCC66" Data="M 200,0 L 400,200 L 200,400 L 0,200 Z" />
<Path Data="M 200,0 L 400,200 L 200,400 L 0,200 Z">
  <Path.Fill>
    <VisualBrush
      Viewbox="0,0,1,1"
      Viewport="200,133,67,67"
      ViewboxUnits="Absolute"
      ViewportUnits="Absolute"
      TileMode="FlipY">
      <VisualBrush.Transform>
        <MatrixTransform Matrix="1,0,1,1,0,0" />
      </VisualBrush.Transform>
      <VisualBrush.Visual>
        <Canvas>
          <Path Fill="#333399" Data="M 0.1,0.1 L 0.9,0.1 L 0.9,0.9
            L 0.1,0.9 Z" />
          <Path Fill="#FFFF00" Data="M 0.1,0.35 L 0.35,0.1
            L 0.6,0.35 L 0.35,0.6 Z" />
        </Canvas>
      </VisualBrush.Visual>
    </VisualBrush>
  </Path.Fill>
</Path>
```

This markup is rendered as follows:



*end example]*

#### 14.4.8 <LinearGradientBrush.Transform> Element

element **LinearGradientBrush.Transform**

diagram	<pre> classDiagram     class LinearGradientBrush_Transform     class MatrixTransform     LinearGradientBrush_Transform -- MatrixTransform     subgraph CT_CP_Transform         MatrixTransform     end </pre>
annotation	<p>Describes the matrix transformation applied to the coordinate space of the brush. The Transform property is concatenated with the current effective render transform to yield an effective render transform local to the brush. The start point and end point are transformed using the local effective render transform.</p>

*Example 14–25. <LinearGradientBrush.Transform> usage*

The following markup demonstrates a transform applied to the brush directly:

```

<Path Stroke="#000000" StrokeThickness="2" Data="M 20,50 L 170,50 L 170,200 L
20,200 Z M 120,20 L 270,20 L 270,170 120,170 Z">
  <Path.Fill>
    <LinearGradientBrush
      MappingMode="Absolute"
      StartPoint="0,0"
      EndPoint="0,10"
      SpreadMethod="Reflect">
      <LinearGradientBrush.Transform>


```

```


    <MatrixTransform Matrix=".707,.707,-.707,.707,150,-30" />
  </LinearGradientBrush.Transform>
  <LinearGradientBrush.GradientStops>
    <GradientStop Color="#9999FF" Offset="0.0"/>
    <GradientStop Color="#333366" Offset="1.0"/>
  </LinearGradientBrush.GradientStops>
</LinearGradientBrush>
</Path.Fill>
</Path>

```

This markup is rendered as follows:




Without the Transform property, this markup would be rendered as follows:



*end example]*

### 14.4.9 <RadialGradientBrush.Transform> Element

element **RadialGradientBrush.Transform**




annotation	Describes the matrix transformation applied to the coordinate space of the brush. The Transform property is concatenated with the current effective render transform to yield an effective render transform local to the brush. The ellipse defined by the center, gradient origin, x radius, and y radius values is transformed using the local effective render transform.
------------	--

*Example 14-26. <RadialGradientBrush.Transform> usage*


The following markup describes a rotation and reposition transform on a radial gradient:

```
<Path
  Stroke="#000000"
  StrokeThickness="2"
  Data="M 20,20 L 270,20 L 270,200 L 20,200 Z">
  <Path.Fill>
    <RadialGradientBrush
      MappingMode="Absolute"
      Center="80,90"
      RadiusX="50"
      RadiusY="80"
      GradientOrigin="70,15"
      SpreadMethod="Reflect">
      <RadialGradientBrush.Transform>
        <MatrixTransform Matrix=".707,.707,-.707,.707,150,-10" />
      </RadialGradientBrush.Transform>
      <RadialGradientBrush.GradientStops>
        <GradientStop Color="#9999FF" Offset="0.0" />
        <GradientStop Color="#333366" Offset="1.0" />
      </RadialGradientBrush.GradientStops>
    </RadialGradientBrush>
  </Path.Fill>
</Path>
```

This markup is rendered as follows:



Without the Transform property, this markup is rendered as follows:



*end example]*

## 14.5 OpacityMask

The OpacityMask property defines a variable alpha mask for the parent element. The alpha for areas not marked by the brush is 0.0.

### 14.5.1 <Canvas.OpacityMask> Element

element **Canvas.OpacityMask**

diagram	
annotation	<p>Specifies a mask of alpha values that is applied to the canvas in the same fashion as the Opacity attribute, but allowing different alpha values for different areas of the element.</p>

*Example 14–27. <Canvas.OpacityMask> usage*

In the following markup, the contents of the canvas are opaque with respect to each other, but both elements are blended with the background triangle:


```
<Path Fill="#CCCC66" Data="M 10,10 L 300,80 L 180,240 Z" />
<Canvas>
  <Canvas.OpacityMask>
    <LinearGradientBrush
      MappingMode="Absolute"
      StartPoint="0,150"
      EndPoint="0,175"
      SpreadMethod="Pad">
      <LinearGradientBrush.GradientStops>
```

```

        <GradientStop Color="#40000000" Offset="0.0" />
        <GradientStop Color="#FF000000" Offset="1.0" />
    </LinearGradientBrush.GradientStops>
</LinearGradientBrush>
</Canvas.OpacityMask>
<Path
    Stroke="#000000"
    StrokeThickness="2"
    Fill="#333399"
    Data="M 20,40 L 270,40 L 270,200 L 20,200 Z" />
<Glyphs
    OriginX="30"
    OriginY="180"
    UnicodeString="EXAMPLE"
    FontUri=" ../Resources/Fonts/Timesbd.ttf"
    FontRenderingEmSize="48"
    Fill="#FFFFFF" />
</Canvas>

```


This markup is rendered as follows:



*end example]*

### 14.5.2 <Path.OpacityMask> Element

element **Path.OpacityMask**



annotation


Specifies the mask of alpha values that is applied to the path in the same fashion as the Opacity attribute, but allowing different alpha values for different areas of the element.

*Example 14–28. <Path.OpaicityMask> usage*

The following markup describes a path that has a linear gradient for the opacity mask and a solid color brush for the fill:

```
<Path
  Stroke="#000000"
  StrokeThickness="2"
  Fill="#CCCC66"
  Data="M 135,10 L 270,250 L 20,250 Z" />
<Path
  Stroke="#000000"
  StrokeThickness="2"
  Data="M 20,40 L 270,40 L 270,200 L 20,200 Z">
  <Path.OpaicityMask>
    <LinearGradientBrush
      MappingMode="Absolute"
      StartPoint="0,60"
      EndPoint="0,180"
      SpreadMethod="Pad">
      <LinearGradientBrush.GradientStops>
        <GradientStop Color="#FF000000" Offset="0.0" />
        <GradientStop Color="#60000000" Offset="1.0" />
      </LinearGradientBrush.GradientStops>
    </LinearGradientBrush>
  </Path.OpaicityMask>
  <Path.Fill>
    <SolidColorBrush Color="#9999FF" />
  </Path.Fill>
</Path>
```


This markup is rendered as follows:



*end example]*

### 14.5.3 <Glyphs.OpacityMask> Element

element **Glyphs.OpacityMask**

diagram	 <p>The diagram illustrates the relationship between the <code>&lt;Glyphs.OpacityMask&gt;</code> element and the <code>CT_CP_Brush</code> container. The <code>&lt;Glyphs.OpacityMask&gt;</code> element is shown on the left, connected to a central node that points to the <code>CT_CP_Brush</code> container. This container lists five brush types: <code>ImageBrush</code>, <code>LinearGradientBrush</code>, <code>RadialGradientBrush</code>, <code>SolidColorBrush</code>, and <code>VisualBrush</code>. Each brush type is represented by a box with a plus sign and a small 'x' icon, indicating it is a child element of the container.</p>
annotation	<p>Specifies a mask of alpha values that is applied to the glyphs in the same fashion as the <code>Opacity</code> attribute, but allowing different alpha values for different areas of the element.</p>

*Example 14–29. <Glyphs.OpacityMask> usage*

The following markup demonstrates the use of an opacity mask to create a tile effect:

```
<Path Fill="#CCCC66" Data="M 40,40 L 480,40 L 260,120 Z" />
<Glyphs
  OriginX="20"
  OriginY="95"
  UnicodeString="EXAMPLE"
  FontUri=" ../Resources/Fonts/Timesbd.ttf"
  FontRenderingEmSize="100"
  Fill="#000080">
  <Glyphs.OpacityMask>
    <VisualBrush
      Viewbox="0,0,2,2"
      ViewboxUnits="Absolute"
      Viewport="0,0,6,6"
      ViewportUnits="Absolute"
      TileMode="Tile">
      <VisualBrush.Visual>
        <Path
          Fill="#CC000000"
          Data="M 0,0 L 1.5,0 L 1.5,1.5 L 0,1.5 Z" />
        </VisualBrush.Visual>
      </VisualBrush>
    </Glyphs.OpacityMask>
  </Glyphs>
```

This markup is rendered as follows:



EXAMPLE

*end example]*

## 15. Color

The mechanisms described in this clause for storing advanced color information in OpenXPS Documents apply to both vector graphics (including text) and raster images. Color producers such as digital cameras and consumers such as printers can store and render significantly more color information than many display devices can render (typically 8 bits per channel). Storing the advanced color information in an OpenXPS Document and passing it through to printing consumers enables greater end-to-end color fidelity.

---

### 15.1 Color Support

OpenXPS Documents support sRGB and other color spaces, including scRGB, CMYK, N-Channel, and named colors. Consumers MUST support the following color features:

- Grayscale colors (single channel) in vector data, with and without alpha [M8.56]
- Grayscale colors in image data, using the JPEG, PNG, TIFF, or JPEG XR image formats [M8.57] Grayscale image data with alpha channel in TIFF image format.
- sRGB colors in vector data, with and without alpha [M8.1]
- sRGB colors in image data, using the JPEG, PNG, TIFF, or JPEG XR image formats [M8.2]
- scRGB color specification in vector data, with and without alpha [M8.3]
- scRGB colors in image data, using the JPEG XR image format [M8.4]
- CMYK colors in vector data [M8.5]
- CMYK colors in image data, using the TIFF or JPEG XR image formats [M8.6]
- N-Channel and Named colors in vector data [M8.7]
- N-Channel and Named colors in image data, using the JPEG XR image format [M8.8]

Producers and consumers MAY support the following color features:

- N-Channel colors in image data, using the TIFF image format [O8.19].

When non-sRGB color information is used, color value specifications are expressed using markup from the OpenXPS Document schema.

Consumers are not required to handle all color spaces natively through every processing stage, but, rather, MAY convert data specified in a color space other than sRGB to sRGB at an early stage [O8.1]. Consumers that do not handle natively colors other than sRGB can experience reduced fidelity.

The requirements and recommendations of this subclause and its subclauses pertain equally to raster and vector color content.

#### 15.1.1 sRGB Color Space

The OpenXPS Document format supports colors in the sRGB color space for both vector and raster graphics.

### 15.1.2 scRGB Color Space

The OpenXPS Document format supports colors in the scRGB color space for both vector and raster graphics. Such scRGB colors are typically used without an ICC profile. The encoding of scRGB as specified in IEC 61966-2-2 does not include a gamut boundary definition, therefore the scRGB gamut boundary to be used for scRGB colors is implementation-defined.

### 15.1.3 Gray Color Space

Gray colors for vector elements can be specified as sRGB or scRGB colors with the red, blue and green components set to the same value. Alternatively, grayscale colors for vector elements can be specified as single channel monochrome with an associated ICC profile. Gray colors for raster images can be specified using JPEG, PNG, TIFF, or JPEG XR formats.

### 15.1.4 CMYK Color Space

CMYK color is supported through the use of color management transformations from an ICC profile.

### 15.1.5 N-Channel Color Spaces

N-channel color is supported through the use of color management transformations from an ICC profile.

### 15.1.6 Named Color for Spot Colors and N-tone Images

A *named color* is an industry-defined color specification that identifies a particular color in a well-defined color system, usually for the purpose of printing. There are currently several named color systems.

Named colors are supported through the use of color management transformations from an ICC profile.

### 15.1.7 Identifying Output-Ready Color Spaces Using ICC Profiles

An ICC profile, corresponding to a color space suitable for a particular device or device type, can be identified using a PrintTicket setting, as described in §9.1.9.

OpenXPS markup or profile embedding is used to identify such an ICC profile with the elements intended to be rendered in the native color space of the device or device-type.

If a consumer recognizes that a profile given in the syntax for a page element matches the PrintTicket output-ready ICC profile and that the PrintTicket output-ready ICC profile is suitable for the output device conditions, then the consumer SHOULD elect to treat the element colors as output-ready colors and not color-manage them, unless forced to do so for transparency effects or gradient blending [S8.21].

[*Note:* Elements using named colors in a workflow in which the consumer is expected to use the encoded name of a named color to lookup a device-specific color value are not affected by the use of the PrintTicket setting described here. *end note*]

### 15.1.8 ICC Profiles

OpenXPS Documents MAY include associated ICC profile parts [O2.3]. OpenXPS producers MAY include ICC profiles embedded in any image format (according to the restrictions of the image file format) with any color space [O8.15]. For color spaces other than sRGB and scRGB,

OpenXPS producers MUST provide color management using associated or embedded (for raster images) ICC profiles conforming to the requirements of the ICC Color Profile specification, ICC.1:2001-04 [M8.12]. OpenXPS producers MAY include ICC profiles for sRGB and scRGB color spaces [O8.16]. OpenXPS consumers MUST use associated and embedded ICC profiles, according to the precedence order of §15.3.7 for raster images and according to §15.2 for vector content [M8.53]. Optionally, OpenXPS producers and consumers MAY provide color management using ICC profiles conforming to the requirements of ISO 15076-1 [O8.9]. Producers MUST restrict associated ICC profiles to conform to the requirements of the older ICC Color Profile specification, ICC.1:2001-04, when consumer support of the newer ISO version cannot be ascertained [M8.58]. If a Producer includes an image with an embedded profile conforming to the requirements of ISO 15076-1, then the Producer MUST associate an ICC profile conforming to the requirements of the older ICC Color Profile specification, ICC.1:2001-04, to have precedence over such an embedded profile, when consumer support of the newer ISO version cannot be ascertained [M8.59]. All ICC profiles used in OpenXPS Documents MUST be one of the following [M8.13]:

- Input
- Output
- Monitor (RGB)
- ColorSpace Conversion
- Named Color

Supported profiles include Monochrome Input Profiles, Monochrome Display Profiles, Monochrome Output Profiles, Three-component Matrix-based Input Profiles, and RGB Display Profiles. The set of usable N-component LUT-based profiles is limited to 2-, 3-, 4-, 5-, 6-, 7-, or 8-color channels. The set of usable Named Color profiles is limited to 1-, 2-, 3-, 4-, 5-, 6-, 7-, or 8-colors.

If consistency of appearance of grayscale images is important, the producer SHOULD adjust the gray tone response curve of such images before adding to the OpenXPS Document [S8.2]. [Note: Some consumers do not correctly apply ICC profiles to grayscale images. *end note*]

An ICC profile MAY contain private tags [O8.17]. Implementations MAY act on private tags [O8.18] and MUST ignore and preserve private tags that they do not understand [M8.54].

---

## 15.2 Vector Color Syntax

This subclause describes specific considerations for including vector colors in OpenXPS Documents.

Vector colors can be specified in OpenXPS Document markup in the following locations:

- The Color attribute of the <SolidColorBrush> element
- The Color attribute of the <GradientStop> element
- The Fill attribute of the <Path> element
- The Fill attribute of the <Glyphs> element
- The Stroke attribute of the <Path> element

The last three locations are an abbreviated syntax for expressing a solid color brush with the specified color.

Table 15-1. Syntax summary

Color type	Syntax	Example
sRGB w/o alpha	Color="#RRGGBB"	Color="#FFFFFF"
sRGB with alpha	Color="#AARRGGBB"	Color="#80FFFFFF"
scRGB w/o alpha	Color="sc#RedFloat, GreenFloat,BlueFloat"	Color="sc#1.0,0.5,1.0"
scRGB with alpha	Color="sc#AlphaFloat,RedFloat, GreenFloat,BlueFloat"	Color="sc#0.3,1.0,0.5,1.0"
CMYK with alpha	Color="ContextColor ProfileURI AlphaFloat, Chan0Float, Chan1Float, Chan2Float, Chan3Float"	Color="ContextColor /swopcmypfile.icc 1.0,1.0,0.0,0.0,0.0"
N-Channel with alpha	Color="ContextColor ProfileURI AlphaFloat, Chan0Float, ..., ChanN-1Float"	Color="ContextColor /5nchannelprofile.icc 1.0, 1.0, 0.0, 0.0, 1.0, 0.0"
Named color with alpha	Color="ContextColor ProfileURI AlphaFloat, TintFloat"	Color="ContextColor /namedtintprofile.icc 1.0, 1.0"
RGB with alpha	Color="ContextColor ProfileURI AlphaFloat, Chan0Float, Chan1Float, Chan2Float"	Color="ContextColor /RGBprofile.icc 1.0, 1.0, 1.0, 1.0"
Grayscale with alpha	Color="ContextColor ProfileURI AlphaFloat, Chan0Float"	Color="ContextColor /grayprofile.icc 1.0, 1.0"

Real numbers specified for color channel values of scRGB and ContextColor colors MUST NOT use exponent forms of numbers [M8.14].

Profiles associated as described in Table 15-1, and determined to be usable, MUST be used by consumers [M8.44].

It is the responsibility of consumers to determine profile usability. A profile associated as in Table 15-1 SHOULD be considered unusable by a consumer if

- The profile is not compatible with the context color syntax
- The profile contains optional tags that can cause ambiguity when used in OpenXPS
- The profile contains invalid tag type signatures that invalidate OpenXPS use [S8.18].

In general, the presence of one or more optional tags in an ICC profile does not make the profile unusable. A consumer incapable of supporting a particular ICC profile tag that is optional in both ICC and OpenXPS MAY treat this tag as a user-defined custom tag, and therefore ignore it [O8.13].

If no usable profile is present in a context color syntax, then a consumer MUST apply a color rule based on the context color syntax [M8.45]. The context color value(s) are interpreted to be the encoding of a particular color space as follows:

- Single component integer default for vector data MUST be grayscale with the sRGB non-linearity, black point, and white point [M8.46].

- Three component integer default for vector data MUST be sRGB [M8.47].
- Three component float default for vector data MUST be scRGB [M8.48].
- The specific CMYK to be used as the four component data default for vector data MUST be determined by the consumer [M8.49].
- N-Channel data with  $N \leq 3$  and any named color data: the data of the first channel MUST be interpreted independently as grayscale [M8.50]. Other channels are disregarded.
- N-Channel with  $N > 4$  MUST be treated as four component data using the four component data default for vector data determined by the consumer [M8.51].

When no usable profile is present a consumer MAY choose to instantiate an error condition [O8.14].

A producer MUST associate or embed a usable color profile if the color rules above do not guarantee appropriate color interpretation for the vector color content [M8.52].

### 15.2.1 sRGB Color Syntax

The sRGB color syntax is the same as that used in HTML, with the red, green, and blue channels represented by two hexadecimal digits. OpenXPS Documents can specify an sRGB color either with or without an alpha channel value, which is also expressed as two hexadecimal digits.

The syntax is as follows (without alpha):

```
#RRGGBB
```

or (with alpha):

```
#AARRGGBB
```

When an sRGB color is specified without an alpha value, an alpha of "FF" is implied.

### 15.2.2 scRGB Color Syntax

The scRGB color syntax allows OpenXPS Document producers to specify a color using the full scRGB color space, which is much larger than the sRGB color space and can represent the entire range of colors perceivable by the human eye.

This syntax is expressed either as:

```
sc#RedFloat,GreenFloat,BlueFloat
```

or:

```
sc#AlphaFloat,RedFloat,GreenFloat,BlueFloat
```

When an scRGB color is specified with three numeric values, an alpha of 1.0 is implied. When an scRGB color is specified with four numeric values, the first value is the alpha channel. Although alpha values smaller than 0.0 and larger than 1.0 can be specified, they MUST be clamped to the valid range from 0.0 to 1.0 before any further processing [M8.15].

### 15.2.3 Grayscale syntax

OpenXPS Document producers specify grayscale colors using the context color syntax, which allows specification of a monochrome 'GRAY' ICC profile and an individual color channel value

as a real number. The context color MUST specify the matching number of channel float values [M8.17].

The syntax is as follows:

```
ContextColor ProfileURI AlphaFloat, Chan0Float
```

`ProfileURI` specifies a part containing the binary data of the color profile. The profile URI MUST be added as a Required Resource relationship to the FixedPage part [M2.10].

Although alpha values smaller than 0.0 and larger than 1.0 can be specified, they MUST be clamped to the valid range from 0.0 to 1.0 before any further processing [M8.16]. Channel float values MUST also be clamped to the valid range from 0.0 to 1.0 before further processing. Before the value is used as input for an ICC profile color transformation, it MUST be linearly scaled [with specified rounding/clipping] to the range from 0 to 255 or from 0 to 65535, depending on whether the profile uses 8-bit or 16-bit input tables [M8.31].

#### 15.2.4 CMYK Color Syntax

OpenXPS Document producers specify CMYK colors using the context color syntax, which allows specification of an ICC profile and the individual color channel values as real numbers.

The syntax is as follows:

```
ContextColor ProfileURI AlphaFloat, Chan0Float, Chan1Float, Chan2Float,
Chan3Float
```

`ProfileURI` specifies a part containing the binary data of the color profile. The profile URI MUST be added as a Required Resource relationship to the FixedPage part [M2.10].

Although alpha values smaller than 0.0 and larger than 1.0 can be specified, they MUST be clamped to the valid range from 0.0 to 1.0 before any further processing [M8.16]. Channel float values MUST also be clamped to the valid range from 0.0 to 1.0 before further processing. Before the value is used as input for an ICC profile color transformation, it MUST be linearly scaled (with specified rounding/clipping) to the range from 0 to 255 or from 0 to 65535, depending on whether the profile uses 8-bit or 16-bit input tables [M8.31].

#### 15.2.5 N-Channel Color Syntax

OpenXPS Document producers specify N-channel colors using the context color syntax, which allows specification of an ICC profile and the individual color channel values as real numbers. The syntax is expressed as follows:

```
ContextColor ProfileURI AlphaFloat, Chan0Float, ..., ChanN-1Float
```

`ProfileURI` specifies a part containing the binary data of the color profile. The profile URI MUST be added as a Required Resource relationship to the FixedPage part [M2.10].

The profile can be a 2-, 3-, 4-, 5-, 6-, 7- or 8-channel N-Channel profile (indicated by using one of the {`2CLR' ... `8CLR' } values in the profile header color space signature field). The context color MUST specify the matching number of channel float values [M8.17].

Although alpha values smaller than 0.0 and larger than 1.0 can be specified, they MUST be clamped to the valid range from 0.0 to 1.0 before any further processing [M8.18]. Channel float values MUST also be clamped to the valid range from 0.0 to 1.0 before further processing. Before the value is used as input for an ICC profile color transformation, it MUST be linearly

scaled (with specified rounding/clipping) to the range from 0 to 255 or from 0 to 65535, depending on whether the profile uses 8-bit or 16-bit input tables [M8.31].

[*Example:* For duotone 2-clr content (with color-managed color mixing) the syntax is:

```
ContextColor ProfileURI AlphaFloat, Chan0Float, Chan1Float
```

*end example]*

For 1-channel color, i.e., monochrome, use a monochrome input or output profile (profile header color space signature is 'GRAY'). The profile MUST include the ICC-optional AToB1Tag (relative colorimetric intent) if the single color is chromatic (not neutral) [M8.32]. [*Example:*

```
ContextColor ProfileURI AlphaFloat, Chan0Float
```

*end example]*

If the OpenXPS system environment allows the use of ICC ISO 15076-1 profiles, the optional colorantTableTag SHOULD be included in such ISO 15076-1 profiles to indicate the names and corresponding PCS values of the individual N-color colorants [S8.16]. (See §15.1.8 for the appropriate use of ISO 15076-1 profiles.)

### 15.2.6 Named Color Syntax

In OpenXPS, a named color is expressed as a combination of an ink name and transform information stored in an ICC profile, and a tint level (percentage ink dilution) given in the OpenXPS context color syntax. The OpenXPS context color syntax allows specification of one or more named color tint values and association of an ICC profile. The syntax is expressed as follows:

```
ContextColor ProfileURI AlphaFloat,Tint0Float,...,TintN-1Float
```

Two ICC profile approaches are available for named colors, one using ICC monochrome profiles that each include a tint LUT for a single named color, and the other using ICC Named Color type profiles that each can include 100% color values for 1, 2, 3, 4, 5, 6, 7, or 8 named colors. In both cases, the OpenXPS context color syntax MUST specify the matching number of tint float values [M8.55].

A named color with an associated tint LUT MUST be implemented in an OpenXPS Document using an associated ICC monochrome profile [M8.33]. In this case, the ICC profile MUST contain the tint LUT for a single named color [M8.34]. The ICC profile MUST be an ICC monochrome input or output profile [M8.35]. The profile header color space signature MUST be 'GRAY' [M8.37]. The profile MUST include an AtoB1Tag (relative colorimetric rendering intent), mapping the named color tint values to valid PCS values [M8.19], in addition to the ICC-required grayTRCTag (not used for OpenXPS named colors). The ASCII prefix-root-suffix name of the named color MUST be encoded into the profileDescriptionTag of the ICC profile [M8.36] so that a consumer MAY use the profile to obtain the encoded name of the named color [O8.20]. A consumer MAY use the encoded name of a named color to lookup a device-specific color value for the named color [O8.21].

The context color syntax for referencing a single named color is as follows:

```
ContextColor ProfileURI AlphaFloat,TintFloat
```

A single named color MAY be implemented in an OpenXPS Document using an associated ICC Named Color type profile [O8.11]. Two or more named colors implemented in an OpenXPS Document using a single associated profile MUST use an ICC Named Color type profile [M8.38].

An ICC Named Color type profile MUST contain the namedColor2Tag including the ASCII prefix-root-suffix name for each named color [M8.39], so that a consumer MAY use the profile to obtain the encoded name of the named color [O8.22]. The namedColor2Tag MUST be populated with the ICC PCS color value for each named color [M8.40] and MAY be populated with specific device color values for each named color [O8.12]. A named color duotone, tritone, etc., can be implemented in this way. A consumer MAY use the encoded name of a named color to lookup a device-specific color value for the named color [O8.23].

[*Example*: For duotone named color content (with NO color managed color mixing) the syntax is:

```
ContextColor ProfileURI AlphaFloat,Tint0Float,Tint1Float
```

*end example*]

`ProfileURI` specifies a part containing the binary data of the color profile. The profile URI MUST be added as a Required Resource relationship to the FixedPage part [M2.10]. `AlphaFloat` specifies the alpha to be applied to the named color. `TintFloat` specifies how diluted with respect to the color system's white color point the named color is, with 1.0 being the pure named color and 0.0 being fully diluted.

Although alpha values smaller than 0.0 and larger than 1.0 can be specified, they MUST be clamped to the valid range from 0.0 to 1.0 before any further processing [M8.20]. The tint float value MUST also be clamped to the valid range from 0.0 to 1.0 before further processing. Before the value is used as input for an ICC profile color transformation, it MUST be linearly scaled (with specified rounding/clipping) to the range from 0 to 255 or from 0 to 65535, depending on whether the profile uses 8-bit or 16-bit input tables [M8.31].

Consumers MAY use the ASCII name in the ICC profile or MAY compute a color approximation using the specified color value in the ICC profile. When a named color is used in a gradient brush or with transparency, the results of these two methods MAY differ significantly [O8.3].

## 15.3 Colors in Raster Images

This subclause describes specific considerations for including color raster images in OpenXPS Documents.

### 15.3.1 sRGB Raster Images

OpenXPS Documents support sRGB raster images in the following formats:

- JPEG
- PNG
- TIFF
- JPEG XR

The following JPEG XR pixel format mnemonics are supported:

- 24bppRGB
- 24bppBGR
- 32bppBGR
- 32bppBGRA

- 32bppPBGRA
- 48bppRGB
- 64bppRGBA
- 64bppPRGBA

Pixel formats 32bppPBGRA and 64bppPRGBA are pre-multiplied alpha formats. See §18.4.1 for details.

The following JPEG XR packed pixel format mnemonics are supported:

- 16bppBGR555
- 16bppBGR565
- 32bppBGR101010

See §9.1.5 for more details.

### 15.3.2 scRGB Raster Images

OpenXPS Documents support scRGB raster images only in the JPEG XR image format. The following pixel format mnemonics are supported:

- 48bppRGBFixedPoint
- 48bppRGBHalf
- 96bppRGBFixedPoint
- 128bppRGBFloat
- 64bppRGBAFixedPoint
- 64bppRGBAHalf
- 128bppRGBAFixedPoint
- 128bppRGBAFloat
- 128bppPRGBAFloat
- 32bppRGBE

Pixel format 128bppPRGBAFloat is a pre-multiplied alpha format. See §18.4.1 for details.

### 15.3.3 Gray Raster Images

OpenXPS Documents support gray raster images in the following formats:

- JPEG
- PNG
- TIFF
- JPEG XR

The following JPEG XR pixel format mnemonics are supported:

- BlackWhite
- 8bppGray

- 16bppGray
- 16bppGrayFixedPoint (scRGB range)
- 16bppGrayHalf (scRGB range)
- 32bppGrayFixedPoint (scRGB range)
- 32bppGrayFloat

#### **15.3.4 CMYK Raster Images**

CMYK images are stored in TIFF or JPEG XR format.

##### **15.3.4.1 TIFF CMYK Raster Images**

CMYK TIFF image tags are described in §9.1.5.3.

ICC profiles can be used with CMYK raster images either by using an ICC profile embedded in the TIFF file (ICC.1:2001-04, Annex B.4) or by associating an ICC profile using the mechanism described in §15.3.7.

##### **15.3.4.2 JPEG XR CMYK Raster Images**

The JPEG XR CMYK format is described in the JPEG XR specification. The following format mnemonics are supported:

- 32bppCMYK
- 40bppCMYKAlpha
- 64bppCMYK
- 80bppCMYKAlpha

[*Note*: The following JPEG XR CMYK pixel formats mnemonics are not supported:

- 32bppCMYKDIRECT
- 64bppCMYKDIRECT
- 40bppCMYKDIRECTAlpha
- 80bppCMYKDIRECTAlpha

*end note*]

##### **15.3.4.3 JPEG CMYK Raster Images**

Support for JPEG CMYK images varies by implementation and SHOULD NOT be used in OpenXPS Documents [S2.7]. See §9.1.5.1 for more details.

### 15.3.5 N-channel Raster Images

N-channel images are stored in the JPEG XR image file format using an ICC profile. The following format mnemonics and associated profiles are supported:

Table 15-2. JPEG XR Format Mnemonics and ICC Profile Color Space Correspondence

JPEG XR Format Mnemonics	ICC Profile Color Space
8bppGray 16bppGray	'GRAY'
Note: Grayscale color in image data with alpha channel is available in TIFF image format, an optional format for N-Channel.	
24bpp3Channels 48bpp3Channels 32bpp3ChannelsAlpha 64bpp3ChannelsAlpha	'2CLR' (duotone) or '3CLR' (tritone)
32bpp4Channels 64bpp4Channels 40bpp4ChannelsAlpha 80bpp4ChannelsAlpha	'4CLR'
40bpp5Channels 80bpp5Channels 48bpp5ChannelsAlpha 96bpp5ChannelsAlpha	'5CLR'
48bpp6Channels 96bpp6Channels 56bpp6ChannelsAlpha 112bpp6ChannelsAlpha	'6CLR'
56bpp7Channels 112bpp7Channels 64bpp7ChannelsAlpha 128bpp7ChannelsAlpha	'7CLR'
64bpp8Channels 128bpp8Channels 72bpp8ChannelsAlpha 144bpp8ChannelsAlpha	'8CLR'

The profile can be a 2-, 3-, 4-, 5-, 6-, 7- or 8-channel N-Channel profile (indicated by using one of the {'2CLR' ... '8CLR'} values in the profile header color space signature field).

For 1-channel color, i.e., monochrome, use a monochrome input (or output) profile. The profile MUST include the ICC-optional AToB1Tag (relative colorimetric intent) if the single color is chromatic (not neutral) [M8.32].

For a 2-channel color raster image with a '2CLR' ICC profile, the first channel of the ICC profile is associated with the first component of the JPEG XR image plane and the second channel of the ICC profile is associated with the second component of the JPEG XR image plane. The third component of the JPEG XR image plane (e.g., using the 24bpp3Channels format mnemonic) SHOULD be ignored by a consumer [S8.25]. A producer SHOULD zero all values in the third component of the JPEG XR image plane in this 2-channel use case [S8.26].

If the OpenXPS system environment allows the use of ICC ISO 15076-1 profiles, the optional colorantTableTag SHOULD be included in such ISO 15076-1 profiles to indicate the names and corresponding PCS values of the individual N-color colorants [S8.16]. (See §15.1.8 for the appropriate use of ISO 15076-1 profiles.)

### 15.3.6 Named Color Raster Images

In OpenXPS, a named color is expressed as a combination of an ink name and transform information stored in an ICC profile. Named color raster images are stored in the JPEG XR image file format using an ICC profile that maps the tint channel combinations from the image pixel values to valid PCS values. See §15.3.5 for pixel format definitions and the corresponding profile tags. Consumers unaware of named colors can then compute color approximations using the PCS values computed from the profile.

Two ICC profile approaches are available for named colors, one using ICC monochrome profiles that each include a tint LUT for a single named color, and the other using ICC Named Color type profiles that each can include 100% color values for 1, 2, 3, 4, 5, 6, 7, or 8 named colors.

A monochrome named color raster image can have a tint LUT encoded in an ICC monochrome input or output profile. The profile header color space signature is 'GRAY'. The profile includes an AtoB1Tag (relative colorimetric rendering intent), for the tint LUT mapping the named color tint values to valid PCS values. The ASCII prefix-root-suffix name of the named color is encoded into the profileDescriptionTag of the ICC profile so that a consumer MAY use the profile to obtain the encoded name of the named color [O8.22]. A consumer MAY use the encoded name of a named color to lookup a device-specific color value for the named color [O8.23].

A multi-tone named color raster image can have an ICC Named Color type profile. An ICC Named Color type profile MUST contain the namedColor2Tag including the ASCII prefix-root-suffix name for each named color [M8.39] so that a consumer MAY use the profile to obtain the encoded name of the named color [O8.22]. The namedColor2Tag MUST be populated with the ICC PCS color value for each named color [M8.40] and MAY be populated with specific device color values for each named color [O8.12]. A named color duotone, tritone, etc., can be implemented in this way. A consumer MAY use the encoded name of a named color to lookup a device-specific color value for the named color [O8.23].

For a 2-channel named color raster image, using a Named Color ICC profile, the first named color in the namedColor2Tag is associated with the first component of the JPEG XR image plane, and the second named color in the namedColor2Tag is associated with the second component of the JPEG XR image plane. The third component of the JPEG XR image plane (e.g., using the 24bpp3Channels format mnemonic) SHOULD be ignored by a consumer [S8.23]. A producer SHOULD zero all values in the third component of the JPEG XR image plane in this 2-channel use case [S8.24].

Consumers MAY use the ASCII name in the ICC profile or MAY compute a color approximation using a specified color value in the ICC profile; the results of these two methods MAY differ significantly [O8.25].

### 15.3.7 Images and Color Profile Association

Images can depend on color profiles using one of two methods:

- Associated: Color profile contained in a separate part associated with the image.
- Embedded: Color profile embedded in an image using the image format specific mechanism.

When associating a profile with an image the syntax for the ImageSource attribute is as follows:

```
{ColorConvertedBitmap ImageSourceURI ProfileURI}
```

ImageSourceURI Specifies the URI of an image resource. The image URI MUST be added as a Required Resource relationship to the FixedPage part [M2.10].

ProfileURI specifies a part containing the binary data of the color profile. The profile URI MUST be added as a Required Resource relationship to the FixedPage part [M2.10].

[Example:

```
<ImageBrush ImageSource="{ColorConvertedBitmap ../Resources/Images/image.tif
../Metadata/profile.icc}" ... />
```

end example]

It is the responsibility of consumers to determine the usability of embedded or associated profiles. A profile associated or embedded with an image SHOULD be considered unusable by a consumer if

- The profile is not compatible with the pixel format of the image [S8.17]
- The profile contains optional tags that can cause ambiguity when used in OpenXPS [S8.17]
- The profile contains invalid tag type signatures that invalidate OpenXPS use [S8.17].

In general, the presence of one or more optional tags in an ICC profile does not make the profile unusable. A consumer incapable of supporting a particular ICC profile tag that is optional in both ICC and OpenXPS MAY treat this tag as a user-defined custom tag, and therefore ignore it [O8.13].

If present and usable, an associated profile MUST be used by consumers [M8.41]. A usable associated color profile overrides an embedded color profile and is processed instead of any embedded color profile.

If present and usable, a color profile embedded in an image file MUST be used by consumers when no usable associated profile is present with the image [M8.42].

If no usable profile is present for an image, then a consumer MUST apply a color rule based on the pixel format. Each pixel format is interpreted to be the encoding of a particular color space as shown in Table 15–3 [M8.30].

When no usable profile is present a consumer MAY choose to instantiate an error condition [O8.14].

A producer MUST associate or embed a usable color profile if the color rules of Table 15–3 do not guarantee appropriate color interpretation for an image [M8.43].

Table 15–3. Color Space Pixel Format Defaults

Pixel Formats	Color Space
Integer 1-Channel	Grayscale using non-linearity, black point, and white point from sRGB

Pixel Formats	Color Space
Fixed Point 1-Channel	Grayscale using a linear transformation (a gamma of 1.0), visual black and white point from scRGB
Half-Float 1-Channel	
Floating Point 1-Channel	
Integer 3-Channel	sRGB
Floating Point 3-Channel	scRGB
Half-Float 3-Channel	
Fixed-Point 3-Channel	
Integer 4-Channel	CMYK
Integer 5-Channel (ignore channel 5)	
Integer 6-Channel (ignore channels 5 and 6)	
Integer 7-Channel (ignore channels 5, 6, and 7)	
Integer 8-Channel (ignore channels 5, 6, 7, and 8)	

For integer 1-channel, the sRGB non-linearity, white point, and black point can be applied to single channel grayscale data using the equations of IEC 61966-2-1 by setting R=G=B equal to the grayscale value. For Fixed Point, Half-Float and Floating Point 1-channel, the scRGB white point, and black point can be applied to single channel grayscale data, using the equations of IEC 61966-2-2.

The specific CMYK to be used as the four-component raster data default, and the N-Channel (N=>4) default, is implementation-defined. In the absence of specific requirements the use of CGATS/SWOP TR003 2007 CMYK is RECOMMENDED [S8.19]. Alternatively, a consumer MAY choose to instantiate an error condition [O8.14].

[*Note: A profile for CGATS/SWOP TR003 2007 CMYK is available from the ICC Profile Registry, specifically [SWOP2006\\_Coated3v2.icc](#). end note*]

## 15.4 Registration Marks for Color Separations

Producers MAY elect to generate content that provides registration marks for consumers that perform color separation [O8.5].

The named color syntax can be used for registration marks that are intended to be rendered on every separation. A document registration named color can be identified at the document level using a PrintTicket setting (see §9.1.9).

A document registration named color identified in a PrintTicket MAY occur in an OpenXPS Document using the single named color and monochrome profile with tint LUT syntax (see §15.2.6) [O8.26]. The name of the document registration named color is given in the profile's profileDescriptionTag according to §15.2.6. Such a document registration named color SHOULD be unique for that use in the OpenXPS Document instance[S8.22].

For consumers that do not perform separation, the document registration named color ICC profile is used to compute output colorant values corresponding to the document registration named color. For consumers that do perform separation, the occurrence of the document

registration named color in a color syntax is *only* an indicator that the tint level supplied in the syntax SHOULD be used when drawing the registration marking in each colorant separation [S8.7]. Producers SHOULD create the profile for the document registration named color in such a way that it does not lay down excessive ink when printed on a device that does not perform separation [S8.8].

---

## 15.5 Alpha and Gradient Blending

For consumers that handle colors other than sRGB, it is necessary to understand how they can be blended to create gradient or transparency effects. A page-level PrintTicket setting can be used to specify the blending color space that SHOULD be used for blending gradients and transparencies (see §9.1.9).

If a consumer understands the blending color space PrintTicket setting, it SHOULD convert all color to the specified blending color space before performing a blend operation [S8.9]. For gradients, the specified blending color space is used only if no gradient stop color values are specified using sRGB or scRGB colors. If any of the gradient stop color values are specified using sRGB or scRGB colors or the consumer does not understand the blending color space PrintTicket setting, the color interpolation mode of the gradient brush MUST be used instead [M8.25].

Consumers MUST support alpha and gradient blending in sRGB [M8.1], but they MAY support alpha and gradient blending with other color spaces such as scRGB or CMYK [O8.6]. The behavior of documents using non-sRGB alpha and gradient blending is implementation-specific. Consumers that encounter any document using non-sRGB colors MAY process those colors using conversion to the simpler sRGB color space, resulting in deviations, especially for alpha blending [O8.6].

---

## 15.6 Color Rendering Intent

ICC profiles contain multiple color transformation options, identified in the ICC Color Profiles specification as ICC rendering intents. For color elements that are to be color managed, a page level default color rendering intent, can be identified using a PrintTicket (see §9.1.9).

In the absence of such information, in a typical case, with ICC profiles conforming to the ICC Color Profile specification, ICC.1:2001-04 [M8.12], a consumer SHOULD apply the defaults shown in Table 15-4 [S8.20].

Table 15-4. Recommended ICC rendering intent usage

Color type	Object type	ICC Source Rendering Intent	ICC Destination Rendering Intent
sRGB	Raster image	Perceptual	Perceptual
sRGB	Vector	Relative Colorimetric	Relative Colorimetric*
scRGB	Raster image	Perceptual	Perceptual
scRGB	Vector	Relative Colorimetric	Relative Colorimetric*
RGB color space	Raster image	Perceptual	Perceptual

<b>Color type</b>	<b>Object type</b>	<b>ICC Source Rendering Intent</b>	<b>ICC Destination Rendering Intent</b>
RGB color space	Vector	Relative Colorimetric	Relative Colorimetric*
CMYK, Gray color space	Raster image	Relative Colorimetric	Perceptual
CMYK, Gray color space	Vector	Relative Colorimetric	Relative Colorimetric*
Named color, N-Channel	Any	Relative Colorimetric	Relative Colorimetric

\*In the optional case, with ICC profiles conforming to the requirements of ISO 15076-1, based on ICC.1:2004-10 [O8.9], the Saturation Rendering Intent components of the profiles should be optimized for business graphics and may provide preferred results. (See §15.1.8 for the appropriate use of ISO 15076-1 profiles.)

## 16. Document Structure and Interactivity

Some consumers support enhanced interactive functionality through features such as text selection, navigation, and hyperlinking. Others, such as screen readers, provide enhanced accessibility. These features rely on structural information beyond what can be inferred from the page markup. Producers can author this information explicitly.

The methods for adding document structure described here are OPTIONAL [O9.1]. Consumers MAY ignore any authored document structure or hyperlinks [O9.1], particularly where they are not relevant (such as in the case of printers). Recommended consumer behavior in the absence of document structure information is also described.

Document structure is defined with markup in the FixedPage, FixedDocument, DocumentStructure, and StoryFragments parts.

---

### 16.1 Document Structure Markup

Document structure markup consists of two structural concepts. The first is the *document outline*, which contains a structured list of indices into the OpenXPS Document, similar to a table of contents. The second is the *document content*, which identifies blocks of individually readable content. Each of these blocks is called a *story*.

A story can extend across multiple pages, and several stories can share a single page. A story can include the entire contents of an OpenXPS Document, or it can include only an individual block of readable content, such as a single newspaper article. Like a newspaper article, the story can appear in blocks throughout the OpenXPS Document. [*Example*: The first part could appear on page 1 and the second part on page 5. *end example*] Since a story can span multiple pages, the document content identifies which FixedPage parts contain fragments of a particular story.

A *story fragment* is the portion of a story that appears within a single fixed page. The story fragment contains the structural markup for all text and images related to a particular story on a particular page. When a producer specifies the document structure, every FixedPage part has a corresponding StoryFragments part that contains all of the story fragments for that page.

Each story fragment contains content structure information. *Content structure* is the set of markup elements that allow expression of well-understood semantic blocks, such as paragraphs, tables, lists, and figures. Content structure markup enables features such as paragraph and table selection, screen reading, and rich-format copying.

Producers MAY provide either the document outline or the document content, or both; consumers MAY ignore either or both [O9.2].

#### 16.1.1 DocumentStructure Part

The fundamental building block of document structure markup is the named element. A *named element* refers to an element in the fixed page markup with a specified Name attribute. Every meaningful element in the fixed page markup SHOULD specify a Name attribute in order for the document structure markup to refer to it [S9.1].


Document structure markup SHOULD NOT refer to a single named element more than once in the document content or to a named element that embeds another named element that it also refers to. When referring to a <Canvas> element, producers SHOULD consider all descendant elements to be referenced in markup order [S9.3]. Consumers MAY choose to interpret these scenarios as duplicate document content [O9.3].

Children of <VisualBrush> elements SHOULD NOT be referenced by document structure markup [S9.30].

Because each named element in a FixedPage part that is intended as an addressable location is specified in the <PageContent.LinkTargets> element in the FixedDocument part, consumers MAY first attempt to locate named elements directly from the FixedDocument part [O9.4].

#### 16.1.1.1 <DocumentStructure> Element

element **DocumentStructure**



The <DocumentStructure> element is the root element of the DocumentStructure part. That element MAY contain a single <DocumentStructure.Outline> element and zero or more <Story> elements [O9.14].

*Example 16–1. Document structure markup*

```
<DocumentStructure
  xmlns="http://schemas.openxps.org/oxps/v1.0/documentstructure">
  <DocumentStructure.Outline>
    ...
  </DocumentStructure.Outline>
  <Story>
    ...
  </Story>
  <Story>
    ...
  </Story>
</DocumentStructure>
```

*end example]*

**16.1.1.2 <DocumentStructure.Outline> Element**

element **DocumentStructure.Outline**

diagram	
annotation	<p>Contains a structured document outline that provides a list of links into the document contents or external sites.</p>

The <DocumentStructure.Outline> element is the root element of the document outline. The <DocumentStructure.Outline> element contains only a single <DocumentOutline> element.

**16.1.1.3 <DocumentOutline> Element**

element **DocumentOutline**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	xml:lang		required			<p>This attribute specifies the default language used for any child element contained within the current element or nested child elements. The language is specified according to RFC 3066.</p>
annotation	<p>Specifies a list of meaningful indices into the OpenXPS Document, similar to a table of contents, or to external URIs, such as web addresses.</p>					

The <DocumentOutline> element lets producers specify an organizational hierarchy in the form of a list of URIs to locations in the fixed page markup or to external addresses, similar to a table of contents or a set of bookmarks. The <DocumentOutline> element contains only <OutlineEntry> elements.

The xml:lang attribute specifies the default language used by the Description attribute of the child <OutlineEntry> element.

Consumers can use the document outline to implement such features as a table of contents or a navigation pane.

**16.1.1.4 <OutlineEntry> Element**

element **OutlineEntry**

<p>diagram</p>																																				
<p>attributes</p>	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>OutlineLevel</td> <td><u>ST_IntGEOne</u></td> <td>optional</td> <td>1</td> <td></td> <td>A description of the level where the outline entry exists in the hierarchy. A value of 1 is the root.</td> </tr> <tr> <td>OutlineTarget</td> <td>xs:anyURI</td> <td>required</td> <td></td> <td></td> <td>The URI to which the outline entry is linked. This can be a URI to a named element within the document or an external URI, such as a website. It can be used as a hyperlink destination.</td> </tr> <tr> <td>Description</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td>The friendly text associated with this outline entry.</td> </tr> <tr> <td>xml:lang</td> <td></td> <td>optional</td> <td></td> <td></td> <td>This attribute specifies the default language used for any child element contained within the current element or nested child elements. The language is specified according to RFC 3066.</td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	OutlineLevel	<u>ST_IntGEOne</u>	optional	1		A description of the level where the outline entry exists in the hierarchy. A value of 1 is the root.	OutlineTarget	xs:anyURI	required			The URI to which the outline entry is linked. This can be a URI to a named element within the document or an external URI, such as a website. It can be used as a hyperlink destination.	Description	xs:string	required			The friendly text associated with this outline entry.	xml:lang		optional			This attribute specifies the default language used for any child element contained within the current element or nested child elements. The language is specified according to RFC 3066.					
Name	Type	Use	Default	Fixed	Annotation																															
OutlineLevel	<u>ST_IntGEOne</u>	optional	1		A description of the level where the outline entry exists in the hierarchy. A value of 1 is the root.																															
OutlineTarget	xs:anyURI	required			The URI to which the outline entry is linked. This can be a URI to a named element within the document or an external URI, such as a website. It can be used as a hyperlink destination.																															
Description	xs:string	required			The friendly text associated with this outline entry.																															
xml:lang		optional			This attribute specifies the default language used for any child element contained within the current element or nested child elements. The language is specified according to RFC 3066.																															
<p>annotation</p>	<p>Represents an index to a specific location in the document.</p>																																			

Each <OutlineEntry> element represents an index to a specific location in the document or a specific location external to the document. Consumers can use the document outline information to support interactive functionality.

*Example 16-2. Document outline markup*

A viewing consumer can create a navigation pane that uses the Unicode value of the Description attribute of each <OutlineEntry> element. The corresponding location is specified by the OutlineTarget attribute, which are specified in a manner identical to hyperlinks. The OutlineLevel attribute allows consumers to indent entries in the navigation pane.

```

<DocumentStructure
  xmlns="http://schemas.openxps.org/oxps/v1.0/documentstructure">
  <DocumentStructure.Outline>
    <DocumentOutline>
      <OutlineEntry

```

```

        OutlineLevel="1"
        Description="1. Documents"
        OutlineTarget="../FixedDoc.fdoc#Documents_1" />
    <OutlineEntry
        OutlineLevel="2"
        Description="1.1. Paragraphs"
        OutlineTarget="../FixedDoc.fdoc#Paragraphs_1_1" />
    </DocumentOutline>
</DocumentStructure.Outline>
</DocumentStructure>

```

A consumer might display this information as follows, with the first entry linked to Documents\_1 and the second entry linked to Paragraphs\_1\_1.

- 1. Documents
  - 1.1. Paragraphs

*end example]*

**16.1.1.5 <Story> Element**

element **Story**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	StoryName	xs:string	required			The name used by story fragments to identify they belong to this story.
annotation	Defines a single story and where each of its story fragments appear in the OpenXPS Document.					

The <Story> element is the root for a single story and orders all of the story fragments containing content structure information such as sections, paragraphs, and tables. Each story has a unique name that is used to correlate the content structure for each page to that story. The <Story> element contains one or more <StoryFragmentReference> elements.

**16.1.1.6 <StoryFragmentReference> Element**

element **StoryFragmentReference**

<p>diagram</p>																								
<p>attributes</p>	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td data-bbox="267 688 451 800"> <p>FragmentName</p> </td> <td data-bbox="451 688 609 800"> <p>xs:string</p> </td> <td data-bbox="609 688 716 800"> <p>optional</p> </td> <td data-bbox="716 688 812 800"></td> <td data-bbox="812 688 889 800"></td> <td data-bbox="889 688 1435 800"> <p>Used to distinguish between multiple story fragments from the same story on a single page.</p> </td> </tr> <tr> <td data-bbox="267 800 451 1003"> <p>Page</p> </td> <td data-bbox="451 800 609 1003"> <p><u>ST_IntGEOne</u></p> </td> <td data-bbox="609 800 716 1003"> <p>required</p> </td> <td data-bbox="716 800 812 1003"></td> <td data-bbox="812 800 889 1003"></td> <td data-bbox="889 800 1435 1003"> <p>Identifies the page number of the document that the story fragment is related to. Page numbers start at 1 and correspond to the order of &lt;PageContent&gt; elements in the FixedDocument part.</p> </td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	<p>FragmentName</p>	<p>xs:string</p>	<p>optional</p>			<p>Used to distinguish between multiple story fragments from the same story on a single page.</p>	<p>Page</p>	<p><u>ST_IntGEOne</u></p>	<p>required</p>			<p>Identifies the page number of the document that the story fragment is related to. Page numbers start at 1 and correspond to the order of &lt;PageContent&gt; elements in the FixedDocument part.</p>					
Name	Type	Use	Default	Fixed	Annotation																			
<p>FragmentName</p>	<p>xs:string</p>	<p>optional</p>			<p>Used to distinguish between multiple story fragments from the same story on a single page.</p>																			
<p>Page</p>	<p><u>ST_IntGEOne</u></p>	<p>required</p>			<p>Identifies the page number of the document that the story fragment is related to. Page numbers start at 1 and correspond to the order of &lt;PageContent&gt; elements in the FixedDocument part.</p>																			
<p>annotation</p>	<p>Identifies the StoryFragments part where this individual story fragment is defined.</p>																							

The <StoryFragmentReference> element identifies the page with a relationship to the StoryFragments part in which the single story fragment is defined. By identifying where in the OpenXPS Document each story fragment appears, consumers can easily access only the pages that contain a particular story.

Each page that contains a story fragment is identified by number. This number refers to the *n*th page of the OpenXPS Document referenced within the fixed document sequence and fixed document markup, starting at the fixed payload root. This value is identified in the Page attribute. The StoryFragments part containing the corresponding content structure is referenced by retrieving the part associated via relationship from the indicated page. This allows consumers to access only the pages of the document that contain the story of interest. It is also possible for a single story to return to a page containing a different fragment of the same story.

The FragmentName attribute MUST be unique within the scope of the story [M9.11].

*Example 16-3. Simple multi-story document*

The following markup describes a four-page document containing one story that covers the first one and one-half pages and then continues on page 4. It is interrupted by a second story that begins in the middle of page 2 and concludes on page 3.

```
<DocumentStructure
  xmlns="http://schemas.openxps.org/oXPS/v1.0/documentstructure">
  <Story StoryName="Story1">
    <StoryFragmentReference Page="1"/>
    <StoryFragmentReference Page="2"/>
    <StoryFragmentReference Page="4"/>
  </Story>
  <Story StoryName="Story2">
    <StoryFragmentReference Page="2"/>
    <StoryFragmentReference Page="3"/>
  </Story>
</DocumentStructure>
```

*end example]*

*Example 16-4. Story flowing back and forth across a page boundary*

The following markup describes a page containing two tables, arranged side-by-side, each of which continues to the following page. In this case, the fragment is split and a fragment name is specified. `FragmentA` refers to the content leading up to the middle of the first (left) table and `FragmentB` is the continuation of this table on the following page. The flow then returns to the second (right) table on page 1 (`FragmentC`) before continuing with the rest of the story in `FragmentD`.

```
<DocumentStructure
  xmlns="http://schemas.openxps.org/oXPS/v1.0/documentstructure">
  <Story StoryName="Story_1">
    <StoryFragmentReference FragmentName="FragmentA" Page="1"/>
    <StoryFragmentReference FragmentName="FragmentB" Page="2"/>
    <StoryFragmentReference FragmentName="FragmentC" Page="1"/>
    <StoryFragmentReference FragmentName="FragmentD" Page="2"/>
  </Story>
</DocumentStructure>
```

*end example]*

### 16.1.2 StoryFragments Part

The StoryFragments part contains content structure markup (describing such things as tables and paragraphs) for each story fragment that appears on the page. The content structure is expressed by tags that ultimately wrap `<NamedElement>` references that point to fixed page markup.

*Table 16-1. StoryFragments part elements*

Name	Description
<code>&lt;StoryFragments&gt;</code>	Root element.
<code>&lt;StoryFragment&gt;</code>	Contains all content structure markup elements for a single story fragment.

Name	Description
<StoryBreak>	Presence of this element indicates that the following or preceding markup is not continued to the previous or next story fragment, depending on whether the element is at the beginning or end of the story fragments markup.
<SectionStructure>	Arbitrary structural grouping element.
<TableStructure>	Contains a full table definition.
<TableRowGroupStructure>	Contains a group of table rows.
<TableRowStructure>	Contains a row of table cells.
<TableCellStructure>	Contains structural elements representing the contents of a table cell.
<ListStructure>	Group of related items.
<ListItemStructure>	Individual item in a list.
<FigureStructure>	Group of related named elements that should be interpreted as a whole (such as a diagram).
<ParagraphStructure>	Group of named elements that constitute a paragraph.
<NamedElement>	Element that links the document structure markup to the fixed page markup.

Because a single content structural element can be split across pages, the <StoryBreak> element is provided to identify that a given element continues *to* the next story fragment or continues *from* a previous story fragment. A <StoryBreak> element MUST NOT be included in a position other than the first or last child element of a <StoryFragment> element [M9.12].

If a <StoryBreak> element is not present at the beginning of the content structure markup, consumers SHOULD consider the markup a continuation of the previous story fragment that must be merged [S9.4]. Likewise, if a <StoryBreak> element is not present at the end of the content structure markup, consumers SHOULD consider the markup a continuation to the next story fragment that must be merged to determine the cross-fragment content structure [S9.4].

Content structure is merged on an element-by-element basis, merging the last element closed in the leading story fragment with the first element opened in the trailing story fragment. This process continues until the closing tag from the leading story fragment no longer matches the opening tag from the trailing story fragment.

<TableCellStructure> elements require special merging, such that all <TableCellStructure> elements within a <TableRowStructure> element are merged. In order to merge the table cells and rows correctly, producers MUST specify empty <TableCellStructure> elements for cells that do not break across story fragments [M9.1].

*Example 16-5. Content structure spanning pages*

Given the following two StoryFragments parts, consumers can construct the content structure as shown.

```
<!-- First StoryFragments part -->

<StoryFragments
  xmlns="http://schemas.openxps.org/oxps/v1.0/documentstructure">
  <StoryFragment FragmentType="Header">
    <StoryBreak />
```

```

    <ParagraphStructure>
      <NamedElement NameReference="Block1" />
    </ParagraphStructure>
    <StoryBreak />
  </StoryFragment>
  <StoryFragment StoryName="Story1" FragmentType="Content">
    <StoryBreak />
    <SectionStructure>
      <TableStructure>
        <TableRowGroupStructure>
          <TableRowStructure>
            <TableCellStructure>
              <ParagraphStructure>
                <NamedElement NameReference="Block2" />
                <NamedElement NameReference="Block3" />
              </ParagraphStructure>
            </TableCellStructure>
            <TableCellStructure>
              <ParagraphStructure>
                <NamedElement NameReference="Block4" />
              </ParagraphStructure>
            </TableCellStructure>
          </TableRowStructure>
          <TableRowStructure>
            <TableCellStructure>
              <ParagraphStructure>
                <NamedElement NameReference="Block5" />
                <NamedElement NameReference="Block6" />
              </ParagraphStructure>
            </TableCellStructure>
            <TableCellStructure>
              <ParagraphStructure>
                <NamedElement NameReference="Block7" />
              </ParagraphStructure>
            </TableCellStructure>
          </TableRowStructure>
        </TableRowGroupStructure>
      </TableStructure>
    </SectionStructure>
  </StoryFragment>
  <StoryFragment FragmentType="Footer">
    <StoryBreak />
    <ParagraphStructure>
      <NamedElement NameReference="Block8" />
    </ParagraphStructure>
    <StoryBreak />
  </StoryFragment>
</StoryFragments>

<!-- Second StoryFragments part -->

<StoryFragments
  xmlns="http://schemas.openxps.org/oxps/v1.0/documentstructure">
  <StoryFragment FragmentType="Header">
    <StoryBreak />

```

```

    <ParagraphStructure>
      <NamedElement NameReference="Block9" />
    </ParagraphStructure>
    <StoryBreak />
  </StoryFragment>
  <StoryFragment StoryName="Story1" FragmentType="Content">
    <SectionStructure>
      <TableStructure>
        <TableRowGroupStructure>
          <TableRowStructure>
            <TableCellStructure />
            <TableCellStructure>
              <ParagraphStructure>
                <NamedElement NameReference="Block10" />
                <NamedElement NameReference="Block11" />
              </ParagraphStructure>
            </TableCellStructure>
          </TableRowStructure>
          <TableRowStructure>
            <TableCellStructure>
              <ParagraphStructure>
                <NamedElement NameReference="Block12" />
              </ParagraphStructure>
            </TableCellStructure>
            <TableCellStructure>
              <ParagraphStructure>
                <NamedElement NameReference="Block13" />
              </ParagraphStructure>
            </TableCellStructure>
          </TableRowStructure>
        </TableRowGroupStructure>
      </TableStructure>
    </SectionStructure>
    <StoryBreak />
  </StoryFragment>
  <StoryFragment FragmentType="Footer">
    <StoryBreak />
    <ParagraphStructure>
      <NamedElement NameReference="Block14" />
    </ParagraphStructure>
    <StoryBreak />
  </StoryFragment>
</StoryFragments>

<!-- Resulting merged content structure for Story1 -->

<SectionStructure>
  <TableStructure>
    <TableRowGroupStructure>
      <TableRowStructure>
        <TableCellStructure>
          <ParagraphStructure>
            <NamedElement NameReference="Block2" />
            <NamedElement NameReference="Block3" />
          </ParagraphStructure>
        </TableCellStructure>
      </TableRowStructure>
    </TableRowGroupStructure>
  </TableStructure>
</SectionStructure>

```

```


</TableCellStructure>
<TableCellStructure>
  <ParagraphStructure>
    <NamedElement NameReference="Block4" />
  </ParagraphStructure>
</TableCellStructure>
</TableRowStructure>
<TableRowStructure>
  <TableCellStructure>
    <ParagraphStructure>
      <NamedElement NameReference="Block5" />
      <NamedElement NameReference="Block6" />
    </ParagraphStructure>
  </TableCellStructure>
  <TableCellStructure>
    <ParagraphStructure>
      <NamedElement NameReference="Block7" />
      <NamedElement NameReference="Block10" />
      <NamedElement NameReference="Block11" />
    </ParagraphStructure>
  </TableCellStructure>
</TableRowStructure>
<TableRowStructure>
  <TableCellStructure>
    <ParagraphStructure>
      <NamedElement NameReference="Block12" />
    </ParagraphStructure>
  </TableCellStructure>
  <TableCellStructure>
    <ParagraphStructure>
      <NamedElement NameReference="Block13" />
    </ParagraphStructure>
  </TableCellStructure>
</TableRowStructure>
</TableRowGroupStructure>
</TableStructure>
</SectionStructure>

```

*end example]*

**16.1.2.1 <StoryFragments> Element**


element **StoryFragments**



The <StoryFragments> element groups all of the <StoryFragment> elements on a page.

**16.1.2.2 <StoryFragment> Element**

element **StoryFragment**



attributes	Name	Type	Use	Default	Fixed	Annotation
	StoryName	xs:string	optional			Identifies the story that this story fragment belongs to. If omitted, the story fragment is not associated with any story.
	FragmentName	xs:string	optional			Used to uniquely identify the story fragment.
	FragmentType	<u>ST_FragmentType</u>	required			Specifies the type of content included in the story fragment. Valid values are Content, Header, and Footer.
annotation	Specifies the document structural markup that appears on the current page for a single story block.					

Each `<StoryFragment>` has a `StoryName` attribute that associates it with a story defined in the DocumentStructure part. It also has a `FragmentType` attribute, the values for which are Content (the default), Header, or Footer.

Headers and footers are defined in their own story fragment on each page. These stories do not specify a `StoryName` value, so they are essentially unreferenced stories that exist only on a single page.

Producers authoring document structure information SHOULD reference every element of the fixed page markup that has semantic meaning (such as text or images) in the StoryFragments parts [S9.5].

*Example 16-6. StoryFragments part markup*

The following markup describes the StoryFragments part of a one-page document:

```

<StoryFragments
  xmlns="http://schemas.openxps.org/oxps/v1.0/documentstructure">
  <StoryFragment FragmentType="Header">
    <StoryBreak />
    <ParagraphStructure>
      <NamedElement NameReference="Block13" />
      <NamedElement NameReference="Block14" />
    </ParagraphStructure>
    <StoryBreak />
  </StoryFragment>
  <StoryFragment StoryName="Story1" FragmentType="Content">
    <StoryBreak />
    <ParagraphStructure>
      <NamedElement NameReference="Block1" />
      <NamedElement NameReference="Block2" />
    </ParagraphStructure>
    <TableStructure>
      <TableRowGroupStructure>
        <TableRowStructure>
          <TableCellStructure>
            <ParagraphStructure>
              <NamedElement NameReference="Block3" />
              <NamedElement NameReference="Block4" />
            </ParagraphStructure>
          </TableCellStructure>
          <TableCellStructure>
            <ParagraphStructure>
              <NamedElement NameReference="Block5" />
            </ParagraphStructure>
          </TableCellStructure>
        </TableRowStructure>
      </TableRowGroupStructure>
    </TableStructure>
    <SectionStructure>
      <ParagraphStructure>
        <NamedElement NameReference="Block6" />
      </ParagraphStructure>
      <ParagraphStructure>
        <NamedElement NameReference="Block7" />
        <NamedElement NameReference="Block8" />
      </ParagraphStructure>
    </SectionStructure>
    <SectionStructure>
      <FigureStructure>
        <NamedElement NameReference="Block9" />
      </FigureStructure>
      <ListStructure>
        <ListItemStructure>

```

```

        <ParagraphStructure>
          <NamedElement NameReference="Block10" />
        </ParagraphStructure>
      </ListItemStructure>
    </ListItemStructure>
    <ParagraphStructure>
      <NamedElement NameReference="Block11" />
    </ParagraphStructure>
  </ListItemStructure>
</ListStructure>
</SectionStructure>
<StoryBreak />
</StoryFragment>
<StoryFragment FragmentType="Footer">
  <StoryBreak />
  <ParagraphStructure>
    <NamedElement NameReference="Block15" />
    <NamedElement NameReference="Block16" />
    <NamedElement NameReference="Block17" />
  </ParagraphStructure>
  <StoryBreak />
</StoryFragment>
</StoryFragments>

```

*end example]*

A <StoryFragment> element MAY be identified with a FragmentName attribute to distinguish it from other fragments for the same story on a single page [M2.72].

*Example 16–7. Story fragments markup using a fragment name*

```

<StoryFragments
  xmlns="http://schemas.openxps.org/oxps/v1.0/documentstructure">
  <StoryFragment
    StoryName="Story1"
    FragmentName="Fr1"
    FragmentType="Content">
    <StoryBreak />
    <ParagraphStructure>
      <NamedElement NameReference="Block1" />
      <NamedElement NameReference="Block2" />
    </ParagraphStructure>
    <StoryBreak />
  </StoryFragment>
  <StoryFragment
    StoryName="Story1"
    FragmentName="Fr2"
    FragmentType="Content">
    <StoryBreak />
    <ParagraphStructure>
      <NamedElement NameReference="Block8" />
    </ParagraphStructure>
  </StoryFragment>
</StoryFragments>

```

```


    </ParagraphStructure>
    <StoryBreak />
  </StoryFragment>
</StoryFragments>

```

*end example]*

**16.1.2.3 <StoryBreak> Element**


element **StoryBreak**

diagram	
annotation	<p>If located at the beginning of a &lt;StoryFragment&gt; definition, indicates that the following markup elements should not be merged with the markup from the previous &lt;StoryFragment&gt;. If located at the end of a &lt;StoryFragment&gt; definition, indicates that the preceding markup elements should not be merged with the subsequent &lt;StoryFragment&gt;.</p>

The <StoryBreak> element signals to the consumer not to perform merging across story fragments to determine the content structure.

**16.1.2.4 <SectionStructure> Element**


element **SectionStructure**

diagram	
annotation	<p>Provides an arbitrary grouping of content structural markup elements.</p>

The <SectionStructure> element provides an arbitrary grouping of <Paragraph>, <TableStructure>, <ListStructure>, and <FigureStructure> elements.

**16.1.2.5 <ParagraphStructure> Element**

element **ParagraphStructure**

diagram	
---------	---

annotation	Contains the named elements that constitute a single paragraph.
------------	---

A <ParagraphStructure> element describes the list of <NamedElement> elements that constitute a single paragraph.

#### 16.1.2.6 <TableStructure> Element

element **TableStructure**

diagram	
annotation	Contains a complete definition of a table in the OpenXPS Document.

A <TableStructure> element is the complete definition of a table. An implementation MAY use it to build special functionality, such as row or column selection [O9.5].

#### 16.1.2.7 <TableRowGroupStructure> Element

element **TableRowGroupStructure**

diagram	
annotation	Contains the set of table rows that make up a table.

A <TableRowGroupStructure> element is REQUIRED in order to specify a set of <TableRowStructure> elements [M9.13].

#### 16.1.2.8 <TableRowStructure> Element


element **TableRowStructure**

diagram	
annotation	Contains the set of table cells that make up a row of a table.

This element groups <TableCellStructure> child elements that define a single row of a table.

**16.1.2.9 <TableCellStructure> Element**

element **TableCellStructure**




attributes	Name	Type	Use	Default	Fixed	Annotation
	RowSpan	<u>ST_TableSpan</u>	optional	1		Indicates the number of rows this cell spans, or merges into a single cell.
	ColumnSpan	<u>ST_TableSpan</u>	optional	1		Indicates the number of columns this cell spans, or merges into a single cell.
annotation	Contains the elements that occupy a single cell of a table.					

This element defines the appearance of a table cell. It MAY contain nested <TableStructure> elements [09.16].

**16.1.2.10 <ListStructure> Element**


element **ListStructure**



The <ListStructure> element is the complete definition of a list of related items.

**16.1.2.11 <ListItemStructure> Element**


element **ListItemStructure**



A <ListItemStructure> element defines a single item in a list.

**16.1.2.12 <FigureStructure> Element**

element **FigureStructure**



A <FigureStructure> element includes a group of named elements that comprise a single drawing or diagram.

**16.1.2.13 <NamedElement> Element**

element **NamedElement**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	NameReference	<u>ST_Name</u>	required			Identifies the named element in the FixedPage part markup that is referenced by the document structure markup.
annotation	All document structure is related to the fixed page markup using this element. The <NamedElement> points to a single markup element contained in the fixed page markup.					

A <NamedElement> references a specific element in the fixed page by using the NameReference attribute to specify an element in the fixed page markup with a corresponding name.

If the targeted fixed page uses markup compatibility markup that changes the presence of certain named elements, the StoryFragments part should also use it in order to reference each element in either representation.

**16.2 Hyperlinks**

If consumers enable user interactivity, they SHOULD support hyperlink activation and addressing [S9.6].

**16.2.1 Hyperlink Activation**

Hyperlinks are specified inline on any <Canvas>, <Path>, or <Glyphs> element by means of the FixedPage.NavigateUri attribute. The value of the attribute is the destination URI. If hyperlinked <Path> or <Glyphs> elements are rendered as overlapping on the page, consumers MUST treat the topmost element as the only hyperlink that can be activated in the overlapping region [M9.2].

When activating a hyperlink, consumers SHOULD load the specified resource if they understand the URI type. If the URI is an internal reference to the OpenXPS Document, consumers SHOULD navigate to the URI [S9.7].

If a producer specifies a FixedPage.NavigateUri attribute on a <Canvas> element, consumers MUST treat all child elements of that canvas as having an associated hyperlink [M9.3]. Child or descendant elements can override this value with their own FixedPage.NavigateUri attribute.

Relative internal hyperlinks between FixedPage parts MUST specify, at a minimum, the named address relative to the FixedDocument part [M9.4].

Producers can mark any <FixedPage>, <Canvas>, <Path>, or <Glyphs> element as an addressable location within the OpenXPS Document by specifying a value for the Name attribute. The name SHOULD be unique within the scope of the fixed document [S9.8]. If it is not unique, only the first occurrence of the named address is addressable.

These elements, if specified as a <VisualBrush.Visual> property element are not addressable by a hyperlink.

It is RECOMMENDED that Name attribute values be unique within an entire fixed document sequence [S9.9]. If they are not, only the first occurrence of the named address is addressable from an external location. Internal hyperlinks can specify a named element fragment relative to a particular fixed document, but consumers MAY interpret such a URI relative to the entire fixed document sequence instead [O9.6].

In order to be addressable by either a hyperlink or the document outline, the named address MUST appear in the <PageContent.LinkTargets> element in the fixed document [M9.5]. If a named address appears in the <PageContent.LinkTargets> element in the fixed document but is not found in the Name attribute of an element within the associated fixed page, consumers MUST treat the top of the associated fixed page as the named address [M9.6]. If the named address in a URI fragment is not found, consumers MUST ignore the fragment portion of the URI [M9.7].

*Example 16-8. A relative, internal, named-address hyperlink*

```
FixedPage.NavigateUri=" ../MyDocument.fdoc#MyAddress"
```

*end example]*

### 16.2.2 Hyperlink Addressing

OpenXPS Documents specify two forms of URI fragment identifiers to address locations within an OpenXPS Document. The first is a named address. [*Example*: "http://xps/MyPackage#MyAddress", where "http://xps/MyPackage" is an OpenXPS Document and "MyAddress" is a named address within the document. *end example*] The second is an absolute page number within the OpenXPS Document. [*Example*: "http://xps/MyPackage#15", where "15" references the FixedPage part associated with the fifteenth <PageContent> entry among all the fixed documents in the fixed document sequence. *end example*]

Page number fragment identifiers refer to the absolute page number (1-based) in the fixed document sequence. [*Example*: If an OpenXPS Document has a 3-page fixed document, followed by a 10-page fixed document, followed by an 8-page fixed document, the fragment identifier "#15" refers to the second page of the third fixed document in the fixed document sequence. *end example*] Internal references MUST specify a page address relative to the fixed document sequence [M9.8].

*Example 16-9. A relative internal page address hyperlink*

```
FixedPage.NavigateUri=" ../ ../ ../MyDocSeq.fdocseq#12"
```

*end example]*

### 16.2.3 Name Attribute

The Name attribute contains a string value that identifies the current element as a named, addressable point for the purpose of hyperlinking. The Name attribute is optional. Names SHOULD be unique within a fixed document [S9.8], and it is RECOMMENDED that they be

unique within a fixed document sequence [S9.9]. The Name attribute MUST NOT be specified on any children of a <ResourceDictionary> element [M9.10].

If the Name attribute is specified, producers SHOULD also create a corresponding <LinkTarget> element in the FixedDocument part within the <PageContent> element that links to the parent fixed page [S9.10]. Consumers MAY ignore this attribute [O9.7], but devices that support user interaction with the contents of OpenXPS Documents SHOULD support hyperlinks [S9.6].

The Name value, if specified, MUST meet the following requirements [M9.14]:

6. The initial character MUST be an underscore character or a letter, that is, it falls within the Lu, Ll, Lo, Lt, and Nl categories [M9.14].
7. Trailing characters MUST be an underscore character or a letter or number, that is, they fall within the Lu, Ll, Lo, Lt, Nl, Mn, Mc, and Nd categories [M9.14].

[*Note*: These requirements match those of XML identifiers with additional restrictions. *end note*]

The category abbreviations, as defined within the Unicode Character Database, are partially reproduced in Table 16–2.

Table 16–2. Unicode character categories

Abbreviation	Description
Lu	Letter, uppercase
Ll	Letter, lowercase
Lt	Letter, titlecase
Lo	Letter, other
Mn	Mark, non-spacing
Mc	Mark, spacing combining
Nd	Number, decimal
Nl	Number, letter

#### 16.2.4 FixedPage.NavigateUri Attribute

The FixedPage.NavigateUri attribute associates a hyperlink URI with an element, making it a hyperlink source. Its value can be a relative or absolute URI that addresses a resource that is internal or external to the OpenXPS Document package, respectively. The base URI used to resolve a relative URI is that of the FixedPage part in which the element with the FixedPage.NavigateUri attribute appears. Therefore, a hyperlink to a destination within the fixed document of the source MUST specify the destination in the context of the FixedDocument part [M9.4]. [*Example*: “../FixedDoc1.fdoc#MyDestination”. *end example*] A destination in the same fixed document SHOULD be expressed as a relative URI [S9.11].

The FixedPage.NavigateUri attribute is OPTIONAL [O9.17]. It SHOULD be included *only* if the element is intended to be a hyperlink. Consumers MAY ignore this attribute [O9.8], but devices that support user interaction with the contents of OpenXPS Documents SHOULD support hyperlinks [S9.6].

---

## 16.3 Selection

Viewing consumers that support interactivity MAY support selection and copying [O9.9]. Selection order within an OpenXPS Document SHOULD follow reading order [S9.13].

Consumers MAY use the `FragmentType` attribute of the `<StoryFragment>` element to determine selection behavior, such as disallowing selection of both the page header and the page contents while allowing independent selection within those stories [O9.10].

---

## 16.4 Accessibility

Accessibility refers to features that are important to provide equal access to OpenXPS Documents for users of all abilities. One common example of an accessibility application is a screen reader, which reads the contents of a document aloud for vision-impaired individuals.

### 16.4.1 Reading Order

In the absence of document structure information provided in the OpenXPS Document, consumers MAY infer the reading order from the position of elements on the page [O9.11], but SHOULD, at minimum, rely on the markup order to determine reading order [S9.14]. Producers SHOULD order the markup in `FixedPage` parts to reflect the order in which it is intended to be read [S9.15]. When document structure information is present, consumers SHOULD rely on the order of appearance of named elements in the content structure markup to determine reading order [S9.16].

The RECOMMENDED reading order of a page-centric application is as follows [S9.17]:

- Order the content by page.
- Within a page, order by story fragment in the order the `<StoryFragment>` elements are specified in the `StoryFragments` part for that page. Producers SHOULD order `<StoryFragment>` elements in their intended reading order [S9.18].
- Within a `<StoryFragment>` element, order by `<NamedElement>` reference.
- Append all un-referenced elements that appear in the fixed page markup, ordered by markup order.

Although producers SHOULD reference every element of the fixed page markup in the content structure markup [S9.10], consumers MUST expose every element of the fixed page markup to an accessibility interface in the determined reading order, even if the elements are not referenced in the content structure markup [M9.9].

Consumers MAY use the `FragmentType` attribute of the `<StoryFragment>` element to determine reading order by interpreting elements that have `FragmentType` values of `Header` and `Footer` as belonging first or last in the reading order, respectively [O9.12].

The RECOMMENDED reading order of a story-centric application is as follows [S9.19]:

- Order content by story in the sequence the `<Story>` elements appear in the `DocumentStructure` part. Producers SHOULD order `<Story>` elements in their intended reading order [S9.20].
- Within a story, order `<StoryFragmentReference>` elements in the sequence they appear in the `DocumentStructure` part. Producers SHOULD order `<StoryFragmentReference>` elements in their intended reading order [S9.21].

- Within a story fragment, order by <NamedElement> references in the StoryFragments part markup.
- Append all un-referenced elements that appear in the fixed page markup, ordered by page number, then markup order.

### 16.4.2 Screen Reader Applications

Screen reader applications read the contents of the document aloud. A screen reader consumer SHOULD read the document according to its reading order [S9.22]. The application SHOULD use the UnicodeString attribute of each <Glyphs> element [S9.23]. In addition, screen readers MAY inspect the Indices attribute to resolve potential ambiguities [O9.13].

If the screen reader provides features to navigate the document by structural elements, such as paragraphs or table rows, it SHOULD use any document structure information included in the OpenXPS Document [S9.24].

If the screen reader provides features to describe images, it SHOULD read the text provided in the AutomationProperties.Name and AutomationProperties.HelpText attributes [S9.25].

If the screen reader provides features to describe hyperlink addresses, it SHOULD read the text provided in the FixedPage.NavigateUri attribute [S9.26].

### 16.4.3 Text Alternatives for Graphics and Images

Images and graphics SHOULD specify text alternatives for images and graphics to make this content accessible to vision-impaired individuals [S9.27]. There are short and long textual descriptions, specified in the AutomationProperties.Name and AutomationProperties.HelpText attributes of <Path> and <Canvas>, respectively.

The AutomationProperties.Name attribute SHOULD contain a short description of the basic contents of the image or vector graphic [S9.27]. [*Example: "A sitting dog." end example*]The AutomationProperties.HelpText attribute can contain a more detailed description of the image or graphic. [*Example: "A cocker spaniel with brown eyes, golden fur, and its tongue hanging out. It is sitting on a beanbag directly facing the camera." end example*]

An image SHOULD specify the AutomationProperties.Name and AutomationProperties.HelpText attributes on the <Path> element that is filled with an <ImageBrush> [S9.28]. These attributes describe the content specified by the ImageSource attribute of the <ImageBrush> element.

A vector graphic (a collection of one or more <Path> elements representing a single drawing) SHOULD specify the AutomationProperties.Name and AutomationProperties.HelpText attributes only once, directly on a <Canvas> element wrapping the <Path> elements comprising the graphic [S9.29].

Individual <Path> elements that do not provide any semantic meaning (such as a line between sections or outlining a table) SHOULD NOT specify these text alternative attributes [S9.27].



## 17. OpenXPS Document Package Features

The OpenXPS Document format extends package-level interleaving and digital signatures as described in the OPC Standard.

---

### 17.1 Interleaving Optimizations

Interleaving concerns the physical organization of OpenXPS Documents, rather than their logical structure. It allows consumers to process linearly the bytes that make up a physical package from start to finish, without regard for context. In other words, consumers can make correct determinations about the types of logical parts and the presence of relationships on a logical part when consuming packages in a linear fashion. Consumers are never required to return to previously encountered parts and revise their determination of the content type or presence of relationships.

Interleaving is OPTIONAL [O10.1]. However, if the OpenXPS Document is interleaved, these rules SHOULD be followed:

- The Content Types stream SHOULD be interleaved according to the recommendations in the OPC Standard [S10.1].
- PrintTicket parts SHOULD be written to the package before the part to which they are attached [S10.2].
- The portion of the relationship data attaching the PrintTicket to a part SHOULD be written to the package before the part to which it is attached or in close proximity to the part to which it is attached [S10.3].
- If no PrintTicket settings are specified for a FixedDocumentSequence, FixedDocument, or FixedPage part, an empty PrintTicket part SHOULD be attached to the part, and the portion of the relationship data attaching the empty PrintTicket SHOULD be written to the package before the part to which it is attached or in close proximity to the part to which it is attached [S10.4].
- The last piece of the Relationships part for a FixedPage part SHOULD be written to the package in close proximity to the first piece of the FixedPage part [S10.5].
- The relationships for the DiscardControl part and the StartPart SHOULD both be written in the first piece of the package relationship part, and that piece SHOULD be before the first FixedPage part in the package [S10.20].
- The piece of the DiscardControl part that includes a Discard element with a SentinelPage attribute referencing a FixedPage part SHOULD be written to the package before that FixedPage part [S10.21].

Following these recommendations allows more efficient processing by certain consumers. Not following these recommendations could result in less efficient processing by most consumers because they will need to wait until all parts required to process a part (attached PrintTicket, required resources) have been consumed. However, consumers MUST be prepared to process correctly packages in which the PrintTicket or the portion of the relationship data attaching the PrintTicket appears in the package after the affected part [M10.1].

Consumers can choose to parse an OpenXPS Document in a head-first or tail-first manner. Tail-first parsing reveals certain package errors earlier, such as inconsistencies between the ZIP central directory and local file headers. Head-first OpenXPS Document consumers SHOULD attempt to detect inconsistent packages as soon as possible and SHOULD instantiate an error condition, even if they have already processed the pages that resulted in the error [S10.18]. Head-first consumers that discard parts would need to retain the name and length of any discarded part to comply with this recommendation.

[*Note*: Streaming and handling of discard control are complicated significantly by any requirement for out-of-order page handling, such as in the production of booklets. *end note*]

### 17.1.1 Empty PrintTicket

It is RECOMMENDED that one empty PrintTicket be shared for all parts that attach an empty PrintTicket [S10.6]. The content of an empty PrintTicket is implementation-defined (see §9.1.9).

### 17.1.2 Optimizing Interleaving Order

Producers MAY optimize the interleaving order of parts to help consumers avoid stalls during read-time streaming, and to allow consumers to manage their memory resources more efficiently [O10.2].

The optimization strategy is suggested by the consumer architecture. Therefore, interleaving optimization is typically implemented by a software component such as a driver or filter that is specific to (or aware of) the consumer architecture.

#### 17.1.2.1 Single-Threaded Parsing Architectures

An optimal interleaving scheme for consumers with a single-threaded parsing model interleaves parts so that each part that is required to consume a single page (FixedPage, images, and fonts) is contained in the package in its entirety, prior to the FixedPage part being referenced from the FixedDocument part's markup.

Single-threaded parsing architectures typically require more run-time memory resources than multi-threaded parsing architectures because the context in which a resource is used is unknown at the time the resource is received. This requires deferred processing and additional buffering.

[*Note*: When interleaving entities containing XML markup, such as the DiscardControl part, the Content Types stream, and the FixedDocument part, there is no guarantee that XML element boundaries will align with piece boundaries in the physical package. This adds a complexity to single-threaded parsing architectures: the parser must be pre-emptable. Certain existing XML parser implementations might require a pre-tokenization step. *end note*]

*Example 17-1. Optimized interleaving for a single-threaded parsing architecture*

The following markup describes a sequence of two fixed documents, the first having two FixedPage parts and the second having one FixedPage part:

Part/Piece	Markup
Font1.ttf	...binary font data...
Other resources	...resource data...

Part/Piece	Markup
Page1	<pre>&lt;FixedPage xmlns="http://schemas.openxps.org /oxps/v1.0" ...&gt; &lt;Glyphs FontURI="Font1.ttf"/&gt; &lt;/FixedPage&gt;</pre>
Page1.rels	<pre>&lt;Relationships xmlns= "http://schemas.openxmlformats.org/package/2006/rela tionships"&gt; &lt;Relationship Type= "http://schemas.openxps.org/oxps/v1.0 /required-resource" Target="Font1.ttf"/&gt; &lt;/Relationships&gt;</pre>
FixedDocument1/[0].piece	<pre>&lt;FixedDocument xmlns= "http://schemas.openxps.org/oxps/v1.0"&gt; &lt;PageContent Source="Page1"/&gt;</pre>
Sequence1/[0].piece	<pre>&lt;FixedDocumentSequence xmlns= "http://schemas.openxps.org/oxps/v1.0"&gt; &lt;DocumentReference Source="FixedDocument1"/&gt;</pre>
_rels/.rels/[0].piece	<pre>&lt;Relationships xmlns= "http://schemas.openxmlformats.org/package/2006/rela tionships"&gt; &lt;Relationship Type="StartPart" Target="Sequence1"/&gt;</pre>
Page2	<pre>&lt;FixedPage xmlns= "http://schemas.openxps.org/oxps/v1.0" ...&gt;...&lt;/FixedPage&gt;</pre>
FixedDocument1/[1].last.piece	<pre>&lt;PageContent Source="Page2"/&gt; &lt;/FixedDocument&gt;</pre>
Page3	<pre>&lt;FixedPage xmlns= "http://schemas.openxps.org/oxps/v1.0" ...&gt;...&lt;/FixedPage&gt;</pre>
FixedDocument2	<pre>&lt;FixedDocument xmlns= "http://schemas.openxps.org/oxps/v1.0"&gt; &lt;PageContent Source="Page3"/&gt; &lt;/FixedDocument&gt;</pre>
Sequence1/[1].last.piece	<pre>&lt;DocumentReference Source="FixedDocument2" /&gt; &lt;/FixedDocumentSequence&gt;</pre>
_rels/.rels/[1].last.piece	<pre>&lt;/Relationships&gt;</pre>

*end example]*

#### 17.1.2.2 Multi-Threaded Parsing Architectures

An optimal interleaving scheme for consumers with a multi-threaded parsing model interleaves parts so that each resource part that is required to consume a single page (images and fonts) is contained in the package after the FixedPage part referencing it.

Multi-threaded parsing architectures typically require less run-time memory resources than single-threaded parsing architectures because the context in which resources appear is fully determined and, therefore, resources can be processed immediately.

[*Note*: When interleaving entities containing XML markup, such as the DiscardControl part, the content type stream, and the FixedDocument part, there is no guarantee that XML element boundaries will align with piece boundaries in the physical package. A multi-threaded parsing architecture is naturally suited to address this problem. *end note*]

*Example 17-2. Optimized interleaving for a multi-threaded parsing architecture*

The following markup describes a sequence of two FixedDocument parts, the first having two FixedPage parts and the second having one FixedPage part:

Part/Piece	Markup
_rels/.rels/[0].piece	<pre>&lt;Relationships xmlns="http://schemas.openxmlformats.org/package /2006/relationships"&gt; &lt;Relationship Type="StartPart" Target= "Sequence1"/&gt;</pre>
Sequence1/[0].piece	<pre>&lt;FixedDocumentSequence xmlns= "http://schemas.openxps.org/oxps/v1.0"&gt; &lt;DocumentReference Source="FixedDocument1"/&gt;</pre>
FixedDocument1/[0].piece	<pre>&lt;FixedDocument xmlns= "http://schemas.openxps.org/oxps/v1.0"&gt; &lt;PageContent Source="Page1"/&gt;</pre>
Page1.rels	<pre>&lt;Relationships xmlns= "http://schemas.openxmlformats.org/package/2006/rela tionships"&gt; &lt;Relationship Type= "http://schemas.openxps.org/oxps/v1.0 /required-resource" Target="Font1.ttf"/&gt; &lt;/Relationships&gt;</pre>
Page1	<pre>&lt;FixedPage xmlns="http://schemas.openxps.org /oxps/v1.0" ...&gt; &lt;Glyphs FontURI="Font1.ttf"/&gt; &lt;/FixedPage&gt;</pre>
Font1.ttf	...binary font data...
Other resources	...resource data...
FixedDocument1/[1].last.pie ce	<PageContent Source="Page2"/>
Page2	<pre>&lt;FixedPage xmlns= "http://schemas.openxps.org/oxps/v1.0" ...&gt;...&lt;/FixedPage&gt;</pre>
FixedDocument1/[2].last.pie ce	</FixedDocument>
Sequence1/[1].last.piece	<DocumentReference Source="FixedDocument2" />

Part/Piece	Markup
	</FixedDocumentSequence>
FixedDocument2	<FixedDocument xmlns= "http://schemas.openxps.org/oxps/v1.0"> <PageContent Source="Page3"/> </FixedDocument>
Page3	<FixedPage xmlns="http://schemas.openxps.org/oxps/v1.0" ...>...</FixedPage>
_rels/.rels/[1].last.piece	</Relationships>

*end example]*

### 17.1.3 Consuming Interleaved Packages

Consumers MUST be able to consume packages regardless of their interleaving structure [M10.2].

To address resource constraints:

- Consumers MAY discard FixedPage parts once they have been processed [O10.3]
- Consumers MAY discard FixedDocument and FixedDocumentSequence parts after all their child elements and their closing tags have been processed [O10.4].
- In the absence of explicit directives to the contrary (see §17.1.4), consumers MAY discard parts as directed by the DiscardControl part [O10.5]. Consumers MUST NOT discard any other parts [*Example*: Such as parts containing fonts, images, or other resources *end example*] unless they have the ability to access the parts again [M10.4].

If a consumer encounters a reference to an unknown part, it MUST continue to receive further bytes of the package until the unknown part has been transmitted *or* until the end of the package is reached (indicating an error condition) [M10.5]; if the end of the package is reached the consumer SHOULD instantiate an error condition [S10.23].

### 17.1.4 Consumers with Resource Constraints

To produce an OpenXPS Document for streaming consumption by consumers with limited memory resources, some producers MAY choose a suitable interleaving order by modeling the resource management behavior of the consumer [O10.6]. These producers, referred to as *drivers*, must have specific knowledge of the OpenXPS Document consumer. Due to resource constraints, some consumers are unable to consume arbitrary OpenXPS Documents and always require assistance from an external driver.

When some consumers with limited memory resources receive a OpenXPS Document in a streaming fashion, there might be an opportunity to discard parts when necessary and reload them again when needed. Producers, such as drivers, that target such consumers SHOULD follow these steps [S10.7]:

- Conservatively model the memory usage of the device.
- Interleave pieces of parts in the correct order.
- Decide when certain parts can be discarded by the consumer and inform the consumer within the package stream (see §17.1.4.1).

- Add to the package a uniquely named copy of a resource that could have been discarded, if the resource is referenced by a part sent later in the stream. Those later references are also updated to refer to the new copy of the resource.

#### 17.1.4.1 DiscardControl Part

In addition to optimally ordering interleaved parts, producers can support consumers with resource constraints by means of the DiscardControl part. The DiscardControl part is a well-known part containing a list of resources that are safe for the consumer to discard. DiscardControl parts are stored in OpenXPS Documents in an interleaved fashion, allowing a resource-constrained consumer to discard a part when that part is no longer required to process pages in the payload. DiscardControl parts are targeted with a DiscardControl package relationship, as specified in §D. There MUST NOT be more than one DiscardControl package relationship [M10.23]. The DiscardControl part MUST NOT reference itself [M10.6]; doing so is considered an error.

Consumers MAY elect not to instantiate an error condition when encountering DiscardControl parts that do not conform to this specification [O10.17]. The consumer MAY decide to ignore the malformed DiscardControl part in its entirety or from the first malformed node onward [O10.7].

In some cases, producers might rewrite the contents of a package so that parts are provided more than once, allowing consumers to discard a part in order to free resources for additional processing. Each instance of a part MUST be stored as a new, uniquely named part in the package [M10.24].


*Example 17-3. A DiscardControl part*

```
<DiscardControl xmlns="http://schemas.openxps.org/oxps/v1.0/discard-
control">
  <!-- May discard partname1 as soon as starting to process
page11.xml -->
  <Discard SentinelPage="/page11.xml" Target="/partname1" />
  <!-- May discard partname2 as soon as starting to process
page13.xml -->
  <Discard SentinelPage="/page13.xml" Target="/partname2" />
  ...
</DiscardControl>
```

*end example]*

##### 17.1.4.1.1 <DiscardControl> Element

element **DiscardControl**

diagram	
annotation	Contains a list of resources that are safe for a consumer to discard.

**17.1.4.1.2 <Discard> Element**

element **Discard**

diagram																								
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>SentinelPage</td> <td>xs:anyURI</td> <td>required</td> <td></td> <td></td> <td>The first fixed page that no longer needs the identified resource in order to be processed.</td> </tr> <tr> <td>Target</td> <td>xs:anyURI</td> <td>required</td> <td></td> <td></td> <td>The resource that can be safely discarded.</td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	SentinelPage	xs:anyURI	required			The first fixed page that no longer needs the identified resource in order to be processed.	Target	xs:anyURI	required			The resource that can be safely discarded.					
Name	Type	Use	Default	Fixed	Annotation																			
SentinelPage	xs:anyURI	required			The first fixed page that no longer needs the identified resource in order to be processed.																			
Target	xs:anyURI	required			The resource that can be safely discarded.																			
annotation	Identifies a resource that can be safely discarded by a resource-constrained consumer.																							

Parts that can be discarded are identified in a <Discard> element by the Target attribute value, which is expressed as relative to the package root, and by the SentinelPage attribute value, which identifies the first FixedPage part that no longer requires the discarded part. (The processing order for FixedPage parts is implied by the order of <PageContent> element references in the FixedDocument part. Therefore, the value of the SentinelPage attribute is unambiguous.)

If either the Target attribute or the SentinelPage attribute contain an invalid reference (refer outside the package), the respective <Discard> element MUST be ignored [M10.7]. If a <Discard> element is encountered where either or both of the Target attribute and SentinelPage attribute identify a part which has not been processed yet (is still unknown), the <Discard> element SHOULD be retained until both parts identified by the Target attribute and SentinelPage attribute have been processed or until the end of the package is reached [S10.9].

**17.1.5 Interleaving Optimizations and Digital Signatures**

In general, it is not feasible to produce well-ordered, interleaved ZIP packages *and* apply digital signatures in a way that enables reasonable consumption scenarios for the following reasons:

- The digital signature parts must be known to consumers before they process other signed parts because the selected hash-methods and transforms must be known. A streaming consumer might not be able to access part data after it has been processed for printing.
- Producers cannot create the digital signature parts before producing the signed packages.
- There are cyclic dependencies with signed relationship parts containing the relationship to the signature parts themselves.

Therefore, when adding a digital signature to an interleaved package, producers of digitally signed documents that are intended for streaming consumption SHOULD add all digital signature parts and the package relationship to the digital signature parts at the beginning of the package, before adding any other part [S10.10].

---

## 17.2 Digital Signatures

The digital signature specification for OpenXPS Documents is described in the OPC Standard. It allows users to sign arbitrary parts, relationship parts, and individual relationships. Although OpenXPS Documents also use these digital signature mechanisms, they have a specific signature policy and a specific signing mechanism for documents containing co-signing requests.

[*Note*: Consistent with the OPC Specification, implementations may include signatures with arbitrary data in the XML Signature <Object> element. *end note*]

### 17.2.1 Signature Policy

This Standard defines the signature policy that governs the methods of signing and verifying signatures for OpenXPS Documents. The OpenXPS Document signature policy includes a specific set of signing rules and validity rules. All producers and consumers signing and verifying signatures for end users or applications **MUST** adhere to these rules consistently [M10.8] to ensure that end users can rely on applications to display accurate signature information.

When signing a document, users can choose to make any of the following actions invalidate the signature:

- Editing core properties
- Adding signatures

Consumers **MUST NOT** prevent an end user from taking an action solely because doing so will invalidate an existing signature [M10.9]. Consumers **SHOULD**, however, inform the end user if an action they are going to take will invalidate an existing signature [S10.11].

#### 17.2.1.1 Signing Rules

An OpenXPS Document **MUST** be considered signed according to the OpenXPS Document signing policy, regardless of the validity of that signature, if the following *signing rules* are followed [M10.10]:

1. The following parts **MUST** be signed [M10.10]:
  - a. The <SignedInfo> portion of the Digital Signature XML Signature part containing this signature.
  - b. The FixedDocumentSequence part that is the target of the Start Part package relationship.
  - c. All FixedDocument parts referenced in the markup of the FixedDocumentSequence part. (Adding a FixedDocument part to a signed OpenXPS Document will invalidate the signature.)
  - d. All FixedPage parts referenced by all signed FixedDocument parts.
  - e. All parts associated with each signed FixedPage part by means of a Required Resource relationship (such as fonts, images, color profiles, remote resource dictionaries).
  - f. All DocumentStructure parts associated via a Document Structure relationship with all signed FixedDocument parts.
  - g. All StoryFragments parts associated via Story Fragments relationship with all signed FixedPage parts.

- h. All SignatureDefinitions parts associated via a Signature Definitions relationship with any signed FixedDocument part. (Once a document is signed, adding any new signature definitions will invalidate the signature.)
  - i. All Thumbnail parts associated via a Thumbnail relationship from the package root or with any signed FixedPage part.
2. The following parts MAY be signed [O10.16]:
    - a. The CoreProperties part.
    - b. The Digital Signature Origin part.
    - c. A Digital Signature Certificate part.
    - d. PrintTicket parts.
    - e. DiscardControl parts.
  3. All relationships with the following RelationshipTypes (see §D) MUST be signed [M10.10]:
    - a. StartPart relationship from the package root
    - b. DocumentStructure relationship from a FixedDocument part
    - c. StoryFragments relationship from a FixedPage part
    - d. Digital Signature Definitions relationship from a FixedDocument part
    - e. Required Resource relationship from a FixedPage part
    - f. Restricted Font relationship from a FixedDocument part
    - g. Thumbnail relationship from a FixedPage part or the package root
  4. All relationships with the following RelationshipTypes MUST be signed if their Target part is signed [M10.10]:
    - a. Core Properties relationship
    - b. Digital Signature Origin relationship
    - c. Digital Signature Certificate relationship from a Digital Signature XML Signature part
    - d. PrintTicket relationship
    - e. DiscardControl relationship
  5. Relationships with the following RelationshipTypes MAY be signed as a group (they MUST NOT be signed individually) [M10.10]:
    - a. All Digital Signature XML Signature relationships from the Digital Signature Origin part (signing all relationships of this RelationshipType will cause this signature to break when a new signature is added).
  6. All of the above-referenced parts and relationships MUST be signed using a single digital signature [M10.10].

An OpenXPS Document MUST NOT be considered signed according to the OpenXPS Document signing policy if [M10.11]:

1. Any part not covered by the signing rules above is included in the signature.
2. Any relationship not covered by the signing rules above is included in the signature.

An OpenXPS Document digital signer MUST NOT sign an OpenXPS Document that contains content (parts or relationships parts) to be signed that defines the Markup Compatibility

namespace when the signer does not fully understand all elements, attributes, and alternate content representations introduced through the markup compatibility mechanisms [M10.12]. An OpenXPS Document digital signer MAY choose not to sign any content (parts or relationships parts) that defines the Markup Compatibility namespace, even when the content is fully understood [O10.8].

An OpenXPS Document digital signer MUST NOT sign a PrintTicket part if it does not fully understand the PrintTicket content [M10.25].

#### 17.2.1.2 Signing Validity

An OpenXPS Document digital signature MUST be treated as an *incompliant digital signature* if [M10.13]:

- It violates any of the signing rules described above regarding parts or relationships that MUST NOT be signed.

An OpenXPS Document digital signature MUST be shown as a *broken digital signature* if [M10.14]:

- It is not an incompliant digital signature and it violates any of the signing rules described above regarding parts or relationships that MUST be signed.
- It is not an incompliant digital signature, but the signature fails the signature validation routines described in the OPC.

An OpenXPS Document digital signature MUST be shown as a *questionable digital signature* if any of the following are true [M10.15]:

- It is not an incompliant or broken digital signature, but the certificate cannot be authenticated against the certificate authority.
- It is not an incompliant or broken digital signature, but the signed content (parts and relationships) contain elements or attributes from an unknown namespace introduced through the Markup Compatibility mechanisms.

An OpenXPS Document digital signature MAY be shown as a questionable digital signature if [O10.9]:

- It is not an incompliant or broken digital signature, but contains some other detectable problem at the discretion of the consumer.

An OpenXPS Document digital signature MUST be shown as a *valid digital signature* if [M10.16]:

- It is not an incompliant, broken, or questionable digital signature.

#### 17.2.1.3 Adding Signatures

OpenXPS Documents MAY be signed more than once [O10.10]. A user who signs an OpenXPS Document might or might not want to allow any additional signing of the document. To prohibit additional signatures in an OpenXPS Document, the signing application MUST sign all the Digital Signature Origin part's relationships of relationship type Digital Signature with the same signature as the rest of the content [M10.17].

#### 17.2.1.4 Certificate Store

OpenXPS Document signatures MUST NOT refer to a remote certificate store (certificate not contained in the OpenXPS Document). All certificates MUST be stored in the OpenXPS Document either as a Certificate part or in the Digital Signature XML Signature part [M10.18].

#### 17.2.1.5 Printing Signed Documents

Consumers that support printing of signed documents SHOULD support control through PrintTicket settings pertaining to the treatment of OpenXPS Documents with invalid or questionable signatures [S10.22].

This setting can specify behaviors such as:

1. Print the job regardless of the validity of the digital signatures. Digital signatures can be ignored.
2. Print the job regardless of the validity of the digital signatures. In the event an invalid signature is encountered, an error page should print at the end of the job. Digital signatures cannot be ignored.
3. Print the job only if all digital signatures are valid. Digital signatures cannot be ignored.

#### 17.2.2 Signature Definitions

In some workflow scenarios, documents must be signed as a means of approving their content. [*Example*: Document producers might be required to sign their documents in order to provide proof of authenticity. *end example*] In other cases, reviewers might be required to co-sign content before it can be submitted for publication. These requirements can be fulfilled with a digitally signed OpenXPS Document.

Whereas the OpenXPS package model supports the signing of arbitrary content in a package, an OpenXPS Document signing workflow requires additional features, including the ability to specify co-signature requirements and to include workflow-specific signature information in the document. OpenXPS Document authors and signing parties provide such information in an XML *signature definition*.

Signature definitions are represented by <SignatureDefinition> elements within a single <SignatureDefinitions> element.


Example 17–4. A SignatureDefinitions part

```
<SignatureDefinitions xmlns="http://schemas.openxps.org/oxps/v1.0/
signature-definitions">
  <SignatureDefinition SignerName="John Smith"
    SpotID="0e0a7abb-48c9-595d-77db-305e84a05fc3">
    <SpotLocation
      PageURI="/Documents/1/Pages/2.fpage"
      StartX="0.0"
      StartY="0.0" />
    <Intent>I have read and agree</Intent>
    <SignBy>2005-08-20T23:59:59Z</SignBy>
    <SigningLocation>New York, NY</SigningLocation>
  </SignatureDefinition>
</SignatureDefinitions>
```

*end example*]

**17.2.2.1 <SignatureDefinitions> Element**


element **SignatureDefinitions**



If the SignatureDefinitions part exists, it MUST contain only one <SignatureDefinitions> element [M10.26]. The XML namespace for the <SignatureDefinitions> element is specified in §D.1.

**17.2.2.2 <SignatureDefinition> Element**

element **SignatureDefinitionsType/SignatureDefinition**




If the SignatureDefinitions part exists, there MUST be *at least* one <SignatureDefinition> element [M10.27].

**17.2.2.2.1 SpotID Attribute**

The SpotID attribute is REQUIRED [M2.72]. This attribute MAY be used to link an existing signature to the <SignatureDefinition> element [O10.12]. The value of this attribute MUST be globally unique to ensure that a Signature part can be linked to only one <SignatureDefinition> element [M10.29]. To link a <SignatureDefinition> to a signature, the value of the SpotID MUST be specified in the Id attribute of the corresponding <Signature> element in the Digital Signature XML Signature part [M10.19]..

**17.2.2.3 <SpotLocation> Element**


element **SignatureDefinitionType/SpotLocation**

<p>diagram</p>																														
<p>attributes</p>	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>PageURI</td> <td>xs:anyURI</td> <td>required</td> <td></td> <td></td> <td>Specifies the page on which the signature spot should be displayed.</td> </tr> <tr> <td>StartX</td> <td>xs:double</td> <td>required</td> <td></td> <td></td> <td>Specifies the x coordinate of the origin point (upper-left corner) on the page where the signature spot should be displayed.</td> </tr> <tr> <td>StartY</td> <td>xs:double</td> <td>required</td> <td></td> <td></td> <td>Specifies the y coordinate of the origin point (upper-left corner) on the page where the signature spot should be displayed.</td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	PageURI	xs:anyURI	required			Specifies the page on which the signature spot should be displayed.	StartX	xs:double	required			Specifies the x coordinate of the origin point (upper-left corner) on the page where the signature spot should be displayed.	StartY	xs:double	required			Specifies the y coordinate of the origin point (upper-left corner) on the page where the signature spot should be displayed.					
Name	Type	Use	Default	Fixed	Annotation																									
PageURI	xs:anyURI	required			Specifies the page on which the signature spot should be displayed.																									
StartX	xs:double	required			Specifies the x coordinate of the origin point (upper-left corner) on the page where the signature spot should be displayed.																									
StartY	xs:double	required			Specifies the y coordinate of the origin point (upper-left corner) on the page where the signature spot should be displayed.																									
<p>annotation</p>	<p>Specifies where a consumer should place a signature spot.</p>																													

The <SpotLocation> element is OPTIONAL [O10.15]. It specifies where an OpenXPS Document viewer should place a visual representation or *signature spot* to indicate that a digital signature has been applied or requested. The viewing consumer SHOULD use the values specified in this element [O10.15]. Due to space and rendering limitations, producers MUST NOT assume that consumers will use these values [M10.20]. If the location specified by this element is not used, it is RECOMMENDED that consumers choose a location that does not contain any page content [S10.13].

The size and shape of the signature spot are determined by the consumer. Consumers MAY choose a size and shape based on the desired display information and page content [O10.13]. However, it is RECOMMENDED that they render signature spots as consistently sized rectangles that include the signer name, the intent, the signing location, and the scope of the OpenXPS Document to be signed [S10.14]. It is also RECOMMENDED that the signature spot be a clickable area used to launch the digital signing process [S10.15].

Figure 17-1. A sample signature spot



#### 17.2.2.4 <Intent> Element

element **SignatureDefinitionType/Intent**

diagram	
annotation	A string that represents the intent to which the signing party agrees when signing the document.

Consumers MUST display the full value of the <Intent> element to the signing party, either in the signature spot or through some other mechanism [M10.21].

[Note: Consumers that wish to display signature spots must consider the implications of supporting any Unicode character that can be specified in the <Intent> element, and of the possibility of Unicode non-characters being included. They must also make decisions about the appropriate font face and size to use as well as determine the proper layout and interactivity of the signature spot. In the interests of maximizing compatibility, creators are recommended to normalize the string using NFC. These decisions are implementation-defined. *end note*]

#### 17.2.2.5 <SignBy> Element

element **SignatureDefinitionType/SignBy**

diagram	
annotation	The date and time by which the requested party is to sign the OpenXPS Document.

If specified, the consumer SHOULD NOT allow the signing party to sign the document using this particular signature spot after the date and time specified [S10.16]. The date and time MUST be specified in UTC time, using the format "Complete date plus hours, minutes and seconds" described in the W3C Note "Date and Time Formats" [M10.22], [Example: "2006-12-31T23:59:59Z" for 11:59 PM (UTC) on December 31, 2006. *end example*]

#### 17.2.2.6 <SigningLocation> Element

element **SignatureDefinitionType/SigningLocation**

diagram	
annotation	The legal location where the document is signed.

The <SigningLocation> element MAY be set by the original producer of the OpenXPS Document or by the signing party at the time of requesting a signature [O10.14].

### **17.3 Core Properties**

OpenXPS Documents use the Core Properties part described in the OPC. The core properties specified in that part SHOULD refer to the entire fixed payload, including the root FixedDocumentSequence part and the compilation of all FixedDocument parts it references [S10.17].



## 18. Rendering Rules

The set of rules described here ensures precise and consistent rendering of OpenXPS Document markup across various implementations. Producers MUST generate OpenXPS Documents that can be accurately rendered by following the rules described in this clause [M11.1]. Consumers MUST adhere to the rules described in this clause when rendering OpenXPS Documents [M11.1]. In addition to rules for visual elements, implementation limits are also discussed.

---

### 18.1 Coordinate System and Rendering Placement

In the  $x,y$  coordinate system, one unit is initially equal to 1/96 inch, expressed as a real number. The initial origin of the coordinate system is the top left corner of the fixed page. The  $x$ -coordinate value increases from left to right; the  $y$ -coordinate value increases from top to bottom.

A `RenderTransform` property can be specified on any path, glyphs, or canvas to apply an affine transform to the current coordinate system.

A `Transform` property can be specified on any visual brush, image brush, linear gradient brush, radial gradient brush, or path geometry to apply an affine transform to the current coordinate system.

#### 18.1.1 Page Dimensions

The logical page dimensions correspond to the page size specified in the application page layout and are specified by the `Width` and `Height` attributes of the `<FixedPage>` element. Further optional attributes on the `<FixedPage>` element are used to specify details about the areas of the fixed page that contain rendered content. For more information, see §10.3.

#### 18.1.2 Rounding of Coordinates

All computations on coordinate values SHOULD be performed with at least single floating-point precision [S11.1]. Final conversion (after all transforms have been computed) to device coordinates SHOULD retain at least as much fractional precision as a 28.4 fixed-point representation before performing pixel coverage calculations [S11.1].

Very high resolution devices MAY use lower fractional precision to represent device coordinates [O11.1].

When converting from real-number coordinate values to device coordinate values, rounding is performed according to the following rule:

$$\text{coord}_d = \text{ROUND}(\text{coord}_r * 16.0) / 16$$

Where  $\text{coord}_r$  expresses a real-number coordinate value and  $\text{coord}_d$  expresses a device coordinate value.

### 18.1.3 Transforms

OpenXPS Document markup supports affine transforms as expressed through the `RenderTransform` and `Transform` properties. An affine transform is represented as a list of six real numbers: `m11`, `m12`, `m21`, `m22`, `OffsetX`, `OffsetY`. (For markup details, see §14.4.)

The full matrix is as follows:

$$\begin{bmatrix} M11 & M12 & 0 \\ M21 & M22 & 0 \\ OffsetX & OffsetY & 1 \end{bmatrix}$$

A given  $x,y$  coordinate is transformed with a render transform to yield the resulting coordinate  $x',y'$  by applying the following computations:

$$\begin{aligned} x' &= x * m11 + y * m21 + OffsetX \\ y' &= x * m12 + y * m22 + OffsetY \end{aligned}$$

When rendering a child or descendant element, the effective transform used for rendering is the concatenation of all the transforms specified by the `RenderTransform` or `Transform` property on parent or ancestor elements, starting from the outermost ancestor.

Non-invertible effective transforms can be specified in markup or occur as a result of limited numerical precision during concatenation. If a non-invertible transform is encountered during rendering, consumers MUST omit rendering the affected element and all of its child and descendant elements [M11.2].

If a non-invertible transform is encountered on a brush (as specified directly on the brush, as a result of the `Viewbox` or `Viewport` attributes, or through concatenation), the brush is treated according to §18.7.1.

The `Width` and `Height` values specified in the `Viewbox` and `Viewport` attributes of an `<ImageBrush>` or `<VisualBrush>` element MUST NOT be negative [M11.10].

If a non-invertible transform is encountered on a geometry (as specified directly on the geometry or through concatenation), the geometry MUST be considered to contain no area [M11.3].

A final, device-dependent step using the horizontal resolution and vertical resolution of the device converts the resulting coordinates  $x',y'$  to device coordinates  $x'',y''$ , as follows:

$$\begin{aligned} x'' &= x' * R_x/96 \\ y'' &= y' * R_y/96 \end{aligned}$$

Where  $R_x$  is the horizontal resolution and  $R_y$  is the vertical resolution of the device, specified in device pixels per inch.

### 18.1.4 Pixel Center Location, Pixel Placement, and Pixel Inclusion

A pixel covers the range from  $x$  to  $x+1$ .

An *ideal* consumer implementation SHOULD render pixels in an 8x8 sub-pixel space, perform an 8x8 box filter sampling, and set the pixel to the resulting color value [S11.2]. Other implementations MAY use different rendering logic as long as it closely approximates this logic [O11.2].

When rendering a shape, a *practical* implementation (such as a bi-tonal printing device) SHOULD turn on each pixel whose center (at  $x+0.5$ ) is covered by the shape, or is touched by the shape with the shape extending beyond the pixel center in the positive  $x$  or  $y$  direction of the device [S11.3]. Devices MAY use sub-pixel masking instead [O11.3].

By definition, a shape with an area width of 0 (that is, no included area) does not touch or cover any pixel centers. A stroke with a width of 0 is treated in the same manner.

As a result of these rules, the behavior for very thin lines is implementation-defined:

- An implementation capable of anti-aliasing MAY draw a thin line in a way that blends with the background to varying degrees [O11.4].
- A bi-tonal implementation on a printer MAY draw thin lines, or apply half-toning, depending on the desired output quality [O11.5]. If such an implementation chooses to draw thin lines, then it MAY choose to draw them with drop outs, following requirement S11.3 in §18.1.4 above, or as solid rules of 1 pixel thickness [O11.26].

[Note: Also see §18.6.12 for discussion of thin strokes. *end note*]

### 18.1.5 Maximum Placement Error

When rendering geometries, consumers SHOULD render curves so they appear smooth from a normal viewing distance [S11.4]. Producers MUST NOT assume a specific placement error for curve decomposition or rely on side-effects of a specific consumer implementation [M11.4].

### 18.1.6 Pixel Placement for Glyphs

Regardless of other rules expressed here, consumers MAY apply pixel placement rules optimized for character rendering to individual glyphs in a <Glyphs> element [O11.6]. Such rules can result from font hinting applied by the typeface scaler used by a consumer implementation.

### 18.1.7 Abutment of Shapes

When no anti-aliasing is used, abutting shapes that share the same device coordinates for the end-points and control-points of an edge SHOULD be rendered without overlap and without gaps [S11.5]. Ideally, an implementation SHOULD also follow this rule for shapes that are mathematically abutting without sharing device coordinates for end-points and control-points of edges [S11.5].

### 18.1.8 Clipping Behavior

Clipping occurs as if a mask were created from the clip geometry according to the pixel placement rules defined in §18.1.4. An ideal consumer SHOULD create such a mask in an 8x8 sub-pixel space and subsequently draw only those sub-pixels of a shape that correspond to "ON" sub-pixels in the mask [S11.6].

A practical implementation (such as a bi-tonal printing device) SHOULD create a pixel mask according to §18.1.4, and subsequently draw only those pixels of a shape that correspond to "ON" pixels in the mask. In creating the mask and drawing the shape, the abutment of shapes rule SHOULD be observed so that no pixel of the shape is drawn that would not have been drawn if the clip geometry were another abutting shape [S11.7]. Devices MAY use sub-pixel masking instead [O11.3].

## 18.2 Implementation Limits

OpenXPS Document markup does not assume fixed implementation limits. However, consumers can have specific implementation limits imposed by their operating environment. OpenXPS Document markup has been designed so that even complex pages can be represented accurately and with high fidelity.

A typical consumer implementation SHOULD be able to process markup with the characteristics indicated in Table 18–1 [S11.8]. If a consumer encounters markup with characteristics outside its implementation-defined limits, it MUST instantiate an error condition [M11.5].

Table 18–1 provides the RECOMMENDED minimum requirements for individual elements. Consumers also have limits on the total number of elements, as imposed by available memory. Producers SHOULD produce only OpenXPS Documents that stay within these implementation limits [S11.8].

In order to process pages that contain a large number of elements, consumers MAY implement support for the DiscardControl part in order to discard elements that have already been processed [O10.5].

Table 18–1. Recommended minimum processing requirements

Characteristic	Type	Limit	Description
Coordinates/transformation matrix elements	Real number	+/- 10 <sup>12</sup>	Largest and smallest coordinate values. Calculations involving numbers close to this limit within a few orders of magnitude are likely to be inaccurate.
Smallest representable non-zero value		+/- 10 <sup>-12</sup>	Coordinate values closest to 0 without rounding to 0. Calculations involving numbers close to this limit within a few orders of magnitude are likely to be inaccurate.
Required precision for coordinates		Single floating point	Coordinates are real numbers and SHOULD be computed with at least single floating point precision [S11.1].
Nested <Canvas> elements		16	Depth of nested <Canvas> elements.
Nested <VisualBrush> elements		16	Depth of nested <VisualBrush> elements within the Visual property. If the nesting level is higher than the limit, a consumer SHOULD attempt to find alternative processes such as flattening the nested content to a bitmap representation rather than failing to draw [S11.10].
Total number of points in a path figure		100,000	
Total number of points in a segment		100,000	
Total number of points in a geometry		100,000	
Total number of elements per page		1,000,000	

Characteristic	Type	Limit	Description
Number of glyphs per <Glyphs> element		5,000	
Number of elements in a single resource dictionary		10,000	
Total number of elements in all resource dictionaries of an individual page		10,000	
Total number of resource dictionaries in nested canvas scope		Number of nested <Canvas> elements + 1	The <FixedPage> element and each nested <Canvas> element can have at most one associated <ResourceDictionary> element
Number of gradient stops in a gradient brush		100	
Number of fixed documents in a fixed document sequence		1,000	
Number of fixed pages in a fixed document		1,000,000	
Number of dash-gap segments in StrokeDashArray property		No preset limit	Practical number of dash-gap segments depends on the StrokeThickness and the total length of the stroked path.
Total size of OpenXPS Document markup per page	Bytes	64,000,000	Total size of markup after removing all unnecessary whitespace (according to the schema in §A.2), assuming markup elements are specified in the default namespace without namespace prefixes, and assuming the most compact representation of all attributes using abbreviated syntax where possible.

### 18.3 Gradient Computations

To ensure the greatest possible consistency among consumers, gradients SHOULD be rendered according to the guidelines described in this subclause [S11.11].

#### 18.3.1 All Gradients

Linear gradients and radial gradients share a common set of recommended operations for pre-processing gradient stops and blending colors. These are described below.

##### 18.3.1.1 Gradient Stop Pre-Processing

Consumers SHOULD pre-process gradient stops for all gradients using the following steps [S11.12]:

1. Sort all gradient stops by their respective offset values in ascending order. When two or more gradient stops have the same offset value, preserve their relative order from the markup while sorting. When more than two gradient stops have the same offset value, remove all but the first and last gradient stops having the same offset value.
2. If no gradient stop with an offset of 0.0 exists,

- a. And no gradient stop with an offset less than 0.0 exists, create an artificial gradient stop having an offset of 0.0 and a color of the gradient stop with the smallest offset value.
  - b. And a gradient stop with an offset less than 0.0 exists and a gradient stop with an offset greater than 0.0 exists, create an artificial gradient stop having an offset of 0.0 and a color interpolated between the two gradient stops surrounding 0.0. Discard all gradient stops with an offset less than 0.0.
  - c. And a gradient stop with an offset less than 0.0 exists and no gradient stop with an offset greater than 0.0 exists, create an artificial gradient stop having an offset of 0.0 and a color of the gradient stop with the largest offset value. Discard all gradient stop elements with an offset less than 0.0.
3. If no gradient stop with an offset of 1.0 exists,
- a. And no gradient stop with an offset of greater than 1.0 exists, create an artificial gradient stop having an offset of 1.0 and a color equal to the color of the gradient stop with the largest offset value.
  - b. And a gradient stop with an offset greater than 1.0 exists and a gradient stop with an offset less than 1.0 exists, create an artificial gradient stop having an offset of 1.0 and a color interpolated between the two surrounding gradient stops. Discard all gradient stops with an offset greater than 1.0.
  - c. And a gradient stop with an offset greater than 1.0 exists and no gradient stop with an offset less than 1.0 exists, create an artificial gradient stop having an offset of 1.0 and a color equal to that of the gradient stop with the smallest offset value. Discard all gradient stops with an offset greater than 1.0.

#### 18.3.1.2 Blending Colors

If any gradient stops use an sRGB or scRGB color specification consumers SHOULD blend colors between gradient stops in the color space indicated by the ColorInterpolationMode attribute of the gradient brush, unless a PrintTicket setting provides an alternative blending color space that the consumer understands (see §9.1.9 and §15.5) [S11.13]. If none of the gradient stop elements uses an sRGB or scRGB color specification and the consumer understands the blending color space PrintTicket setting, the blending color space PrintTicket setting SHOULD be used [S11.13].

The function used for blending is:

`BLEND(offset, clo, chi)`

Where the offset is between 0 and 1.  $c_{lo}$  and  $c_{hi}$  designate the color values for an offset of 0 and 1, respectively.

If a ColorInterpolationMode value of SRgbLinearInterpolation is used, the BLEND() function SHOULD convert the color values to sRGB first, and then perform a linear interpolation between them [S11.14].

If a ColorInterpolationMode value of ScRgbLinearInterpolation is used, the BLEND() function SHOULD convert the color values to scRGB first, and then perform a linear interpolation between them [S11.15].

In the presence of transformations or when individual gradient stops are very close (separated by a few pixels or less in the device space), the local color gradient at the offset used in the BLEND() function might be large, resulting in a large change over the extent of a single device

pixel. In this case, it is RECOMMENDED that the BLEND() function interpolate the gradient over the extent of each device pixel [S11.16]. However, the behavior MAY differ from this recommendation in an implementation-defined manner [O11.7] and, therefore, producers SHOULD NOT rely on a specific effect for such dense gradient specifications [S11.16].

As a consequence of this interpolation, radial gradients that define the gradient origin on or outside the ellipse create an outside area that can be rendered inconsistently. The radial gradients that are affected are those that define multiple gradient stops that are of different colors and are very close in Offset value to 0.0 or 1.0 (the gradient end points), for radial gradients with a SpreadMethod value of Repeat or Reflect, respectively. For these affected gradients, consumers MAY use an interpolated color value for the outside area [O11.8]. Depending on the resolution, this can result in different colors than those defined by the gradient end points. The closer a gradient stop is to the affected gradient end point, the more the rendering results generated by different consumers and at different display resolutions can differ. Producers SHOULD therefore either avoid such close gradient stops to the gradient end point when specifying radial gradients where the outside area is visible or avoid specifying radial gradients with a gradient origin on or outside the ellipse (in which case, there is no outside area) to ensure consistent rendering results [S11.17].

### 18.3.2 Linear Gradients

Consumers SHOULD render an element filled with a linear gradient brush using an implementation of the BLEND() function such that the appearance is the same as if the following steps had been taken [S11.33]:

4. Transform the StartPoint and EndPoint attribute values using the current effective render transform (including the render transform for the element being filled by the linear gradient brush and the brush's transform itself).
5. If the SpreadMethod value is Pad, the colors of points on the line defined by the StartPoint and EndPoint attributes are defined by interpolating the coordinates linearly, and each color component (such as R, G, B for sRGB and scRGB) as well as the alpha component is interpolated between the component values of the closest enclosing gradient stops:

For each offset (real number)  $t < 0$ :

```
{
  x(t) = (EndPointx-StartPointx)*t+StartPointx
  y(t) = (EndPointy-StartPointy)*t+StartPointy
  c(t) = cfirst
  a(t) = afirst
}
```

Where  $c$  is the color component and  $a$  is the alpha component.  $c_{first}$  are the color component values of the first gradient stop (after sorting) and  $a_{first}$  is the alpha component value at the first gradient stop (after sorting).

For each offset (real number)  $0 \leq t \leq 1$ :

```
{
  x(t) = (EndPointx-StartPointx)*t+StartPointx
  y(t) = (EndPointy-StartPointy)*t+StartPointy
  c(t) = BLEND((t-tlo)/(thi-tlo), clo, chi)
  a(t) = [(t-tlo)/(thi-tlo)]*(ahi-alo)+alo
}
```

Where  $t_{lo}$  and  $t_{hi}$  are the offsets,  $c_{lo}$  and  $c_{hi}$  are the color component values at the closest enclosing gradient stops (that is,  $t_{lo} \leq t \leq t_{hi}$ ) and  $a_{lo}$  and  $a_{hi}$  are the alpha component values at the closest enclosing gradient stops ( $t_{lo} \leq t \leq t_{hi}$ ).

For each offset (real number)  $t > 1$ :

```
{
  x(t) = (EndPointx-StartPointx)*t+StartPointx
  y(t) = (EndPointy-StartPointy)*t+StartPointy
  c(t) = clast
  a(t) = alast
}
```

Where  $c_{last}$  are the color component values of the last gradient stop (after sorting) and  $a_{last}$  is the alpha component value at the last gradient stop (after sorting).

6. If the SpreadMethod value is Repeat, the colors of points on the line defined by the StartPoint and EndPoint attributes are defined by interpolating the coordinates linearly, and each color component (such as R, G, B for sRGB and scRGB) as well as the alpha component is interpolated between the component values of the closest enclosing gradient stops:

For each repetition (all integers) N:

```
{
  For each offset (real number)  $0 \leq t < 1$ :
  {
    x(t) = (EndPointx-StartPointx)*(N+t)+StartPointx
    y(t) = (EndPointy-StartPointy)*(N+t)+StartPointy
    c(t) = BLEND((t-tlo)/(thi-tlo), clo, chi)
    a(t) = [(t-tlo)/(thi-tlo)]*(ahi-alo)+alo
  }
}
```

Where  $c$  is the color component and  $a$  is the alpha component.  $t_{lo}$  and  $t_{hi}$  are the offsets,  $c_{lo}$  and  $c_{hi}$  are the color component values at the closest enclosing gradient stops (that is,  $t_{lo} \leq t \leq t_{hi}$ ) and  $a_{lo}$  and  $a_{hi}$  are the alpha component values at the closest enclosing gradient stops ( $t_{lo} \leq t \leq t_{hi}$ ).

7. If the SpreadMethod value is Reflect, the colors of points on the line defined by the StartPoint and EndPoint attributes are defined by interpolating the coordinates linearly, and each color component (such as R, G, B for sRGB and scRGB) as well as the alpha component is interpolated between the component values of the closest enclosing gradient stops:

For each repetition (all integers) N:

```
{
  For each offset (real number)  $0 \leq t \leq 1$ :
  {
    If (N is EVEN)
    {
      x(t) = (EndPointx-StartPointx)*(N+t)+StartPointx
      y(t) = (EndPointy-StartPointy)*(N+t)+StartPointy
    }
    Else
    {
      x(t) = (EndPointx-StartPointx)*(N+1-t)+StartPointx
      y(t) = (EndPointy-StartPointy)*(N+1-t)+StartPointy
    }
    c(t) = BLEND((t-tlo)/(thi-tlo), clo, chi)
    a(t) = [(t-tlo)/(thi-tlo)]*(ahi-alo)+alo
  }
}
```

Where  $c$  is the color component and  $a$  is the alpha component.  $t_{lo}$  and  $t_{hi}$  are the offsets,  $c_{lo}$  and  $c_{hi}$  are the color component values at the closest enclosing gradient stops (that is,  $t_{lo} \leq t \leq t_{hi}$ ) and  $a_{lo}$  and  $a_{hi}$  are the alpha component values at the closest enclosing gradient stops ( $t_{lo} \leq t \leq t_{hi}$ ).

8. The colors of points not on the extended line defined by the StartPoint and EndPoint attributes are the same as the color of the closest point on the line defined by the StartPoint and EndPoint attributes, measured in the coordinate space as transformed by the current effective render transform (including the render transform for the element being filled by the linear gradient brush and the brush's transform itself).
9. Clip the resulting set of points to the intersection of the current clip geometry and the path or glyphs to be filled. Both the clip and path (or glyphs) must be transformed according to the current effective render transform, including the render transform for the element being filled, but *not* including the transform of the linear gradient brush.

For purposes of the above steps, the closest enclosing gradient stops mean the gradient stops that, as sorted following §18.3.1.1, are numerically closest to the interpolation point if that interpolation point were converted to an offset value and inserted in a sorted fashion into the list of gradient stops. [Example: If a gradient contains three gradient stops at offset values 0.0, 0.0, and 1.0, the closest enclosing gradient stops for any value  $0 \leq \text{value} \leq 1$  are the second gradient stop (offset 0.0) and the third gradient stop (offset 1.0). end example]

### 18.3.3 Radial Gradients

Consumers SHOULD render an element filled with a radial gradient brush using an implementation of the BLEND() function such that the appearance is the same as if these steps had been followed [S11.34]:

1. The boundary of the area filled by a radial gradient brush is defined by interpolating ellipses from the GradientOrigin value to the circumference of the ellipse centered at the point specified by the Center attribute with radii equal to the RadiusX and RadiusY attribute values (the interpolated ellipses and point being transformed by the current effective render transform, including the render transform for the element being filled by the radial gradient brush and the brush's transform itself). If the gradient origin is outside the circumference of the ellipse specified, the effect will be as if a cone were drawn, tapering to the gradient origin.
2. If the SpreadMethod value is Pad, the centers and radii of the interpolated ellipses are defined by linearly interpolating the center of the ellipse from the GradientOrigin attribute value to the Center attribute value, and simultaneously linearly interpolating the radii of the ellipse from 0 to the RadiusX and RadiusY attribute values:

For each offset (real number)  $0 \leq t \leq 1$ :

```
{
  cx(t) = (Centerx-GradientOriginx)*t+GradientOriginx
  cy(t) = (Centery-GradientOriginy)*t+GradientOriginy
  rx(t) = RadiusX*t
  ry(t) = RadiusY*t
}
```

The ellipses defined by the interpolation are transformed by the current effective render transform, including the render transform for the element being filled by the radial gradient brush and the brush's transform itself.

3. The colors of the points within the boundary of this shape are defined as the color of the smallest interpolated ellipse containing the point. The color of an interpolated ellipse is

defined by interpolating each color component (such as R, G, B for sRGB and scRGB) as well as the alpha component between the component values of the closest enclosing gradient stops:

```
For each offset (real number)  $0 \leq t \leq 1$ :
{
   $c(t) = \text{BLEND}((t-t_{1o})/(t_{hi}-t_{1o}), c_{1o}, c_{hi})$ 
   $a(t) = [(t-t_{1o})/(t_{hi}-t_{1o})]*(a_{hi}-a_{1o})+a_{1o}$ 
}
```

Where  $t_{1o}$  and  $t_{hi}$  are the offsets,  $c_{1o}$  and  $c_{hi}$  are the color component values at the closest enclosing gradient stops (that is,  $t_{1o} \leq t \leq t_{hi}$ ) and  $a_{1o}$  and  $a_{hi}$  are the alpha component values at the closest enclosing gradient stops ( $t_{1o} \leq t \leq t_{hi}$ ).

- If the SpreadMethod value is Repeat, the centers and radii of the interpolated ellipses are defined by linearly interpolating the center of the ellipse from the GradientOrigin attribute value to the Center attribute value, and simultaneously linearly interpolating the radii of the ellipse from 0 to RadiusX and RadiusY attribute values:

```
For each repetition (all non-negative integers) N:
{
  For each offset (real number)  $0 \leq t < 1$ :
  {
     $c_x(t) = (\text{Center}_x - \text{GradientOrigin}_x)*(N+t) + \text{GradientOrigin}_x$ 
     $c_y(t) = (\text{Center}_y - \text{GradientOrigin}_y)*(N+t) + \text{GradientOrigin}_y$ 
     $r_x(t) = \text{RadiusX}*(N + t)$ 
     $r_y(t) = \text{RadiusY}*(N + t)$ 
  }
}
```

The ellipses defined by the interpolation are transformed by the current effective render transform, including the render transform for the element being filled by the radial gradient brush and the brush's transform itself.

- The colors of the points within the boundary of this shape are defined as the color of the smallest interpolated ellipse containing the point. The color of an interpolated ellipse is defined by interpolating each color component (such as R, G, B for sRGB and scRGB) as well as the alpha component between the component values of the closest enclosing gradient stops:

```
For each repetition (all non-negative integers) N:
{
  For each offset (real number)  $0 \leq t < 1$ :
  {
     $c(t) = \text{BLEND}((t-t_{1o})/(t_{hi}-t_{1o}), c_{1o}, c_{hi})$ 
     $a(t) = [(t-t_{1o})/(t_{hi}-t_{1o})]*(a_{hi}-a_{1o})+a_{1o}$ 
  }
}
```

Where  $t_{1o}$  and  $t_{hi}$  are the offsets,  $c_{1o}$  and  $c_{hi}$  are the color component values at the closest enclosing gradient stops (that is,  $t_{1o} \leq t \leq t_{hi}$ ) and  $a_{1o}$  and  $a_{hi}$  are the alpha component values at the closest enclosing gradient stops ( $t_{1o} \leq t \leq t_{hi}$ ).

- If the SpreadMethod value is Reflect, the centers and radii of the interpolated ellipses are defined by linearly interpolating the center of the ellipse from the GradientOrigin attribute value to the Center attribute value, and simultaneously linearly interpolating the radii of the ellipse from 0 to the RadiusX and RadiusY attribute values:

```

For each non-negative integer N:
{
  For each offset (real number)  $0 \leq t \leq 1$ :
  {
     $c_x(t) = (\text{Center}_x - \text{GradientOrigin}_x) * (N+t) + \text{GradientOrigin}_x$ 
     $c_y(t) = (\text{Center}_y - \text{GradientOrigin}_y) * (N+t) + \text{GradientOrigin}_y$ 
     $r_x(t) = \text{RadiusX} * (N+t)$ 
     $r_y(t) = \text{RadiusY} * (N+t)$ 
  }
}

```

The ellipses defined by the interpolation are transformed by the current effective render transform, including the render transform for the element being filled by the radial gradient brush and the brush's transform itself.

- The colors of the points within the boundary of this shape are defined as the color of the smallest interpolated ellipse containing the point. The color of an interpolated ellipse is defined by interpolating each color component (such as R, G, B for sRGB and scRGB) as well as the alpha component between the component values of the closest enclosing gradient stops:

```

For each non-negative integer N:
{
  For each offset (real number)  $0 \leq t \leq 1$ :
  {
    If N is ODD
       $t' = 1-t$ 
    Else
       $t' = t$ 

     $c(t) = \text{BLEND}((t' - t_{1o}) / (t_{hi} - t_{1o}), c_{1o}, c_{hi})$ 
     $a(t) = [(t' - t_{1o}) / (t_{hi} - t_{1o})] * (a_{hi} - a_{1o}) + a_{1o}$ 
  }
}

```

Where  $t_{1o}$  and  $t_{hi}$  are the offsets,  $c_{1o}$  and  $c_{hi}$  are the color component values at the closest enclosing gradient stops (that is,  $t_{1o} \leq t \leq t_{hi}$ ) and  $a_{1o}$  and  $a_{hi}$  are the alpha component values at the closest enclosing gradient stops ( $t_{1o} \leq t \leq t_{hi}$ ).

- The colors of points outside the boundary of this shape (points which cannot be drawn by any combination of non-negative N and t) are defined as having the color and alpha defined in the gradient stop with the offset of 0.0 for radial gradients with a SpreadMethod value of Reflect and the color and alpha defined in the gradient stop with the offset of 1.0 for radial gradients with a SpreadMethod value of Repeat or Pad. The colors outside of the boundary of this shape can also vary in an implementation-defined manner (see §18.3.1.2 for more details).
- Clip the resulting set of points by the intersection of the current clip geometry and the path or glyphs to be filled. Both the clip and path (or glyphs) must be transformed according to the current effective render transform, including the render transform for the element being filled, but *not* including the transform of the radial gradient brush.

For purposes of the above steps, the closest enclosing gradient stops mean the gradient stops that, as sorted following §18.3.1.1, are numerically closest to the interpolation point if that interpolation point were converted to an offset value and inserted in a sorted fashion into the list of gradient stops. [Example: If a gradient contains three gradient stops at offset

values 0.0, 0.0, and 1.0, the closest enclosing gradient stops for any value  $0 \leq \text{value} \leq 1$  are the second gradient stop (offset 0.0) and the third gradient stop (offset 1.0). *end example*]

## 18.4 Opacity Computations

Opacity is used to blend two elements when rendering, also known as alpha blending. The value of the Opacity property ranges from 0.0 (fully transparent) to 1.0 (fully opaque), inclusive. Values outside of this range are invalid.

The opacity is applied through the following computations, assuming source and destination values are not pre-multiplied. All opacity calculations SHOULD be performed with at least 8-bit precision to provide sufficient quality for nested content [S11.18].

Individual pixels are blended as defined below.

Table 18–2. Opacity computation symbols

Symbol	Description
$O_E$	Opacity attribute of element
$O_M$	Alpha value at corresponding pixel position in the OpacityMask attribute value
$A_S$	Alpha value present in source color
$R_S$	Red value present in source color
$G_S$	Green value present in source color
$B_S$	Blue value present in source color
$A_D$	Alpha value already present in destination surface
$R_D$	Red value already present in destination surface
$G_D$	Green value already present in destination surface
$B_D$	Blue value already present in destination surface
$A_R$	Resulting Alpha value for destination surface
$R_R$	Resulting Red value for destination surface
$G_R$	Resulting Green value for destination surface
$B_R$	Resulting Blue value for destination surface

All values designated with a  $T$  subscript (as in  $R_{T1}$ ) are temporary values.

The opacity is calculated as follows:

1. Multiply source alpha value with opacity value and alpha value of opacity mask.

$$A_{S1} = A_S * O_E * O_M$$

2. Pre-multiply source alpha.

If the source data specifies pre-multiplied alpha (see §18.4.1 for details)  $A_{T1} = 0$ ,  $R_{T1} = R_S$ ,  $G_{T1} = G_S$ ,  $B_{T1} = B_S$ ; otherwise:

$$A_{T1} = A_{S1}$$

$$R_{T1} = R_S * A_{S1}$$

$$G_{T1} = G_S * A_{S1}$$

$$B_{T1} = B_S * A_{S1}$$

### 3. Pre-multiply destination alpha.

If a consumer supports superluminous colors (see §18.4.1 for details)  $A_{T2} = A_D$ ,  $R_{T2} = R_D$ ,  $G_{T2} = G_D$ ,  $B_{T2} = B_D$ ; otherwise:

$$\begin{aligned} A_{T2} &= A_D \\ R_{T2} &= R_D * A_D \\ G_{T2} &= G_D * A_D \\ B_{T2} &= B_D * A_D \end{aligned}$$

### 4. Blend.

See §18.4.1 for special case handling.

$$\begin{aligned} A_{T3} &= (1 - A_{T1}) * A_{T2} + A_{T1} \\ R_{T3} &= (1 - A_{T1}) * R_{T2} + R_{T1} \\ G_{T3} &= (1 - A_{T1}) * G_{T2} + G_{T1} \\ B_{T3} &= (1 - A_{T1}) * B_{T2} + B_{T1} \end{aligned}$$

### 5. Reverse pre-multiplication.

The resulting color channel values are divided by the resulting alpha value. If the resulting alpha value is 0, all color channels are set to 0 by definition, as expressed in the If condition below. Each of  $R_{T3}$ ,  $G_{T3}$ ,  $B_{T3}$  is smaller than or equal to  $A_{T3}$  and, therefore, each of the resulting  $R_R$ ,  $G_R$ ,  $B_R$  is in the valid interval of [0.0,1.0] after the pre-multiplication is reversed.

```
If a consumer supports superluminous colors
{
  AR = AT3,  RR = RT3,  GR = GT3,  BR = BT3
}
Else If AT3 = 0
{
  set all AR RR GR BR to 0.
}
Else
{
  AR = AT3
  RR = RT3/AT3
  GR = GT3/AT3
  BR = BT3/AT3
}
```

When blending colors in a color space other than sRGB, color channels are independently interpolated in a manner analogous to the RGB channel blending method described above. Colors in subtractive color spaces (such as CMYK) are complemented before and after the blending steps described above.

### 18.4.1 Pre-Multiplied Alpha and Superluminous Colors

The alpha information in TIFF images using an ExtraSamples tag value of 1 and in JPEG XR images using pixel formats 32bppPBGRA, 64bppPRGBA or 128bppPRGBAFloat MUST be interpreted as pre-multiplied alpha information [M11.6]. In certain scenarios (such as when rendering 3D scenes to a bitmap), producers MAY choose to create pre-multiplied bitmap data specifying “superluminous” colors [O11.9].

Superluminous colors are defined as a subset case of the pre-multiplied RGB source color values case in which the source alpha value is smaller than the individual color channel values but greater than or equal to 0.

The effect of composing superluminous colors on a background is similar to adding additional light of the source color to the destination color, as opposed to regular alpha composition which works more like a colored filter. One can easily verify this statement by substituting 0 for  $A_{T1}$  in step 4 of the above opacity computations, which is simplified as follows:

$$\begin{aligned} A_{T3} &= A_{T2} \\ R_{T3} &= R_{T2} + R_{T1} \\ G_{T3} &= G_{T2} + G_{T1} \\ B_{T3} &= B_{T2} + B_{T1} \end{aligned}$$

Consumers supporting superluminous colors retain all temporary information in pre-multiplied formats. Note, that throughout the OpenXPS Standard non-pre-multiplied alpha processing is assumed. It is up to the implementer of such a consumer to identify equivalent composition and rendering rules for processing in pre-multiplied space.

Also note, when composing superluminous colors, management of out-of-gamut colors SHOULD be deferred until the result is rendered to the final target, at which point out-of-gamut colors are clipped or color managed [S11.19].

Consumers MAY handle superluminous colors or MAY instead choose to convert pre-multiplied source data containing superluminous colors to non-pre-multiplied data before composition by ignoring the superluminous portion of each color channel value [O11.10], as described in the following steps:

```

For each superluminous pixel with  $A_S < R_S$  or  $A_S < G_S$  or  $A_S < B_S$ 
{
  If  $A_S = 0$ 
  {
     $A_R = 0$ 
     $R_R = 1$ 
     $G_R = 1$ 
     $B_R = 1$ 
  }
  Else
  {
     $A_R = A_S$ 
     $R_R = \min(R_S/A_S, 1)$ 
     $G_R = \min(G_S/A_S, 1)$ 
     $B_R = \min(B_S/A_S, 1)$ 
  }
}

```

---

## 18.5 Composition Rules

OpenXPS Document page markup uses the painter's model with alpha channel. Composition MUST have the same effect as the application of the following rules, in sequence [M11.7]:

1. In order to render a fixed page or canvas, a surface is created to hold the drawing content as it is composed. The color and appearance of this surface SHOULD match the destination color and appearance, typically a solid white background for a fixed page or transparent for a canvas [S11.20]. An implementation MAY choose to meet this goal by always initializing this surface's alpha channel to 0.0 (transparent) and the color value to black [O11.5].
2. The fixed page or canvas represents a surface onto which child elements are drawn. The child elements are drawn in the order they appear in markup. In practice, an implementation might represent the surface by a bitmap buffer large enough to hold all the drawing content produced when the child elements are rendered.
3. The contents appearing on the surface of canvas are transformed using the affine transform specified by the RenderTransform property of the canvas. (A fixed page does not have a RenderTransform property.)
4. All child elements are rendered to the surface and clipped to the imageable area of the physical display (such as a sheet of paper) of the fixed page or according to the Clip property of a canvas. The geometry value of the canvas' Clip property is also transformed using the affine transform specified by the RenderTransform property of the canvas.
5. If a path has a Stroke and a Fill property, and also specifies Opacity or OpacityMask property values, additional composition steps must be followed:
  - a. Create a temporary canvas with the opacity, opacity mask, clip, and render transform specified by the path.
  - b. Create a copy of the original path, remove all but the Fill property from the copy, and add the copy to the temporary canvas.
  - c. Create another copy of the original path, remove all but the stroke-related properties (such as Stroke, StrokeThickness, and StrokeDashArray) from the copy, and add the copy to the temporary canvas.
  - d. Do not draw the original path.
  - e. Draw the temporary canvas, while recursively applying the composition rules.
6. If a grouping element (a <Canvas> element) has an Opacity or OpacityMask property, additional composition steps must be followed:
  - a. Create a temporary surface and set its alpha channel to 0.0 (transparent) and its color value to black.
  - b. Compose all child elements of the grouping element onto the temporary surface, while recursively applying the composition rules.
  - c. Cumulatively apply the opacity of the grouping element and opacity mask to the alpha channel of the temporary surface.
  - d. Draw the contents of the temporary surface onto the containing surface.

7. If a non-grouping element (a `<Path>` or `<Glyphs>` element) has an `Opacity` property, an `OpacityMask` property, or a fill or stroke using transparency, the following additional composition steps must be taken:
  - a. If the element has a `RenderTransform` property, apply it to the element and its `Clip`, `Fill`, `Stroke`, and `OpacityMask` properties, if present.
  - b. Create a mask from the set of all painted pixels representing the child element (after the `Clip` property of the element has been applied).
8. Combine the `Fill` or `Stroke` property with the `OpacityMask` and the `Opacity` property and apply to the surface through the computed mask. For more information, see §14.1.

The behavior that results from this process is:

- `Opacity` is not applied cumulatively to self-overlapping areas created when rendering an individual `<Glyphs>` element.
- `Opacity` is not applied cumulatively to self-overlapping areas created by `<PathFigure>` elements within the same path (see Example 18–1).
- `Opacity` is not applied cumulatively if the border of a path has self-intersections. When the border of a path is stroked, the area of the path is filled by first applying the brush specified by the `Fill` property. After filling the area, the border is drawn using the stroke-related properties including the brush specified by the `Stroke` property, with half the stroke width extending outside the filled area and half extending inside (see Example 18–2). If the path has self-intersections, the opacity is not accumulated.
- The color of the stroke and the color of the filled area are combined on the inside half of a stroked border (overlapping the filled area of the path) if the brush specified by the `Stroke` property is transparent.
- If a path that has a stroked border has an opacity of less than 1.0 or an opacity mask, the path (filled area and stroked border) is first rendered onto a temporary surface using an opacity of 1.0 and no opacity mask (while preserving any transparency of the fill or the stroked border themselves), and the resulting figure is drawn onto the background using the specified opacity and opacity mask (see Example 18–3).

### 18.5.1 Optimization Guidelines

The composition rules above describe the behavior of an ideal implementation. Practical implementations can optimize the processing of the composition rules according to the following guidelines:

1. If all elements on a canvas and the canvas itself are opaque (an opacity of 1.0) and parent or ancestor `<Canvas>` elements are also opaque, the elements MAY be drawn directly to the containing fixed page (or canvas), provided all render transform and clip values are observed [O11.12].
2. If an element is fully transparent (an opacity of 0.0), it MAY be skipped [O11.13].
3. If a canvas has an opacity of 0.0, it and all of its child and descendant elements MAY be skipped [O11.14].
4. If a canvas has a `Clip` property with no contained area, the canvas and all of its child and descendant elements MAY be skipped [O11.15].
5. When creating a temporary surface, a consumer MAY further restrict the size of the temporary surface by the effective extent of the geometry specified by the `Clip` property of the canvas [O11.16].

6. A consumer MAY use methods to achieve transparency other than creating a temporary surface [O11.17]. Such methods MAY include planar mapping (that is, computation of intersections of transparent elements and resulting colors) [O11.17].

### 18.5.2 Composition Examples


The following examples illustrate the composition rules described above.

*Example 18–1. Path opacity behavior for overlapping path figures*

In the following markup, opacity is not applied cumulatively to self-overlapping areas created by path figures within the same path.

```
<Path Opacity="0.5">
  <Path.Fill>
    <SolidColorBrush Color="#0000FF" />
  </Path.Fill>
  <Path.Data>
    <PathGeometry FillRule="NonZero">
      <PathFigure StartPoint="10,10" IsClosed="true">
        <PolyLineSegment Points="110,10 110,110 10,110 10,10" />
      </PathFigure>
      <PathFigure StartPoint="50,50" IsClosed="true">
        <PolyLineSegment Points="150,50 150,150 50,150 50,50" />
      </PathFigure>
    </PathGeometry>
  </Path.Data>
</Path>
```

This markup is rendered as follows:



*end example]*

*Example 18–2. Opacity behavior of path stroke intersections*

In the following markup, opacity is not applied cumulatively if the border of a path has self-intersections.


```
<Path Stroke="#80FF0000" StrokeThickness="10">
  <Path.Fill>
    <SolidColorBrush Color="#0000FF" />
  </Path.Fill>
  <Path.Data>
    <PathGeometry FillRule="NonZero">
      <PathFigure StartPoint="20,20" IsClosed="true">
```

```

        <PolyLineSegment Points="120,20 120,120 20,120 20,20" />
    </PathFigure>
    <PathFigure StartPoint="50,50" IsClosed="true">
        <PolyLineSegment Points="150,50 150,150 50,150 50,50" />
    </PathFigure>
</PathGeometry>
</Path.Data>
</Path>
<Path Stroke="#80FF0000" StrokeThickness="10" StrokeMiterLimit="10">
    <Path.Fill>
        <SolidColorBrush Color="#0000FF" />
    </Path.Fill>
    <Path.Data>
        <PathGeometry>
            <PathFigure StartPoint="220,20" IsClosed="true">
                <PolyLineSegment Points="420,220 420,20 220,120" />
            </PathFigure>
        </PathGeometry>
    </Path.Data>
</Path>

```

This markup is rendered as follows:



*end example]*

*Example 18-3. Opacity behavior of paths with stroked edges*

The following markup describes a path with a stroked border and an opacity of less than 1.0:

```

<Path>
    <Path.Fill>
        <SolidColorBrush Color="#7F7F7F" />
    </Path.Fill>
    <Path.Data>
        <PathGeometry>
            <PathFigure StartPoint="0,110" IsClosed="true">
                <PolyLineSegment Points="450,110 450,210 0,210" />
            </PathFigure>
        </PathGeometry>
    </Path.Data>
</Path>


```

```

    </Path.Data>
  </Path>
  <Path
    Stroke="#FF0000"
    StrokeThickness="10"
    StrokeDashArray="2.2 3.5"
    StrokeDashCap="Round"
    Opacity="0.5">
    <Path.Fill>
      <SolidColorBrush Color="#0000FF" />
    </Path.Fill>
    <Path.Data>
      <PathGeometry FillRule="NonZero">
        <PathFigure StartPoint="10,10" IsClosed="true">
          <PolyLineSegment Points="110,10 110,110 10,110 10,10" />
        </PathFigure>
        <PathFigure StartPoint="60,60" IsClosed="true">
          <PolyLineSegment Points="160,60 160,160 60,160 60,60" />
        </PathFigure>
      </PathGeometry>
    </Path.Data>
  </Path>
  <Path Stroke="#FF0000" StrokeThickness="10" Opacity="0.5">
    <Path.Fill>
      <SolidColorBrush Color="#0000FF" />
    </Path.Fill>
    <Path.Data>
      <PathGeometry>
        <PathFigure StartPoint="200,60" IsClosed="true">
          <PolyLineSegment Points="400,160 400,60 200,160" />
        </PathFigure>
      </PathGeometry>
    </Path.Data>
  </Path>

```

This markup is rendered as follows:



*end example]*

## 18.6 Stroke Rendering


Strokes follow the contours of each segment in a path figure, as specified by the various stroke-related properties.

Contours and dashes SHOULD be rendered so that they have the same appearance as if rendered by sweeping the complete length of the contour or dash with a line segment that is perpendicular to the contour and extends with half its length to each side of the contour. All points covered by the sweep of this perpendicular line are part of the dash or contour [S11.21].

By using this sweeping definition, extreme curvatures can result in line and dash ends that are not flat when specified as flat. If any caps other than flat are specified, the caps are added to the start and end of the stroked contour or dash in the orientation of the first and last position of the line segment used for sweeping. Any render transform is applied after this step.

[*Note:* Using this definition, any geometry that is less than the value of the stroke thickness across will produce a filled area between these lines if no dashes are employed, or overlapping dashes when they are. *end note*]

Figure 18–1. Extreme curvatures and dash rendering



### 18.6.1 Stroke Edge Parallelization

Consumers SHOULD ensure that parallel edges of strokes appear parallel [S11.22]. Consumers can choose a suitable method to achieve this goal. [*Example:* Such methods might include anti-aliasing, sub-pixel masking, or appropriate rounding of device coordinates. *end example*]

### 18.6.2 Phase Control

Consumers SHOULD produce a visually consistent appearance of stroke thickness for thin lines, regardless of their orientation or how they fit on the device pixel grid [S11.23].

### 18.6.3 Symmetry of Stroke Drawing Algorithms

Consumers SHOULD select line and curve drawing algorithms that behave symmetrically and result in the same set of device pixels being drawn regardless of the direction of the line or curve (start point and end point exchanged) [S11.24]. In other words, a line from 0,0 to 102,50 should result in the same pixel set as a line from 102,50 to 0,0.

### 18.6.4 Rules for Dash Cap Rendering


The appearance of dash caps is controlled by the `StrokeDashCap` attribute. Valid values are `Flat`, `Square`, `Round`, and `Triangle`. The `StrokeDashCap` attribute is ignored for paths that have no `StrokeDashArray` attribute or that have a `StrokeDashArray` attribute with value `0 0`.

#### 18.6.4.1 Flat Dash Caps

The effective render transform of the path being stroked is used to transform the control points of the contour of the dash.

The length of the dash is the approximate distance on the curve between the two intersections of the flat lines ending the dash and the contour of the shape. The distance from the end of one dash to the start of the next dash is the specified dash gap length. Dashes with a length greater than 0 are drawn, and degenerate dashes with a length of 0 are not drawn.

Figure 18-2. Flat dash caps



#### 18.6.4.2 Square Dash Caps


The effective render transform of the path being stroked is used to transform the control points of the contour of the dash.

The length of the dash is the approximate distance on the curve between the two *contour intersection points*, that is, the intersection of the flat line ending the dash (without the square caps attached) and the contour of the shape.

The caps are drawn as half-squares attached to the ends of the dash. The boundaries of the square caps are not curved to follow the contour, but are transformed using the effective render transform.

The distance between the contour intersection points of consecutive dashes is the specified dash gap length. Degenerate dashes with a length of 0 are drawn as squares. If a dash with a length of 0 appears at, or very near to, a join in a path then differences in rendering resolution and in precision in the calculation of coordinates may lead to differing orientation of the dash caps between consumers.

Figure 18-3. Square dash caps



#### 18.6.4.3 Round Dash Caps


The effective render transform of the path being stroked is used to transform the control points of the contour of the dash.

The length of the dash is the approximate distance on the curve between the two contour intersection points, that is, the intersection of the flat line ending the dash (without the round caps attached) and the contour of the shape.

The caps are drawn as half-circles attached to the ends of the dash. The boundaries of the round caps are not distorted to follow the contour, but are transformed using the effective render transform.

The distance between the contour intersection points of consecutive dashes is the specified dash gap length. Degenerate dashes with a length of 0 are drawn as circles.

Figure 18-4. Round dash caps



#### 18.6.4.4 Triangular Dash Caps


The effective render transform of the path being stroked is used to transform the control points of the contour of the dash.

The length of the dash is the approximate distance on the curve between the two contour intersection points, that is, the intersection of the flat line ending the dash (without the triangular caps attached) and the contour of the shape.

The caps are drawn as triangles attached with their base to the ends of the dash. The boundaries of the triangular caps are not distorted to follow the contour, but are transformed using the effective render transform. The height of the triangles is half of the stroke width.

The distance between the contour intersection points of consecutive dashes is the specified dash gap length. Degenerate dashes with a length of 0 are drawn as diamonds. If a dash with a length of 0 appears at, or very near to, a join in a path then differences in rendering resolution and in precision in the calculation of coordinates may lead to differing orientation of the dash caps between consumers.


Figure 18-5. Triangular dash caps



#### 18.6.4.5 Overlapping Dashes

It is possible to specify dash sequences with overlapping dash caps. In this circumstance, the union of the dash segments (inclusive of dash caps), is used as a mask through which the brush is applied as illustrated in Figure 18-6 with a stroke dash cap value of Round.

Figure 18-6. Overlapping dash segments



#### 18.6.4.6 Extreme Degenerate Dash Case

The previous subclauses include a description of the behavior for degenerate dashes of zero length, with non-zero gaps, for each dash cap shape.

Producers SHOULD NOT create files containing the extreme degenerate case of `StrokeDashArray = "0 0"`. Such lines SHOULD be rendered as a solid line [S11.32].

#### 18.6.5 Rules for Line Cap Rendering

The appearance of line caps is controlled by the `StrokeStartLineCap` and `StrokeEndLineCap` attribute. Valid values are Flat, Square, Triangle, and Round. Every start line cap can be used in

combination with any end line cap. Line caps only ever appear at the start and end of an open path, and then only if the initial/final segment is stroked.

The rules for line caps on curved lines are analogous to the rules for dash cap rendering. For more information, see §18.6 and §18.6.4.

Figure 18-7. Flat start line cap, flat end line cap



Figure 18-8. Square start line cap, square end line cap



Figure 18-9. Triangular start line cap, triangular end line cap



Figure 18-10. Round start line cap, round end line cap



### 18.6.6 Line Caps for Dashed Strokes

If the start point of a stroke is within a dash or touches the start or end of a dash, a start line cap is appended to the stroke. Similarly, if the end point of a stroke is within a dash or touches the start or end of a dash, an end line cap is appended to the stroke.

Figure 18-11. Stroke start or end point within a dash for flat dash caps



Figure 18-12. Stroke start or end point within a dash for non-flat dash caps



[*Note*: Because the right-most line cap begins at the point exactly coincident with the start of the next dash in the sequence, it is rendered. *end note*]

However, if the start point of a stroke is within a gap (as can result from a `StrokeDashOffset` attribute), no start line cap is appended to the stroke. If the end point of a stroke is within a gap, no end line cap is appended to the stroke.

Figure 18–13. Stroke start or end point within a gap for flat dash caps



Figure 18–14. Stroke start or end point within a gap for not-flat dash caps



[*Note*: Differences in precision in the calculation of coordinates can lead to differing output between consumers depending on whether they determine that the start or end point of a stroke exactly touches the start or end point of a dash. *end note*]

### 18.6.7 Rules for Line Join Rendering

The appearance of line joins is controlled by the `StrokeLineJoin` attribute. Valid values are `Round`, `Bevel`, and `Miter`.

#### 18.6.7.1 Round Line Joins

A `StrokeLineJoin` attribute value of `Round` indicates that the outer corner of the joined lines should be filled by enclosing the rounded region with its center point at the point of intersection between the two lines and a radius of one-half the stroke thickness value.

Figure 18–15. Round line join with right angle




Figure 18–16. Round line join with acute angle





Figure 18–17. Round line join with obtuse angle



#### 18.6.7.2 Beveled Line Joins

A `StrokeLineJoin` attribute value of `Bevel` indicates that the outer corner of the joined lines should be filled by enclosing the triangular region of the corner with a straight line between the outer corners of each stroke.

Figure 18–18. Beveled line join with right angle





Figure 18–19. Beveled line join with acute angle



Figure 18–20. Beveled line join with obtuse angle



### 18.6.7.3 Mitered Line Joins

If the `StrokeLineJoin` attribute value is `Miter`, the value of the `StrokeMiterLimit` attribute value is used for rendering these joins. A `StrokeLineJoin` value of `Miter` indicates that the region to be filled includes the intersection of the strokes projected to infinity, and then clipped at a specific distance. The intersection of the strokes is clipped at a line perpendicular to the bisector of the angle between the strokes, at the distance equal to the stroke miter limit value multiplied by half the stroke thickness value.

When drawing mitered line joins, the presence of one or more degenerate line segments between the non-degenerate line segments to be joined results in a mitered line join of only the two non-degenerate line segments with an implied `StrokeMiterLimit` attribute value of 1.0.

Figure 18-21. Mitered line join with right angle and miter limit of 1.0




Figure 18-22. Mitered line join with acute angle and miter limit of 1.0




Figure 18-23. Mitered line join with obtuse angle and miter limit of 1.0




Figure 18–24. Mitered line join with right angle and miter limit of 2.0




Figure 18–25. Mitered line join with acute angle and miter limit of 2.0





Figure 18–26. Mitered line join with acute angle and miter limit of 10.0



### 18.6.8 Rules for Degenerate Line and Curve Segments

Degenerate line segments (that is, where the start point and end point coincide) are not drawn.

Degenerate curve segments (where the start point, end point, and all control points coincide) are not drawn.

If an open degenerate path (formed from degenerate line or curve segments) with non-flat start cap and/or non-flat end line cap is stroked, only the start line cap and/or end line cap is drawn, in the  $x$  direction relative to the current effective render transform (that is, as if a segment were drawn from  $x,y$  to  $x+d,y$ , with  $d \rightarrow 0$ ).

If a closed degenerate path (formed from degenerate line or curve segments) is stroked, a circular dot with a diameter of the stroke thickness is drawn instead.

If the current render transform is an invertible matrix, consumers SHOULD perform computations on poly line segments and poly Bézier segments with sufficient accuracy to avoid producing zero-length segments [S11.25].

### 18.6.9 Stroking and Fill Rule

Stroking a path is independent of the fill rule. The fill rule affects the filled area only.

#### 18.6.10 Mixing Stroked and Non-Stroked Segments

When a path figure contains multiple segments and one or more of the segments has an `IsStroked` value of false, the phase for dashes starts anew with the next stroked segment, including application of the dash offset.

When a segment of a dashed path is stroked and the subsequent segment has an `IsStroked` value of false, thus causing a dash to be truncated, the dash cap is drawn for both ends of the truncated dash, exactly as it would for a non-truncated dash. For the case of a closed dashed path, this rule also applies to dashes exposed at the beginning or end of the path by an unstroked final or initial segment respectively.

#### 18.6.11 Stroke Behavior with Multiple Path Figures

When a geometry containing multiple path figures is stroked, the phase for dashes (including application of the dash offsets) starts anew with each new path figure.

In general, for any path geometry, each path figure is drawn independently of every other path figure, so the dash array is reset for each. Dashes are also reset after every unstroked segment.

#### 18.6.12 Consistent Nominal Stroke Width

For certain scenarios, it is desirable for producers to generate documents targeted at specific aliasing consumers with particular lines in the document indicated as hairlines or consistent-width strokes. The following recommendation allows these producers and consumers to handle these strokes consistently.

Producers MAY generate a `<Path>` element intended to be treated as having a consistent nominal stroke width by specifying the `StrokeDashArray` attribute and by specifying a `StrokeDashOffset` attribute value less than  $-1.0$  times the sum of all the numbers in the `StrokeDashArray` attribute value [O11.25].

For a solid line, the producer would set the `StrokeDashArray` to the value `"1 0"` and the `StrokeDashOffset` to a value such as `"-2"`. The `"-2"` value fulfills the restriction on the `StrokeDashOffset` value in a numerically stable manner, and the phase of the dash pattern is

identical to a `StrokeDashOffset` value of "0". Values less than "-2" can be used to specify a shifted phase of the dash pattern.

A stroke using the consistent nominal stroke width convention SHOULD be rendered with a width consistent with other strokes using the convention that have, after application of relevant transforms, the same `StrokeThickness` attribute value, and consumers aware of this convention SHOULD render such a stroke no thinner than the thinnest visible line that a bi-tonal consumer supports without dropouts or an anti-aliasing consumer can represent as a solid line. In the particular case of `StrokeThickness` attribute value of "0" the stroke SHOULD be rendered with a 1-pixel thickness if the nominal stroke width convention applies [S11.31]. See §18.1.4, for further considerations for rendering thin lines.

[*Note* : Producers using this convention must be aware that the rendering of thin and zero-width lines may have inconsistent results depending on the support or not of this convention at the consumer side. A line rendered as a solid line on a consumer supporting this convention may be rendered with different density or even not rendered at all on a consumer not supporting it. *end note*]

---

## 18.7 Brushes and Images

Images require the following special considerations for scaling and tile placement.

### 18.7.1 Small Tiles

Tiles for visual brushes and image brushes can be specified with a viewport width or height of a few device pixels, or even less than a single device pixel in size.

If both width and height are nearly zero, implementations SHOULD average the color values of the brush contents, resulting in a constant-color brush [S11.26]. [*Example*:

- A visual brush or image brush that contains a blue and white checkerboard pattern results in a solid light-blue fill as either the width or the height value approaches 0.0.
- A visual brush or image brush whose viewbox is constant-colored produces a constant-colored brush regardless of the width and height values of the viewport.

*end example*]

If only one of the width and height values is nearly zero, the brush should be constant-colored along lines parallel to the narrow side of the viewport. For cases such as these, implementations MAY differ [O11.21]. Producers SHOULD avoid producing such extreme cases and SHOULD NOT rely on any specific behavior when they do [S11.27].

### 18.7.2 Image Scaling

Source sampling SHOULD be done from the center of the pixel and should be mapped to the center of the pixel in the device-space [S11.28]. With one extent of the viewbox zero, sampling SHOULD be done along a line parallel to the non-zero side [S11.28]. With both extents of the viewbox zero, a point sample SHOULD be taken [S11.28].

When up-sampling an image presented at a lower resolution than the device resolution, bilinear filtering SHOULD be used [S11.29]. The precise source coordinates as specified by the viewbox MUST be used to place the up-sampled image tile, which is equivalent to using fractional pixels of the original source image [M11.8].

When down-sampling, at least a bilinear filter SHOULD be used [S11.30]. Consumers MAY choose to implement a more sophisticated algorithm, such as a Fant scaler, to prevent aliasing artifacts [O11.22].

### **18.7.3 Tile Placement**

Consumers MUST precisely position the tiles specified by the image brush and visual brush. If the specified values result in fractional device pixels, the consumer MUST calculate a running placement-error delta and adjust the placement of the next tile where the delta reaches a full device pixel in order to keep the tiles from being increasingly out of phase as the expanse of the path is filled [M11.9]. Consumers MAY choose any technique desired to achieve this requirement, such as linear filtering for seams, stretching of the tile (up-sampling or down-sampling), or pre-computing multiple tiles and adjusting behavior according to how the tiles fit on a grid [O11.23].

### **18.7.4 Tiling Transparent Visual Brushes and Image Brushes**

The contents of a visual brush's Visual property are first rendered to a temporary work canvas (according to the composition rules in §18.5.). The viewbox of the visual brush defines the tile or portion of the temporary canvas that is copied onto the specified geometry, stroke, or text. Likewise, an image specified by an image brush is also copied to a temporary work canvas. The viewbox also defines the tile for an image brush. In either case, the work canvas is scaled to properly match the edges of the tile to the size specified by the viewport.

Each pixel of the resultant tile is separately blended with the background of its destination, using the alpha of each pixel. This process is repeated for each tile replication, while respecting the TileMode attribute value, although the temporary work canvas MAY be re-used [O11.24].

# 19. Elements

## 19.1 ArcSegment


element **ArcSegment**

<p>diagram</p>																																																
<p>attributes</p>	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>Point</td> <td><u>ST_Point</u></td> <td>required</td> <td></td> <td></td> <td>Specifies the endpoint of the elliptical arc.</td> </tr> <tr> <td>Size</td> <td><u>ST_PointGE0</u></td> <td>required</td> <td></td> <td></td> <td>Specifies the x and y radius of the elliptical arc as an x,y pair.</td> </tr> <tr> <td>RotationAngle</td> <td><u>ST_Double</u></td> <td>required</td> <td></td> <td></td> <td>Indicates how the ellipse is rotated relative to the current coordinate system.</td> </tr> <tr> <td>IsLargeArc</td> <td><u>ST_Boolean</u></td> <td>required</td> <td></td> <td></td> <td>Determines whether the arc is drawn with a sweep of 180 or greater. Can be true or false.</td> </tr> <tr> <td>SweepDirection</td> <td><u>ST_SweepDirection</u></td> <td>required</td> <td></td> <td></td> <td>Specifies the direction in which the arc is drawn. Valid values are Clockwise and Counterclockwise.</td> </tr> <tr> <td>IsStroked</td> <td><u>ST_Boolean</u></td> <td></td> <td>true</td> <td></td> <td>Specifies whether the stroke for this segment of the path is drawn. Can be true or false.</td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	Point	<u>ST_Point</u>	required			Specifies the endpoint of the elliptical arc.	Size	<u>ST_PointGE0</u>	required			Specifies the x and y radius of the elliptical arc as an x,y pair.	RotationAngle	<u>ST_Double</u>	required			Indicates how the ellipse is rotated relative to the current coordinate system.	IsLargeArc	<u>ST_Boolean</u>	required			Determines whether the arc is drawn with a sweep of 180 or greater. Can be true or false.	SweepDirection	<u>ST_SweepDirection</u>	required			Specifies the direction in which the arc is drawn. Valid values are Clockwise and Counterclockwise.	IsStroked	<u>ST_Boolean</u>		true		Specifies whether the stroke for this segment of the path is drawn. Can be true or false.					
Name	Type	Use	Default	Fixed	Annotation																																											
Point	<u>ST_Point</u>	required			Specifies the endpoint of the elliptical arc.																																											
Size	<u>ST_PointGE0</u>	required			Specifies the x and y radius of the elliptical arc as an x,y pair.																																											
RotationAngle	<u>ST_Double</u>	required			Indicates how the ellipse is rotated relative to the current coordinate system.																																											
IsLargeArc	<u>ST_Boolean</u>	required			Determines whether the arc is drawn with a sweep of 180 or greater. Can be true or false.																																											
SweepDirection	<u>ST_SweepDirection</u>	required			Specifies the direction in which the arc is drawn. Valid values are Clockwise and Counterclockwise.																																											
IsStroked	<u>ST_Boolean</u>		true		Specifies whether the stroke for this segment of the path is drawn. Can be true or false.																																											
<p>annotation</p>	<p>Represents an elliptical arc between two points.</p>																																															

For more information, see §11.2.2.2.

## 19.2 Canvas

element **Canvas**



attributes	Name	Type	Use	Default	Fixed	Annotation
	RenderTransform	<a href="#">ST_RscRefMatrix</a>				Establishes a new coordinate frame for the child and descendant elements of the canvas, such as another canvas. Also affects clip and opacity mask.
	Clip	<a href="#">ST_RscRefAbbrGeomF</a>				Limits the rendered region of the element.
	Opacity	<a href="#">ST_ZeroOne</a>		1.0		Defines the uniform transparency of the canvas. Values range from 0 (fully

					transparent) to 1 (fully opaque), inclusive. Values outside of this range are invalid.
OpacityMask	<u>ST_RscRef</u>				Specifies a mask of alpha values that is applied to the canvas in the same fashion as the Opacity attribute, but allowing different alpha values for different areas of the element.
Name	<u>ST_Name</u>				Contains a string value that identifies the current element as a named, addressable point in the document for the purpose of hyperlinking.
RenderOptions.EdgeMode	<u>ST_EdgeMode</u>			Aliased	Controls how edges of paths within the canvas are rendered. The only valid value is Aliased. Omitting this attribute causes the edges to be rendered in the consumer's default manner.
FixedPage.NavigateUri	xs:anyURI				Associates a hyperlink URI with the element. May be a relative reference or a URI that addresses a resource that is internal to or external to the package.
xml:lang					Specifies the default language used for the current element and for any child or descendant elements. The language is specified according to RFC 3066.
x:Key					Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M3.20].

	AutomationProperties.Name	xs:string			A brief description of the <Canvas> contents for accessibility purposes, particularly if filled with a set of vector graphics and text elements intended to comprise a single vector graphic.
	AutomationProperties.HelpText	xs:string			A detailed description of the <Canvas> contents for accessibility purposes, particularly if filled with a set of graphics and text elements intended to comprise a single vector graphic.
annotation	Groups <FixedPage> descendant elements together.				

For more information, see §10.4.

### 19.3 Canvas.Clip

element **Canvas.Clip**

diagram	
annotation	Limits the rendered region of the element.

For more information, see §14.3.1.

### 19.4 Canvas.OpacityMask

element **Canvas.OpacityMask**

diagram	
---------	--

annotation	Specifies a mask of alpha values that is applied to the canvas in the same fashion as the Opacity attribute, but allowing different alpha values for different areas of the element.
------------	--

For more information, see §14.5.1.

## 19.5 Canvas.RenderTransform

element **Canvas.RenderTransform**

diagram	
annotation	Establishes a new coordinate frame for the child and descendant elements of the canvas, such as another canvas. Also affects clip and opacity mask.

For more information, see §14.4.2.

## 19.6 Canvas.Resources

element **Canvas.Resources**

diagram	
annotation	Contains the resource dictionary for the <Canvas> element.

For more information, see §14.2.2.

## 19.7 Discard

element **Discard**

diagram													
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>SentinelPage</td> <td>xs:anyURI</td> <td>required</td> <td></td> <td></td> <td>The first fixed page that no longer needs the identified</td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	SentinelPage	xs:anyURI	required			The first fixed page that no longer needs the identified
Name	Type	Use	Default	Fixed	Annotation								
SentinelPage	xs:anyURI	required			The first fixed page that no longer needs the identified								

						resource in order to be processed.
	Target	xs:anyURI	required			The resource that can be safely discarded.
annotation	Identifies a resource that can be safely discarded by a resource-constrained consumer.					

For more information, see §17.1.4.1.2.

## 19.8 DiscardControl

element **DiscardControl**

diagram	
annotation	Contains a list of resources that are safe for a consumer to discard.

For more information, see §17.1.4.1.1.

## 19.9 DocumentOutline

element **DocumentOutline**

diagram													
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>xml:lang</td> <td></td> <td>required</td> <td></td> <td></td> <td>Specifies the default language used for the current element and for any child or descendant elements. The language is specified according to RFC 3066.</td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	xml:lang		required			Specifies the default language used for the current element and for any child or descendant elements. The language is specified according to RFC 3066.
Name	Type	Use	Default	Fixed	Annotation								
xml:lang		required			Specifies the default language used for the current element and for any child or descendant elements. The language is specified according to RFC 3066.								
annotation	Specifies a list of meaningful indices into the OpenXPS Document, similar to a table of contents, or to external URIs, such as web addresses.												

For more information, see §16.1.1.3.

## 19.10 DocumentReference

element **DocumentReference**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	Source	xs:anyURI	required			Specifies the URI of the fixed document content. The specified URI MUST refer to a FixedDocument part within the OpenXPS Document [M3.2].
annotation	Contains a reference to a FixedDocument part.					

For more information, see §10.1.1.

## 19.11 DocumentStructure

element **DocumentStructure**

diagram						
annotation	The root element of the DocumentStructure part.					

For more information, see §16.1.1.1.

## 19.12 DocumentStructure.Outline

element **DocumentStructure.Outline**

diagram						
---------	--	--	--	--	--	--

annotation	Contains a structured document outline that provides a list of links into the document contents or external sites.
------------	--

For more information see §16.1.1.2.

### 19.13 FigureStructure

element **FigureStructure**

diagram		
annotation	Groups the named elements that constitute a single drawing or diagram.	

For more information, see §16.1.2.12.

### 19.14 FixedDocument

element **FixedDocument**

diagram		
annotation	Binds an ordered sequence of fixed pages together into a single multi-page document.	

For more information, see §10.2.

### 19.15 FixedDocumentSequence


element **FixedDocumentSequence**

diagram		
annotation	Specifies a sequence of fixed documents.	

For more information, see §10.1.

## 19.16 FixedPage

element **FixedPage**




attributes	Name	Type	Use	Default	Fixed	Annotation
	Width	<u>ST_GEOne</u>	required			
Height	<u>ST_GEOne</u>	required				Height of the page, expressed as a real number in units of the effective coordinate space.
ContentBox	<u>ST_ContentBox</u>					Specifies the area of the page containing imageable content that is to be fit within the imageable area when printing or viewing. Contains a list of four coordinate values (ContentOriginX, ContentOriginY, ContentWidth, ContentHeight), expressed as comma-separated real numbers. Specifying a value is RECOMMENDED [S3.1]. If omitted, the default value is (0,0,Width,Height).
BleedBox	<u>ST_BleedBox</u>					Specifies the area including crop marks that extends outside of the physical page. Contains a list of four coordinate values (BleedOriginX, BleedOriginY, BleedWidth, BleedHeight), expressed as comma-separated real numbers. If omitted, the default value is (0,0,Width,Height).

	xml:lang		required		Specifies the default language used for the current element and for any child or descendant elements. The language is specified according to RFC 3066.
	Name	<u>ST_Name</u>			Contains a string value that identifies the current element as a named, addressable point in the document for the purpose of hyperlinking.
annotation	Contains markup that describes the rendering of a single page of content.				

For more information, see §10.3.

## 19.17 FixedPage.Resources


element **FixedPage.Resources**

diagram	 <pre> classDiagram     class FixedPageResources["FixedPage.Resources"]     class ResourceDictionary     FixedPageResources ..&gt; ResourceDictionary     </pre>
annotation	Contains the resource dictionary for the <FixedPage> element.

For more information, see §14.2.1.

## 19.18 Glyphs

element **Glyphs**



attributes	Name	Type	Use	Default	Fixed	Annotation
	BidirectionalLevel			0		Specifies the Unicode algorithm bidirectional nesting level. Even values imply left-to-right layout, odd values imply right-to-left layout. Right-to-left layout places

					the run origin at the right side of the first glyph, with positive advance widths (representing advances to the left) placing subsequent glyphs to the left of the previous glyph. Valid values range from 0 to 61, inclusive.
CaretStops	<u>ST_CaretStops</u>				Identifies the positions within the sequence of Unicode characters at which a text-selection tool can place a text-editing caret. Potential caret-stop positions are identified by their indices into the UTF-16 code units represented by the UnicodeString attribute value. When this attribute is missing, the text in the UnicodeString attribute value MUST be interpreted as having a caret stop between every Unicode UTF-16 code unit and at the beginning and end of the text [M5.1]. The value SHOULD indicate that the caret cannot stop in front of most combining marks or in front of the second UTF-16 code unit of UTF-16 surrogate pairs [S5.1].
DeviceFontName	<u>ST_UnicodeString</u>				Uniquely identifies a specific device font. The identifier is typically defined by a hardware vendor or font vendor.
Fill	<u>ST_RscRefColor</u>				Describes the brush used to fill the shape of the rendered glyphs.
FontRenderingEmSize	<u>ST_GEZero</u>	required			Specifies the font size in drawing surface units, expressed as a float in units of the effective coordinate space. A value of 0 results in no visible text.
FontUri	xs:anyURI	required			The URI of the physical font from which all glyphs in the run are drawn. The URI MUST reference a font contained in the package [M2.1]. If the physical font referenced is a TrueType Collection (containing multiple font faces), the fragment portion of the URI is a 0-based index indicating which

					font face of the TrueType Collection should be used.
OriginX	<u>ST_Double</u>	required			Specifies the x coordinate of the first glyph in the run, in units of the effective coordinate space. The glyph is placed so that the leading edge of its advance vector and its baseline intersect with the point defined by the OriginX and OriginY attributes.
OriginY	<u>ST_Double</u>	required			Specifies the y coordinate of the first glyph in the run, in units of the effective coordinate space. The glyph is placed so that the leading edge of its advance vector and its baseline intersect with the point defined by the OriginX and OriginY attributes.
IsSideways	<u>ST_Boolean</u>		false		Indicates that a glyph is turned on its side, with the origin being defined as the top center of the unturned glyph.
Indices	<u>ST_Indices</u>				Specifies a series of glyph indices and their attributes used for rendering the glyph run. If the UnicodeString attribute of the <Glyphs> element is not specified or contains an empty value (" or "{ }"), and if the Indices attribute is not specified or contains no glyph indices, then a consumer MUST instantiate an error condition [M5.2].
UnicodeString	<u>ST_UnicodeString</u>				Contains the string of text rendered by the <Glyphs> element. The text is specified as Unicode code points.
StyleSimulations	<u>ST_StyleSimulations</u>		None		Specifies a style simulation. Valid values are None, ItalicSimulation, BoldSimulation, and BoldItalicSimulation.
RenderTransform	<u>ST_RscRefMatrix</u>				Establishes a new coordinate frame for the glyph run specified by the <Glyphs> element. The render

					transform affects clip, opacity mask, fill, x origin, y origin, the actual shape of individual glyphs, and the advance widths. The render transform also affects the font size and values specified in the Indices attribute.
Clip	<u>ST_RscRefAbbrGeomF</u>				Limits the rendered region of the element. Only portions of the <Glyphs> element that fall within the clip region (even partially clipped characters) produce marks on the page.
Opacity	<u>ST_ZeroOne</u>		1.0		Defines the uniform transparency of the glyph element. Values range from 0 (fully transparent) to 1 (fully opaque), inclusive. Values outside of this range are invalid.
OpacityMask	<u>ST_RscRef</u>				Specifies a mask of alpha values that is applied to the glyphs in the same fashion as the Opacity attribute, but allowing different alpha values for different areas of the element.
Name	<u>ST_Name</u>				Contains a string value that identifies the current element as a named, addressable point in the document for the purpose of hyperlinking.
FixedPage.NavigateUri	xs:anyURI				Associates a hyperlink URI with the element. May be a relative reference or a URI that addresses a resource that is internal to or external to the package.
xml:lang					Specifies the default language used for the current element. The language is specified according to RFC 3066.
x:Key					Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource

					dictionary [M5.3].
annotation	Represents a run of text from a single font.				

For more information, see §12.1 and §9.1.7.

### 19.19 Glyphs.Clip

element **Glyphs.Clip**

diagram	<p>The diagram shows a box labeled 'Glyphs.Clip' on the left, connected by a dashed line to a box labeled 'PathGeometry' on the right. A larger dashed box labeled 'CT_CP_Geometry' encompasses the 'PathGeometry' box and the connection line.</p>
annotation	Limits the rendered region of the element. Only portions of the <Glyphs> element that fall within the clip region (even partially clipped characters) produce marks on the page.

For more information, see §14.3.3.

### 19.20 Glyphs.Fill

element **Glyphs.Fill**

diagram	<p>The diagram shows a box labeled 'Glyphs.Fill' on the left, connected by a dashed line to a central brush container box. This container box is connected to five separate brush boxes: 'ImageBrush', 'LinearGradientBrush', 'RadialGradientBrush', 'SolidColorBrush', and 'VisualBrush'. A larger dashed box labeled 'CT_CP_Brush' encompasses the brush container and all five brush boxes.</p>
annotation	Describes the brush used to fill the shape of the rendered glyphs.

For more information, see §12.2.

### 19.21 Glyphs.OpacityMask

element **Glyphs.OpacityMask**

diagram	<p>The diagram shows a box labeled 'Glyphs.OpacityMask' on the left. A line connects it to a dashed yellow box labeled 'CT_CP_Brush'. Inside this box, there are five stacked boxes: 'ImageBrush', 'LinearGradientBrush', 'RadialGradientBrush', 'SolidColorBrush', and 'VisualBrush'. Each of these five boxes has a small square icon with a plus sign in the top right corner.</p>
annotation	<p>Specifies a mask of alpha values that is applied to the glyphs in the same fashion as the Opacity attribute, but allowing different alpha values for different areas of the element.</p>

For more information, see §14.5.3.

### 19.22 Glyphs.RenderTransform

element **Glyphs.RenderTransform**

diagram	<p>The diagram shows a box labeled 'Glyphs.RenderTransform' on the left. A line connects it to a dashed yellow box labeled 'CT_CP_Transform'. Inside this box is a single box labeled 'MatrixTransform' with a small square icon with a plus sign in the top right corner.</p>
annotation	<p>Establishes a new coordinate frame for the glyph run specified by the &lt;Glyphs&gt; element. The render transform affects clip, opacity mask, fill, x origin, y origin, the actual shape of individual glyphs, and the advance widths. The render transform also affects the font size and values specified in the Indices attribute.</p>

For more information, see §14.4.4.

### 19.23 GradientStop

element **GradientStop**

diagram	<p>The diagram shows a box labeled 'GradientStop' on the left. A line connects it to a dashed yellow box labeled 'CT_GradientStop'. Inside this box is a blue box labeled 'attributes'. Inside the 'attributes' box are two stacked boxes: 'Color' and 'Offset'.</p>
---------	--

attributes	Name	Type	Use	Default	Fixed	Annotation
	Color	<u>ST_Color</u>	required			Specifies the gradient stop color.
	Offset	<u>ST_Double</u>	required			Specifies the gradient offset. The offset indicates a point along the progression of the gradient at which a color is specified. Colors between gradient offsets in the progression are interpolated.
annotation	Indicates a location and range of color progression for rendering a gradient.					

For more information, see §13.7.

## 19.24 ImageBrush

element **ImageBrush**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	Opacity	<u>ST_ZeroOne</u>		1.0		Defines the uniform transparency of the brush fill. Values range from 0 (fully transparent) to 1 (fully opaque), inclusive. Values outside of this range are invalid.

x:Key					Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M6.2].
Transform	<u>ST_RscRefMatrix</u>				Describes the matrix transformation applied to the coordinate space of the brush. The Transform property is concatenated with the current effective render transform to yield an effective render transform local to the brush. The viewport for the brush is transformed using the local effective render transform.
Viewbox	<u>ST_ViewBox</u>	required			Specifies the position and dimensions of the brush's source content. Specifies four comma-separated real numbers (x, y, Width, Height), where width and height are non-negative. The dimensions specified are relative to the image's physical dimensions expressed in units of 1/96". The corners of the viewbox are mapped to the corners of the viewport, thereby providing the default clipping and transform for the brush's source content.
Viewport	<u>ST_ViewBox</u>	required			Specifies the region in the containing coordinate space of the prime brush tile that is (possibly repeatedly) applied to fill the region to which the brush is applied. Specifies four comma-separated real numbers (x, y, Width, Height), where width and height are non-negative. The alignment of the brush pattern is controlled by adjusting the x and y values.
TileMode	<u>ST_TileMode</u>		None		Specifies how contents will be tiled in the filled region. Valid values are None, Tile, FlipX, FlipY, and FlipXY.
ViewboxUnits	<u>ST_ViewUnits</u>	required		Absolute	Specifies the relationship of the viewbox coordinates to the containing coordinate space.
ViewportUnits	<u>ST_ViewUnits</u>	required		Absolute	Specifies the relationship of the viewport coordinates to the containing coordinate space.
ImageSource	<u>ST_UriCtxBmp</u>	required			Specifies the URI of an image resource or a combination of the URI of an image resource a color profile resource. See the Color clause

						for important details. The URI MUST refer to parts in the package [M2.1].
annotation	Fills a region with an image.					

For more information, see §13.2.

## 19.25 ImageBrush.Transform

element **ImageBrush.Transform**

diagram	<p>The diagram illustrates the relationship between <b>ImageBrush.Transform</b> and <b>MatrixTransform</b>. A box labeled <b>ImageBrush.Transform</b> is connected to a box labeled <b>MatrixTransform</b> by a dashed line. Above this connection is a yellow box labeled <b>CT_CP_Transform</b>, indicating that the transformation is concatenated with the current effective render transform.</p>
annotation	Describes the matrix transformation applied to the coordinate space of the brush. The Transform property is concatenated with the current effective render transform to yield an effective render transform local to the brush. The viewport for the brush is transformed using the local effective render transform.

For more information, see §14.4.6.

## 19.26 Intent


element **SignatureDefinitionType/Intent**

diagram	<p>The diagram shows a single box labeled <b>Intent</b>, representing the element.</p>
annotation	A string that represents the intent to which the signing party agrees when signing the document.

For more information, see §17.2.2.4.

## 19.27 LinearGradientBrush

element **LinearGradientBrush**




attributes	Name	Type	Use	Default	Fixed	Annotation
	Opacity	<a href="#">ST_ZeroOne</a>		1.0		Defines the uniform transparency of the linear gradient. Values range from 0 (fully transparent) to 1 (fully opaque), inclusive. Values outside of this range are invalid.
	x:Key					Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M6.5].
	ColorInterpolationMode	<a href="#">ST_ClrIntMode</a>		SRgbLinear Interpolation		Specifies the gamma function for color interpolation. The gamma adjustment should not be applied to the alpha component, if specified. Valid values are SRgbLinearInterpolation and ScRgbLinearInterpolation.
	SpreadMethod	<a href="#">ST_Spread Method</a>		Pad		Describes how the brush should fill the content area outside of

						the primary, initial gradient area. Valid values are Pad, Reflect and Repeat.
	MappingMode	<a href="#">ST_MappingMode</a>	required		Absolute	Specifies that the start point and end point are defined in the effective coordinate space (includes the Transform attribute of the brush).
	Transform	<a href="#">ST_RscRefMatrix</a>				Describes the matrix transformation applied to the coordinate space of the brush. The Transform property on a brush is concatenated with the current effective render transform to yield an effective render transform local to the brush. The start point and end point are transformed using the local effective render transform.
	StartPoint	<a href="#">ST_Point</a>	required			Specifies the starting point of the linear gradient.
	EndPoint	<a href="#">ST_Point</a>	required			Specifies the end point of the linear gradient. The linear gradient brush interpolates the colors from the start point to the end point, where the start point represents an offset of 0, and the EndPoint represents an offset of 1. The Offset attribute value specified in a GradientStop element relates to the 0 and 1 offsets defined by the start point and end point.
annotation	Fills a region with a linear gradient.					

For more information, see §13.5 and §15.

## 19.28 LinearGradientBrush.GradientStops

element **LinearGradientBrush.GradientStops**



annotation	Holds a sequence of GradientStop elements.
------------	--

For more information, see §13.5.2.

## 19.29 LinearGradientBrush.Transform

element **LinearGradientBrush.Transform**

diagram	
annotation	Describes the matrix transformation applied to the coordinate space of the brush. The Transform property is concatenated with the current effective render transform to yield an effective render transform local to the brush. The start point and end point are transformed using the local effective render transform.

For more information, see §14.4.8.

## 19.30 LinkTarget

element **LinkTarget**

diagram													
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>Name</td> <td><u>ST_Name</u></td> <td>required</td> <td></td> <td></td> <td>Contains a string value that identifies the current element as a named, addressable point in the document for the purpose of hyperlinking.</td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	Name	<u>ST_Name</u>	required			Contains a string value that identifies the current element as a named, addressable point in the document for the purpose of hyperlinking.
Name	Type	Use	Default	Fixed	Annotation								
Name	<u>ST_Name</u>	required			Contains a string value that identifies the current element as a named, addressable point in the document for the purpose of hyperlinking.								
annotation	Specifies an addressable point on the page.												

For more information, see §10.2.3.

### 19.31 ListItemStructure

element **ListItemStructure**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	Marker	<u>ST_NameUnique</u>	optional			The named element that represents the marker for this list items, such as a bullet, number, or image.
annotation	Describes a single structural block. These structural blocks are grouped together in a list.					

For more information, see §16.1.2.11.

### 19.32 ListStructure

element **ListStructure**

diagram						
annotation	Contains a collection of items that are group together in a list.					

For more information, see §16.1.2.10.

### 19.33 MatrixTransform

element **MatrixTransform**

diagram	<p>The diagram shows a box labeled 'MatrixTransform' connected to a larger box labeled 'CT_MatrixTransform'. Inside 'CT_MatrixTransform', there is a sub-section 'attributes' containing a 'Matrix' box and an 'x:Key' box. The 'x:Key' box is dashed and red, indicating it is a key attribute.</p>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	Matrix	<u>ST_Matrix</u>	required			Specifies the matrix structure that defines the transformation.
	x:Key					Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M7.11].
annotation	Creates an arbitrary affine matrix transformation that manipulates objects or coordinate systems in a two-dimensional plane.					

For more information, see §14.4.1.

### 19.34 NamedElement

element **NamedElement**


diagram	<p>The diagram shows a box labeled 'NamedElement' connected to a larger box labeled 'CT_NamedElement'. Inside 'CT_NamedElement', there is a sub-section 'attributes' containing a 'NameReference' box.</p>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	NameReference	<u>ST_Name</u>	required			Identifies the named element in the FixedPage part markup that is referenced by the document structure markup.
annotation	All document structure is related to the fixed page markup using this element. The <NamedElement> points to a					

single markup element contained in the fixed page markup.

For more information, see §16.1.2.13.

### 19.35 OutlineEntry

element **OutlineEntry**




attributes	Name	Type	Use	Default	Fixed	Annotation
	OutlineLevel	<u>ST_IntGEOne</u>	optional	1		
OutlineTarget	xs:anyURI	required				The URI to which the outline entry is linked. This can be a URI to a named element within the document or an external URI, such as a website. It can be used as a hyperlink destination.
Description	xs:string	required				The friendly text associated with this outline entry.
xml:lang		optional				This attribute specifies the default language used for any child element contained within the current element or nested child elements. The language is specified according to RFC 3066.

annotation Represents an index to a specific location in the document.

For more information, see §16.1.1.4.

### 19.36 PageContent


element **PageContent**

diagram	 <p>The diagram shows a yellow box labeled 'CT_PageContent'. Inside this box, there is a list of attributes: 'attributes', 'Source', 'Width', and 'Height'. Below the attributes, there is a child element 'PageContent.LinkTargets' represented by a rounded rectangle with a dashed border and a plus sign in the top right corner. A line connects the 'PageContent' element to the 'PageContent.LinkTargets' element.</p>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	Source	xs:anyURI	required			Specifies a URI that refers to the page content, held in a distinct part within the package. The content identified MUST be a FixedPage part within the OpenXPS Document [M3.5].
	Width	ST_GEOne				The width of the page contained in the page content.
	Height	ST_GEOne				The height of the page contained in the page content.
annotation	Defines a reference from a fixed document to a part that contains a <FixedPage> element.					

For more information, see §10.2.1.

### 19.37 PageContent.LinkTargets

element **PageContent.LinkTargets**

diagram	 <p>The diagram shows a yellow box labeled 'CT_CP_LinkTargets'. Inside this box, there is a child element 'LinkTarget' represented by a rounded rectangle with a dashed border and a plus sign in the top right corner. A line connects the 'PageContent.LinkTargets' element to the 'LinkTarget' element. The cardinality '1..∞' is shown below the 'LinkTarget' element.</p>					
annotation	Contains a collection of <LinkTarget> elements, each of which is addressable via hyperlink.					

For more information, see §10.2.2.

### 19.38 ParagraphStructure


element **ParagraphStructure**

diagram	<pre> classDiagram     class ParagraphStructure     class CT_Paragraph     class NamedElement     ParagraphStructure --&gt; CT_Paragraph     CT_Paragraph --&gt; NamedElement : 0..∞     </pre>
annotation	Contains the named elements that constitute a single paragraph.

For more information, see §16.1.2.5.

### 19.39 Path

element **Path**



Data	<a href="#">ST_RscRefAbbrGeomF</a>				Describes the geometry of the path.
Fill	<a href="#">ST_RscRefColor</a>				Describes the brush used to paint the geometry specified by the Data property of the path.
RenderTransform	<a href="#">ST_RscRefMatrix</a>				Establishes a new coordinate frame for all attributes of the path and for all child elements of the path, such as the geometry defined by the <Path.Data> property element.
Clip	<a href="#">ST_RscRefAbbrGeomF</a>				Limits the rendered region of the element.
Opacity	<a href="#">ST_ZeroOne</a>		1.0		Defines the uniform transparency of the path element. Values range from 0 (fully transparent) to 1 (fully opaque), inclusive. Values outside of this range are invalid.
OpacityMask	<a href="#">ST_RscRef</a>				Specifies a mask of alpha values that is applied to the path in the same fashion as the Opacity attribute, but allowing different alpha values for different areas of the element.
Stroke	<a href="#">ST_RscRefColor</a>				Specifies the brush used to draw the stroke.
StrokeDashArray	<a href="#">ST_EvenArrayPos</a>				Specifies the length of dashes and gaps of the outline stroke. These values are specified as multiples of the stroke thickness as a space-separated list with an even number of non-negative values. When a stroke is drawn, the dashes and gaps specified by these values are repeated to cover the length of the stroke. If this attribute is omitted, the stroke is drawn solid, without any gaps.

StrokeDashCap	<u>ST_DashCap</u>		Flat		Specifies how the ends of each dash are drawn. Valid values are Flat, Round, Square, and Triangle.
StrokeDashOffset	<u>ST_Double</u>		0.0		Adjusts the start point for repeating the dash array pattern. If this value is omitted, the dash array aligns with the origin of the stroke. Values are specified as multiples of the stroke thickness.
StrokeEndLineCap	<u>ST_LineCap</u>		Flat		Defines the shape of the end of the last dash in a stroke. Valid values are Flat, Square, Round, and Triangle.
StrokeStartLineCap	<u>ST_LineCap</u>		Flat		Defines the shape of the beginning of the first dash in a stroke. Valid values are Flat, Square, Round, and Triangle.
StrokeLineJoin	<u>ST_LineJoin</u>		Miter		Specifies how a stroke is drawn at a corner of a path. Valid values are Miter, Bevel, and Round. If Miter is selected, the value of StrokeMiterLimit is used in drawing the stroke.
StrokeMiterLimit	<u>ST_GEOne</u>		10.0		The ratio between the maximum miter length and half of the stroke thickness. This value is significant only if the StrokeLineJoin attribute specifies Miter.
StrokeThickness	<u>ST_GEZero</u>		1.0		Specifies the thickness of a stroke, in units of the effective coordinate space (includes the path's render transform). The stroke is drawn on top of the boundary of the geometry specified by the <Path> element's Data property. Half of the StrokeThickness extends outside of the geometry specified by the Data property and the other half extends inside of the geometry.

	Name	<u>ST_Name</u>			Contains a string value that identifies the current element as a named, addressable point in the document for the purpose of hyperlinking.
	FixedPage.NavigateUri	xs:anyURI			Associates a hyperlink URI with the element. Can be a relative reference or a URI that addresses a resource that is internal to or external to the package.
	xml:lang				Specifies the default language used for the current element and for any child or descendant elements. The language is specified according to RFC 3066.
	x:Key				Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M4.1].
	AutomationProperties.Name	xs:string			A brief description of the <Path> for accessibility purposes, particularly if filled with an <ImageBrush>.
	AutomationProperties.HelpText	xs:string			A detailed description of the <Path> for accessibility purposes, particularly if filled with an <ImageBrush>.
	SnapsToDevicePixels	<u>ST_Boolean</u>			On Anti-aliasing consumers controls if control points snap to the nearest device pixels. Valid values are 'false' and 'true'. Consumers MAY ignore this attribute [O4.1].
annotation	Defines a single graphical effect to be rendered to the page. It paints a geometry with a brush and draws a stroke around it.				

For more information, see §11.1 and §11.2.3.

### 19.40 Path.Clip

element **Path.Clip**

diagram	
annotation	Limits the rendered region of the element.

For more information, see §14.3.2.

### 19.41 Path.Data

element **Path.Data**

diagram	
annotation	Describes the geometry of the path.

For more information, see §11.1.1.

### 19.42 Path.Fill

element **Path.Fill**

diagram	
annotation	Describes the brush used to paint the geometry specified by the Data property of the path.

For more information, see §11.1.2.

### 19.43 Path.OpacityMask

element **Path.OpacityMask**

diagram	<p>The diagram shows a box labeled 'Path.OpacityMask' on the left. A line with a small icon connects it to a larger dashed yellow box labeled 'CT_CP_Brush'. Inside this box, five brush types are listed vertically: ImageBrush, LinearGradientBrush, RadialGradientBrush, SolidColorBrush, and VisualBrush. Each brush name is followed by a small square icon with a plus sign.</p>
annotation	<p>Specifies the mask of alpha values that is applied to the path in the same fashion as the Opacity attribute, but allowing different alpha values for different areas of the element.</p>

For more information, see §14.5.2.

### 19.44 Path.RenderTransform

element **Path.RenderTransform**

diagram	<p>The diagram shows a box labeled 'Path.RenderTransform' on the left. A line with a small icon connects it to a dashed yellow box labeled 'CT_CP_Transform'. Inside this box, a 'MatrixTransform' box is shown on the right, also connected to the main line.</p>
annotation	<p>Establishes a new coordinate frame for all attributes of the path and for all child elements of the path, such as the geometry defined by the &lt;Path.Data&gt; property element.</p>

For more information, see §14.4.3.

### 19.45 Path.Stroke

element **Path.Stroke**


diagram	<p>The diagram shows a box labeled 'Path.Stroke' on the left. A line with a small icon connects it to a dashed yellow box labeled 'CT_CP_Brush'. Inside this box, five brush types are listed vertically: ImageBrush, LinearGradientBrush, RadialGradientBrush, SolidColorBrush, and VisualBrush. Each brush name is followed by a small square icon with a plus sign.</p>
---------	--

annotation	Specifies the brush used to draw the stroke.
------------	--

For more information, see §11.1.3.

## 19.46 PathFigure

element **PathFigure**



attributes	Name	Type	Use	Default	Fixed	Annotation
	IsClosed		<u>ST_Boolean</u>		false	
StartPoint		<u>ST_Point</u>	required			Specifies the starting point for the first segment of the path figure.
IsFilled		<u>ST_Boolean</u>		true		Specifies whether the path figure is used in computing the area of the containing path geometry. Can be true or false. When set to false, the path figure is considered only for stroking.

annotation	Specifies a set of one or more segment elements defining a closed region.
------------	---

For more information, see §11.2.2.1.

## 19.47 PathGeometry

element **PathGeometry**

<p>diagram</p>																																			
<p>attributes</p>	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>Figures</td> <td><u>ST_AbbrGeom</u></td> <td></td> <td></td> <td></td> <td>Describes the geometry of the path.</td> </tr> <tr> <td>FillRule</td> <td><u>ST_FillRule</u></td> <td></td> <td>EvenOdd</td> <td></td> <td>Specifies how the intersecting areas of geometric shapes are combined to form a region. Valid values are EvenOdd and NonZero.</td> </tr> <tr> <td>Transform</td> <td><u>ST_RscRefMatrix</u></td> <td></td> <td></td> <td></td> <td>Specifies the local matrix transformation that is applied to all child and descendant elements of the path geometry before it is used for filling, clipping, or stroking.</td> </tr> <tr> <td>x:Key</td> <td></td> <td></td> <td></td> <td></td> <td>Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M4.2].</td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	Figures	<u>ST_AbbrGeom</u>				Describes the geometry of the path.	FillRule	<u>ST_FillRule</u>		EvenOdd		Specifies how the intersecting areas of geometric shapes are combined to form a region. Valid values are EvenOdd and NonZero.	Transform	<u>ST_RscRefMatrix</u>				Specifies the local matrix transformation that is applied to all child and descendant elements of the path geometry before it is used for filling, clipping, or stroking.	x:Key					Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M4.2].				
Name	Type	Use	Default	Fixed	Annotation																														
Figures	<u>ST_AbbrGeom</u>				Describes the geometry of the path.																														
FillRule	<u>ST_FillRule</u>		EvenOdd		Specifies how the intersecting areas of geometric shapes are combined to form a region. Valid values are EvenOdd and NonZero.																														
Transform	<u>ST_RscRefMatrix</u>				Specifies the local matrix transformation that is applied to all child and descendant elements of the path geometry before it is used for filling, clipping, or stroking.																														
x:Key					Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M4.2].																														
<p>annotation</p>	<p>Contains a set of &lt;PathFigure&gt; elements.</p>																																		

For more information, see §11.2.1.1.

## 19.48 PathGeometry.Transform

element **PathGeometry.Transform**

diagram	
annotation	<p>Specifies the local matrix transformation that is applied to all child and descendant elements of the path geometry before it is used for filling, clipping, or stroking.</p>

For more information, see §14.4.5.

## 19.49 PolyBezierSegment

element **PolyBezierSegment**

diagram																			
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>Points</td> <td><u>ST_PointsM3</u></td> <td>required</td> <td></td> <td></td> <td>Specifies control points for multiple Bézier segments. Coordinate values within each pair are comma-separated and additional whitespace can appear. Coordinate pairs are separated from other coordinate pairs by whitespace.</td> </tr> <tr> <td>IsStroked</td> <td><u>ST_Boolean</u></td> <td></td> <td>true</td> <td></td> <td>Specifies whether the stroke for this segment of the path is drawn. Can be true or false.</td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	Points	<u>ST_PointsM3</u>	required			Specifies control points for multiple Bézier segments. Coordinate values within each pair are comma-separated and additional whitespace can appear. Coordinate pairs are separated from other coordinate pairs by whitespace.	IsStroked	<u>ST_Boolean</u>		true		Specifies whether the stroke for this segment of the path is drawn. Can be true or false.
	Name	Type	Use	Default	Fixed	Annotation													
Points	<u>ST_PointsM3</u>	required			Specifies control points for multiple Bézier segments. Coordinate values within each pair are comma-separated and additional whitespace can appear. Coordinate pairs are separated from other coordinate pairs by whitespace.														
IsStroked	<u>ST_Boolean</u>		true		Specifies whether the stroke for this segment of the path is drawn. Can be true or false.														
annotation	<p>A series of Bézier segments.</p>																		

For more information, see §11.2.2.3.

## 19.50 PolyLineSegment

element **PolyLineSegment**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	Points	<u>ST_Points</u>	required			Specifies a set of coordinates for the multiple segments that define the poly line segment. Coordinate values within each pair are comma-separated and additional whitespace can appear. Coordinate pairs are separated from other coordinate pairs by whitespace.
	IsStroked	<u>ST_Boolean</u>		true		Specifies whether the stroke for this segment of the path is drawn. Can be true or false.
annotation	Specifies a set of points between which lines are drawn.					

For more information, see §11.2.2.4.

## 19.51 PolyQuadraticBezierSegment

element **PolyQuadraticBezierSegment**


diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	Points	<u>ST_PointsM2</u>	required			Specifies control points for multiple quadratic Bézier

						segments. Coordinate values within each pair are comma-separated and additional whitespace can appear. Coordinate pairs are separated from other coordinate pairs by whitespace.
	IsStroked	<u>ST_Boolean</u>		true		Specifies whether the stroke for this segment of the path is drawn. Can be true or false.
annotation	A series of quadratic Bézier segments.					

For more information, see §11.2.2.5.

## 19.52 RadialGradientBrush

element **RadialGradientBrush**



attributes	Name	Type	Use	Default	Fixed	Annotation
	Opacity	<u>ST_ZeroOne</u>		1.0		Defines the uniform transparency of the radial gradient. Values range from 0 (fully transparent) to 1 (fully opaque), inclusive. Values outside of this range are invalid.
	x:Key					Specifies a name for a resource

					in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M6.6].
ColorInterpolationMode	<u>ST_ClrIntMode</u>		SRgbLinear Interpolation		Specifies the gamma function for color interpolation. The gamma adjustment should not be applied to the alpha component, if specified. Valid values are SRgbLinearInterpolation and ScRgbLinearInterpolation.
SpreadMethod	<u>ST_Spread Method</u>		Pad		Describes how the brush should fill the content area outside of the primary, initial gradient area. Valid values are Pad, Reflect and Repeat.
MappingMode	<u>ST_Mapping Mode</u>	required		Absolute	Specifies that center, x radius, and y radius are defined in the effective coordinate space (includes the Transform attribute of the brush).
Transform	<u>ST_RscRef Matrix</u>				Describes the matrix transformation applied to the coordinate space of the brush. The Transform property is concatenated with the current effective render transform to yield an effective render transform local to the brush. The ellipse defined by the center, gradient origin, x radius, and y radius values is transformed using the local effective render transform.
Center	<u>ST_Point</u>	required			Specifies the center point of the radial gradient (that is, the center of the ellipse). The radial gradient brush interpolates the colors from the gradient origin to the circumference of the ellipse. The circumference is determined by the center and the radii.
GradientOrigin	<u>ST_Point</u>	required			Specifies the origin point of the radial gradient.

	RadiusX	<u>ST_GZero</u>	required			Specifies the radius in the x dimension of the ellipse which defines the radial gradient.
	RadiusY	<u>ST_GZero</u>	required			Specifies the radius in the y dimension of the ellipse which defines the radial gradient.
annotation	Fills a region with a radial gradient.					

For more information, see §13.6 and §15.

### 19.53 RadialGradientBrush.GradientStops

element **RadialGradientBrush.GradientStops**

diagram	
annotation	Holds a sequence of <GradientStop> elements.

For more information, see §13.6.2.

### 19.54 RadialGradientBrush.Transform


element **RadialGradientBrush.Transform**

diagram	
annotation	Describes the matrix transformation applied to the coordinate space of the brush. The Transform property is concatenated with the current effective render transform to yield an effective render transform local to the brush. The center, gradient origin, x radius, and y radius are transformed using the local effective render transform.

For more information, see §14.4.9.

## 19.55 ResourceDictionary


element **ResourceDictionary**



For more information, see §14.2.3.

## 19.56 SectionStructure

element **SectionStructure**



annotation	Provides an arbitrary grouping of content structural markup elements.
------------	---

For more information, see §16.1.2.4.

## 19.57 SignBy


element **SignatureDefinitionType/SignBy**

diagram	
annotation	The date and time by which the requested party is to sign the OpenXPS Document.

For more information, see §17.2.2.5.

## 19.58 SignatureDefinition

element **SignatureDefinitionsType/SignatureDefinition**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	SpotID	xs:ID	required			A globally unique identifier for this signature spot.
	SignerName	xs:string				A string representing the identity of the individual who is requested to sign the OpenXPS Document, or the name of the individual who has signed the OpenXPS Document.
	xml:lang					Specifies the language used for the current element and its descendants. The language is specified according to RFC 3066.

annotation	A single signature definition.
------------	--------------------------------

For more information, see §17.2.2.2.

## 19.59 SignatureDefinitions

element **SignatureDefinitions**

diagram	
annotation	The root element for the SignatureDefinitions part.

For more information, see §17.2.2.1.

## 19.60 SigningLocation

element **SignatureDefinitionType/SigningLocation**

diagram	
annotation	The legal location where the document is signed.

For more information, see §17.2.2.6.

## 19.61 SolidColorBrush

element **SolidColorBrush**

diagram													
attributes	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Name</th> <th style="width: 15%;">Type</th> <th style="width: 15%;">Use</th> <th style="width: 15%;">Default</th> <th style="width: 15%;">Fixed</th> <th style="width: 15%;">Annotation</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation						
Name	Type	Use	Default	Fixed	Annotation								

	Opacity	<u>ST_ZeroOne</u>		1.0		Defines the uniform transparency of the brush fill. Values range from 0 (fully transparent) to 1 (fully opaque), inclusive. Values outside of this range are invalid.
	x:Key					Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M6.1].
	Color	<u>ST_Color</u>	required			Specifies the color for filled elements.
annotation	Fills defined geometric regions with a solid color.					

For more information, see §13.1.

## 19.62 SpotLocation

element **SignatureDefinitionType/SpotLocation**

diagram	<p>The diagram shows a class <b>SpotLocationType</b> with three attributes: <b>PageURI</b>, <b>StartX</b>, and <b>StartY</b>. A class <b>SpotLocation</b> is shown as a specialization of <b>SpotLocationType</b>, indicated by a solid line with an open arrowhead pointing to <b>SpotLocationType</b>.</p>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	PageURI	xs:anyURI	required			Specifies the page on which the signature spot should be displayed.
	StartX	xs:double	required			Specifies the x coordinate of the origin point (upper-left corner) on the page where the signature spot should be displayed.
	StartY	xs:double	required			Specifies the y coordinate of the origin point (upper-left corner) on the page where the signature spot should be displayed.
annotation	Specifies where a consumer should place a signature spot.					

For more information, see §17.2.2.3.

### 19.63 Story

element **Story**

<p>diagram</p>																		
<p>attributes</p>	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>StoryName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td>The name used by story fragments to identify they belong to this story.</td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	StoryName	xs:string	required			The name used by story fragments to identify they belong to this story.					
Name	Type	Use	Default	Fixed	Annotation													
StoryName	xs:string	required			The name used by story fragments to identify they belong to this story.													
<p>annotation</p>	<p>Defines a single story and where each of its story fragments appear in the OpenXPS Document.</p>																	

For more information, see §16.1.1.5.

### 19.64 StoryBreak


element **StoryBreak**

<p>diagram</p>						
<p>annotation</p>	<p>If located at the beginning of a &lt;StoryFragment&gt; definition, indicates that the following markup elements should not be merged with the markup from the previous &lt;StoryFragment&gt;. If located at the end of a &lt;StoryFragment&gt; definition, indicates that the preceding markup elements should not be merged with the subsequent &lt;StoryFragment&gt;.</p>					

For more information, see §16.1.2.3.

## 19.65 StoryFragment

element **StoryFragment**



attributes	Name	Type	Use	Default	Fixed	Annotation
		StoryName	xs:string	optional		
	FragmentName	xs:string	optional			Used to uniquely identify the story fragment.
	FragmentType	<u>ST_FragmentType</u>	required			Specifies the type of content included in the story fragment. Valid values are Content, Header, and Footer.
annotation	Specifies the document structural markup that appears on the current page for a single story block.					

For more information, see §16.1.2.2.

## 19.66 StoryFragments

element **StoryFragments**

<p>diagram</p>	
<p>annotation</p>	<p>The root of a StoryFragments part. Contains all story fragments that appear on a specific page.</p>

For more information, see §16.1.2.1.

## 19.67 StoryFragmentReference


element **StoryFragmentReference**

<p>diagram</p>																								
<p>attributes</p>	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td data-bbox="316 1245 500 1352"> <p>FragmentName</p> </td> <td data-bbox="500 1245 656 1352"> <p>xs:string</p> </td> <td data-bbox="656 1245 764 1352"> <p>optional</p> </td> <td data-bbox="764 1245 857 1352"></td> <td data-bbox="857 1245 938 1352"></td> <td data-bbox="938 1245 1485 1352"> <p>Used to distinguish between multiple story fragments from the same story on a single page.</p> </td> </tr> <tr> <td data-bbox="316 1352 500 1556"> <p>Page</p> </td> <td data-bbox="500 1352 656 1556"> <p><u>ST_IntGEOne</u></p> </td> <td data-bbox="656 1352 764 1556"> <p>required</p> </td> <td data-bbox="764 1352 857 1556"></td> <td data-bbox="857 1352 938 1556"></td> <td data-bbox="938 1352 1485 1556"> <p>Identifies the page number of the document that the story fragment is related to. Page numbers start at 1 and correspond to the order of &lt;PageContent&gt; elements in the FixedDocument part.</p> </td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	<p>FragmentName</p>	<p>xs:string</p>	<p>optional</p>			<p>Used to distinguish between multiple story fragments from the same story on a single page.</p>	<p>Page</p>	<p><u>ST_IntGEOne</u></p>	<p>required</p>			<p>Identifies the page number of the document that the story fragment is related to. Page numbers start at 1 and correspond to the order of &lt;PageContent&gt; elements in the FixedDocument part.</p>					
Name	Type	Use	Default	Fixed	Annotation																			
<p>FragmentName</p>	<p>xs:string</p>	<p>optional</p>			<p>Used to distinguish between multiple story fragments from the same story on a single page.</p>																			
<p>Page</p>	<p><u>ST_IntGEOne</u></p>	<p>required</p>			<p>Identifies the page number of the document that the story fragment is related to. Page numbers start at 1 and correspond to the order of &lt;PageContent&gt; elements in the FixedDocument part.</p>																			
<p>annotation</p>	<p>Identifies the StoryFragments part where this individual story fragment is defined.</p>																							

For more information, see §16.1.1.6.

## 19.68 TableCellStructure


element **TableCellStructure**



For more information, see §16.1.2.9.

### 19.69 TableRowGroupStructure


element **TableRowGroupStructure**



For more information, see §16.1.2.7.

### 19.70 TableRowStructure


element **TableRowStructure**

diagram	
annotation	<p>Contains the set of table cells that make up a row of a table.</p>

For more information, see §16.1.2.8.

## 19.71 TableStructure


element **TableStructure**

diagram	
annotation	<p>Contains a complete definition of a table in the OpenXPS Document.</p>

For more information, see §16.1.2.6.

## 19.72 VisualBrush

element **VisualBrush**



attributes	Name	Type	Use	Default	Fixed	Annotation
	Opacity	<u>ST_ZeroOne</u>		1.0		Defines the uniform transparency of the brush fill. Values range from 0 (fully transparent) to 1 (fully opaque), inclusive. Values outside of this range are invalid.
	x:Key					Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M6.4].
	Transform	<u>ST_RscRefMatrix</u>				Describes the matrix transformation applied to the coordinate space of the brush. The Transform property is concatenated with the current effective render transform to yield an effective render transform local to the brush. The viewport for the brush is transformed using that local effective render transform.
	Viewbox	<u>ST_ViewBox</u>	required			Specifies the position and dimensions of the brush's source content. Specifies four comma-separated real numbers (x, y, Width, Height), where width and height are non-negative. The

						viewbox defines the default coordinate system for the element specified in the <VisualBrush.Visual> property element. The corners of the viewbox are mapped to the corners of the viewport, thereby providing the default clipping and transform for the brush's source content.
Viewport	<u>ST_ViewBox</u>	required				Specifies the region in the containing coordinate space of the prime brush tile that is (possibly repeatedly) applied to fill the region to which the brush is applied. Specifies four comma-separated real numbers (x, y, Width, Height), where width and height are non-negative. The alignment of the brush pattern is controlled by adjusting the x and y values.
TileMode	<u>ST_TileMode</u>		None			Specifies how contents will be tiled in the filled region. Valid values are None, Tile, FlipX, FlipY, and FlipXY.
ViewboxUnits	<u>ST_ViewUnits</u>	required		Absolute		Specifies the relationship of the viewbox coordinates to the containing coordinate space.
ViewportUnits	<u>ST_ViewUnits</u>	required		Absolute		Specifies the relationship of the viewport coordinates to the containing coordinate space.
Visual	<u>ST_RscRef</u>					Specifies resource reference to a <Path>, <Glyphs>, or <Canvas> element defined in a resource dictionary and used to draw the brush's source content.
annotation	Fills a region with a drawing. The drawing can be specified as either a child of the <VisualBrush> element, or as a resource reference. Drawing content is expressed using <Canvas>, <Path>, and <Glyphs> elements.					

For more information, see §13.3.

### 19.73 VisualBrush.Transform

element **VisualBrush.Transform**



annotation	Describes the matrix transformation applied to the coordinate space of the brush. The Transform property is concatenated with the current effective render transform to yield an effective render transform local to the brush. The viewport for the brush is transformed using the local effective render transform.
------------	---

For more information, see §14.4.7.

## 19.74 VisualBrush.Visual

element **VisualBrush.Visual**

diagram	<pre> classDiagram     class VisualBrush_Visual     class CT_CP_Visual     class Path     class Glyphs     class Canvas     VisualBrush_Visual --&gt; CT_CP_Visual     CT_CP_Visual -- Path     CT_CP_Visual -- Glyphs     CT_CP_Visual -- Canvas     </pre>
annotation	Specifies a <Path> element, <Glyphs> element, or <Canvas> element used to draw the brush's source contents.

For more information, see §13.3.1.

## A. Schemas – W3C XML

### A.1 Signature Definitions

The schema shown below is also provided in electronic form as a file named OpenXPSSignatureDefinitions.xsd, which is contained in an accompanying zip archive named "OpenXPS WC3 Schemas.zip". If discrepancies exist between the representation as published below and the corresponding electronic version, the published version below is the definitive version.

```

1 <?xml version="1.0" encoding="utf-8"?>
2 <xs:schema targetNamespace="http://schemas.openxps.org/oxps/v1.0/signature-definitions"
3 xmlns="http://schemas.openxps.org/oxps/v1.0/signature-definitions"
4 xmlns:xs="http://www.w3.org/2001/XMLSchema" elementFormDefault="qualified"
5 blockDefault="#all">
6
7   <xs:import namespace="http://www.w3.org/XML/1998/namespace" />
8
9   <xs:complexType name="SignatureDefinitionsType">
10     <xs:sequence>
11       <xs:element name="SignatureDefinition" type="SignatureDefinitionType"
12 minOccurs="1" maxOccurs="unbounded">
13         </xs:element>
14     </xs:sequence>
15   </xs:complexType>
16
17   <xs:complexType name="SpotLocationType">
18     <xs:attribute name="PageURI" type="xs:anyURI" use="required">
19       </xs:attribute>
20     <xs:attribute name="StartX" type="xs:double" use="required">
21       </xs:attribute>
22     <xs:attribute name="StartY" type="xs:double" use="required">
23       </xs:attribute>
24   </xs:complexType>
25
26   <xs:complexType name="SignatureDefinitionType">
27     <xs:sequence>
28       <xs:element name="SpotLocation" type="SpotLocationType" minOccurs="0">
29         </xs:element>
30       <xs:element name="Intent" type="xs:string" minOccurs="0">
31         </xs:element>
32       <xs:element name="SignBy" type="xs:dateTime" minOccurs="0">
33         </xs:element>
34       <xs:element name="SigningLocation" type="xs:string" minOccurs="0">
35         </xs:element>
36     </xs:sequence>
37     <xs:attribute name="SpotID" type="xs:ID" use="required">
38       </xs:attribute>
39     <xs:attribute name="SignerName" type="xs:string">
40       </xs:attribute>

```

```
41     <xs:attribute ref="xml:lang">
42         </xs:attribute>
43     </xs:complexType>
44
45     <xs:element name="SignatureDefinitions" type="SignatureDefinitionsType">
46         </xs:element>
47 </xs:schema>
```

## A.2 OpenXPS Document

The schema shown below is also provided in electronic form as a file named OpenXPSDocument.xsd, which is contained in an accompanying zip archive named "OpenXPS WC3 Schemas.zip". If discrepancies exist between the representation as published below and the corresponding electronic version, the published version below is the definitive version

```

1  <?xml version="1.0" encoding="utf-8"?>
2  <xs:schema targetNamespace="http://schemas.openxps.org/oxps/v1.0"
3  xmlns="http://schemas.openxps.org/oxps/v1.0"
4  xmlns:xs="http://www.w3.org/2001/XMLSchema"
5  xmlns:x="http://schemas.openxps.org/oxps/v1.0/resourcedictionary-key"
6  elementFormDefault="qualified" blockDefault="#all">
7
8      <xs:import namespace=
9      "http://schemas.openxps.org/oxps/v1.0/resourcedictionary-key" />
10     <xs:import namespace="http://www.w3.org/XML/1998/namespace" />
11
12     <!-- Names used for types and groups:
13
14         ST_*          simpleType
15         CT_*          complexType
16         G_*           group
17         AG_*          attributeGroup
18
19     -->
20
21     <!-- Individual real number patterns
22     All patterns using numbers now use <whitespace value="collapse">.
23     As a result, any whitespace in the pattern can be expressed as:
24     mandatory whitespace, one or more: " "
25     optional whitespace, zero or more: " ?"
26
27     For better readability, each pattern using numbers is also described in a comment
28     using
29     one of the following pattern designators.
30
31     The actual patterns are generated by replacement by the schema publication process.
32     -->
33     <!--DEFINE [pint]          "([1-9][0-9]*)" -->
34     <!--DEFINE [uint]         "([0-9]+)" -->
35     <!--DEFINE [dec]          "(\\-?(([0-9]+(\\. [0-9]+)?)|(\\. [0-9]+)))" -->
36     <!--DEFINE [rn]          "((\\-|\\+)?([0-9]+(\\. [0-9]+)?)|(\\. [0-9]+))((e|E)(\\-|\\+)?[0-
37 9]+)?)" -->
38     <!--DEFINE [prn]         "(\\+?(([0-9]+(\\. [0-9]+)?)|(\\. [0-9]+))((e|E)(\\-|\\+)?[0-
39 9]+)?)" -->
40     <!--DEFINE [scs]         "( ? , ?)" -->
41
42
43
44     <!-- Complex Types -->
45     <xs:complexType name="CT_MatrixTransform">

```

```

46     <xs:attributeGroup ref="AG_MatrixTransform" />
47 </xs:complexType>
48
49 <xs:complexType name="CT_SolidColorBrush">
50     <xs:attributeGroup ref="AG_Brush" />
51     <xs:attributeGroup ref="AG_SolidColorBrush" />
52 </xs:complexType>
53
54 <xs:complexType name="CT_ImageBrush">
55     <xs:sequence>
56         <xs:element ref="ImageBrush.Transform" minOccurs="0" />
57     </xs:sequence>
58     <xs:attributeGroup ref="AG_Brush" />
59     <xs:attributeGroup ref="AG_TileBrush" />
60     <xs:attributeGroup ref="AG_ImageBrush" />
61 </xs:complexType>
62
63 <xs:complexType name="CT_VisualBrush">
64     <xs:sequence>
65         <xs:element ref="VisualBrush.Transform" minOccurs="0" />
66         <xs:element ref="VisualBrush.Visual" minOccurs="0" />
67     </xs:sequence>
68     <xs:attributeGroup ref="AG_Brush" />
69     <xs:attributeGroup ref="AG_TileBrush" />
70     <xs:attributeGroup ref="AG_VisualBrush" />
71 </xs:complexType>
72
73 <xs:complexType name="CT_LinearGradientBrush">
74     <xs:sequence>
75         <xs:element ref="LinearGradientBrush.Transform" minOccurs="0" />
76         <xs:element ref="LinearGradientBrush.GradientStops" />
77     </xs:sequence>
78     <xs:attributeGroup ref="AG_Brush" />
79     <xs:attributeGroup ref="AG_GradientBrush" />
80     <xs:attributeGroup ref="AG_LinearGradientBrush" />
81 </xs:complexType>
82
83 <xs:complexType name="CT_RadialGradientBrush">
84     <xs:sequence>
85         <xs:element ref="RadialGradientBrush.Transform" minOccurs="0" />
86         <xs:element ref="RadialGradientBrush.GradientStops" />
87     </xs:sequence>
88     <xs:attributeGroup ref="AG_Brush" />
89     <xs:attributeGroup ref="AG_GradientBrush" />
90     <xs:attributeGroup ref="AG_RadialGradientBrush" />
91 </xs:complexType>
92
93 <xs:complexType name="CT_GradientStop">
94     <xs:attributeGroup ref="AG_GradientStop" />
95 </xs:complexType>
96
97 <xs:complexType name="CT_PathGeometry">
98     <xs:sequence>
99         <xs:element ref="PathGeometry.Transform" minOccurs="0" />
100        <xs:element ref="PathFigure" minOccurs="0" maxOccurs="unbounded" />

```

```

101     </xs:sequence>
102     <xs:attributeGroup ref="AG_PathGeometry" />
103 </xs:complexType>
104
105 <xs:complexType name="CT_Glyphs">
106     <xs:sequence>
107         <xs:element ref="Glyphs.RenderTransform" minOccurs="0" />
108         <xs:element ref="Glyphs.Clip" minOccurs="0" />
109         <xs:element ref="Glyphs.OpacityMask" minOccurs="0" />
110         <xs:element ref="Glyphs.Fill" minOccurs="0" />
111     </xs:sequence>
112     <xs:attributeGroup ref="AG_Glyphs" />
113 </xs:complexType>
114
115 <xs:complexType name="CT_Path">
116     <xs:sequence>
117         <xs:element ref="Path.RenderTransform" minOccurs="0" />
118         <xs:element ref="Path.Clip" minOccurs="0" />
119         <xs:element ref="Path.OpacityMask" minOccurs="0" />
120         <xs:element ref="Path.Fill" minOccurs="0" />
121         <xs:element ref="Path.Stroke" minOccurs="0" />
122         <xs:element ref="Path.Data" minOccurs="0" />
123     </xs:sequence>
124     <xs:attributeGroup ref="AG_Path" />
125     <xs:attributeGroup ref="AG_AutomationProvider" />
126     <xs:attributeGroup ref="AG_SnapsToDevicePixels" />
127 </xs:complexType>
128
129 <xs:complexType name="CT_PathFigure">
130     <xs:sequence>
131         <xs:choice maxOccurs="unbounded">
132             <xs:element ref="PolyLineSegment" />
133             <xs:element ref="PolyBezierSegment" />
134             <xs:element ref="ArcSegment" />
135             <xs:element ref="PolyQuadraticBezierSegment" />
136         </xs:choice>
137     </xs:sequence>
138     <xs:attributeGroup ref="AG_PathFigure" />
139 </xs:complexType>
140
141 <xs:complexType name="CT_ArcSegment">
142     <xs:attributeGroup ref="AG_ArcSegment" />
143 </xs:complexType>
144
145 <xs:complexType name="CT_PolyQuadraticBezierSegment">
146     <xs:attributeGroup ref="AG_PolyQuadraticBezierSegment" />
147 </xs:complexType>
148
149 <xs:complexType name="CT_PolyLineSegment">
150     <xs:attributeGroup ref="AG_PolyLineSegment" />
151 </xs:complexType>
152
153 <xs:complexType name="CT_PolyBezierSegment">
154     <xs:attributeGroup ref="AG_PolyBezierSegment" />
155 </xs:complexType>

```

```

156
157 <xs:complexType name="CT_Canvas">
158   <xs:sequence>
159     <xs:element ref="Canvas.Resources" minOccurs="0" />
160     <xs:element ref="Canvas.RenderTransform" minOccurs="0" />
161     <xs:element ref="Canvas.Clip" minOccurs="0" />
162     <xs:element ref="Canvas.OpacityMask" minOccurs="0" />
163     <xs:choice minOccurs="0" maxOccurs="unbounded">
164       <xs:element ref="Path" />
165       <xs:element ref="Glyphs" />
166       <xs:element ref="Canvas" />
167     </xs:choice>
168   </xs:sequence>
169   <xs:attributeGroup ref="AG_Canvas" />
170   <xs:attributeGroup ref="AG_AutomationProvider" />
171 </xs:complexType>
172
173 <xs:complexType name="CT_ResourceDictionary">
174   <xs:choice minOccurs="0" maxOccurs="unbounded">
175     <xs:element ref="ImageBrush" />
176     <xs:element ref="LinearGradientBrush" />
177     <xs:element ref="RadialGradientBrush" />
178     <xs:element ref="VisualBrush" />
179     <xs:element ref="SolidColorBrush" />
180     <xs:element ref="MatrixTransform" />
181     <xs:element ref="PathGeometry" />
182     <xs:element ref="Path" />
183     <xs:element ref="Glyphs" />
184     <xs:element ref="Canvas" />
185   </xs:choice>
186   <xs:attributeGroup ref="AG_ResourceDictionary" />
187 </xs:complexType>
188
189 <xs:complexType name="CT_FixedPage">
190   <xs:sequence>
191     <xs:element ref="FixedPage.Resources" minOccurs="0" />
192     <xs:choice minOccurs="0" maxOccurs="unbounded">
193       <xs:element ref="Path" />
194       <xs:element ref="Glyphs" />
195       <xs:element ref="Canvas" />
196     </xs:choice>
197   </xs:sequence>
198   <xs:attributeGroup ref="AG_FixedPage" />
199 </xs:complexType>
200
201 <xs:complexType name="CT_FixedDocument">
202   <xs:sequence>
203     <xs:element ref="PageContent" maxOccurs="unbounded" />
204   </xs:sequence>
205 </xs:complexType>
206
207 <xs:complexType name="CT_PageContent">
208   <xs:sequence>
209     <xs:element ref="PageContent.LinkTargets" minOccurs="0" />
210   </xs:sequence>

```

```
211     <xs:attributeGroup ref="AG_PageContent" />
212 </xs:complexType>
213
214 <xs:complexType name="CT_FixedDocumentSequence">
215     <xs:sequence>
216         <xs:element ref="DocumentReference" maxOccurs="unbounded" />
217     </xs:sequence>
218 </xs:complexType>
219
220 <xs:complexType name="CT_DocumentReference">
221     <xs:attributeGroup ref="AG_DocumentReference" />
222 </xs:complexType>
223
224 <xs:complexType name="CT_LinkTarget">
225     <xs:attributeGroup ref="AG_LinkTarget" />
226 </xs:complexType>
227
228 <xs:complexType name="CT_CP_LinkTargets">
229     <xs:sequence>
230         <xs:element ref="LinkTarget" maxOccurs="unbounded" />
231     </xs:sequence>
232 </xs:complexType>
233
234 <xs:complexType name="CT_CP_Transform">
235     <xs:sequence>
236         <xs:element ref="MatrixTransform" />
237     </xs:sequence>
238 </xs:complexType>
239
240 <xs:complexType name="CT_CP_Visual">
241     <xs:choice>
242         <xs:element ref="Path" />
243         <xs:element ref="Glyphs" />
244         <xs:element ref="Canvas" />
245     </xs:choice>
246 </xs:complexType>
247
248 <xs:complexType name="CT_CP_GradientStops">
249     <xs:sequence>
250         <xs:element ref="GradientStop" minOccurs="2" maxOccurs="unbounded" />
251     </xs:sequence>
252 </xs:complexType>
253
254 <xs:complexType name="CT_CP_Geometry">
255     <xs:sequence>
256         <xs:element ref="PathGeometry" />
257     </xs:sequence>
258 </xs:complexType>
259
260 <xs:complexType name="CT_CP_Brush">
261     <xs:choice>
262         <xs:element ref="ImageBrush" />
263         <xs:element ref="LinearGradientBrush" />
264         <xs:element ref="RadialGradientBrush" />
265         <xs:element ref="SolidColorBrush" />
```

```

266         <xs:element ref="VisualBrush" />
267     </xs:choice>
268 </xs:complexType>
269
270 <xs:complexType name="CT_CP_Resources">
271     <xs:sequence minOccurs="0">
272         <xs:element ref="ResourceDictionary" />
273     </xs:sequence>
274 </xs:complexType>
275
276 <!-- Root elements -->
277 <xs:element name="MatrixTransform" type="CT_MatrixTransform">
278     </xs:element>
279
280 <xs:element name="SolidColorBrush" type="CT_SolidColorBrush">
281     </xs:element>
282
283 <xs:element name="ImageBrush" type="CT_ImageBrush">
284     </xs:element>
285
286 <xs:element name="VisualBrush" type="CT_VisualBrush">
287     </xs:element>
288
289 <xs:element name="LinearGradientBrush" type="CT_LinearGradientBrush">
290     </xs:element>
291
292 <xs:element name="RadialGradientBrush" type="CT_RadialGradientBrush">
293     </xs:element>
294
295 <xs:element name="Glyphs" type="CT_Glyphs">
296     </xs:element>
297
298 <xs:element name="Path" type="CT_Path">
299     </xs:element>
300
301 <xs:element name="Canvas" type="CT_Canvas">
302     </xs:element>
303
304 <xs:element name="GradientStop" type="CT_GradientStop">
305     </xs:element>
306
307 <xs:element name="ResourceDictionary" type="CT_ResourceDictionary">
308     </xs:element>
309
310 <xs:element name="PathGeometry" type="CT_PathGeometry">
311     </xs:element>
312
313 <xs:element name="PathFigure" type="CT_PathFigure">
314     </xs:element>
315
316 <xs:element name="PolyLineSegment" type="CT_PolyLineSegment">
317     </xs:element>
318
319 <xs:element name="ArcSegment" type="CT_ArcSegment">
320     </xs:element>

```

```
321 <xs:element name="PolyBezierSegment" type="CT_PolyBezierSegment">
322 </xs:element>
323
324 <xs:element name="PolyQuadraticBezierSegment" type="CT_PolyQuadraticBezierSegment">
325 </xs:element>
326
327 <xs:element name="FixedPage" type="CT_FixedPage">
328 </xs:element>
329
330 <xs:element name="FixedDocument" type="CT_FixedDocument">
331 </xs:element>
332
333 <xs:element name="PageContent" type="CT_PageContent">
334 </xs:element>
335
336 <xs:element name="FixedDocumentSequence" type="CT_FixedDocumentSequence">
337 </xs:element>
338
339 <xs:element name="DocumentReference" type="CT_DocumentReference">
340 </xs:element>
341
342 <xs:element name="LinkTarget" type="CT_LinkTarget">
343 </xs:element>
344
345 <xs:element name="PageContent.LinkTargets" type="CT_CP_LinkTargets">
346 </xs:element>
347
348 <xs:element name="ImageBrush.Transform" type="CT_CP_Transform">
349 </xs:element>
350
351 <xs:element name="VisualBrush.Transform" type="CT_CP_Transform">
352 </xs:element>
353
354 <xs:element name="LinearGradientBrush.Transform" type="CT_CP_Transform">
355 </xs:element>
356
357 <xs:element name="RadialGradientBrush.Transform" type="CT_CP_Transform">
358 </xs:element>
359
360 <xs:element name="PathGeometry.Transform" type="CT_CP_Transform">
361 </xs:element>
362
363 <xs:element name="Glyphs.RenderTransform" type="CT_CP_Transform">
364 </xs:element>
365
366 <xs:element name="Path.RenderTransform" type="CT_CP_Transform">
367 </xs:element>
368
369 <xs:element name="Canvas.RenderTransform" type="CT_CP_Transform">
370 </xs:element>
371
372 <xs:element name="VisualBrush.Visual" type="CT_CP_Visual">
373 </xs:element>
374
375
```

```

376 <xs:element name="LinearGradientBrush.GradientStops" type="CT_CP_GradientStops">
377     </xs:element>
378
379 <xs:element name="RadialGradientBrush.GradientStops" type="CT_CP_GradientStops">
380     </xs:element>
381
382 <xs:element name="Glyphs.Clip" type="CT_CP_Geometry">
383     </xs:element>
384
385 <xs:element name="Path.Clip" type="CT_CP_Geometry">
386     </xs:element>
387
388 <xs:element name="Canvas.Clip" type="CT_CP_Geometry">
389     </xs:element>
390
391 <xs:element name="Glyphs.OpacityMask" type="CT_CP_Brush">
392     </xs:element>
393
394 <xs:element name="Path.OpacityMask" type="CT_CP_Brush">
395     </xs:element>
396
397 <xs:element name="Canvas.OpacityMask" type="CT_CP_Brush">
398     </xs:element>
399
400 <xs:element name="Glyphs.Fill" type="CT_CP_Brush">
401     </xs:element>
402
403 <xs:element name="Path.Fill" type="CT_CP_Brush">
404     </xs:element>
405
406 <xs:element name="Path.Data" type="CT_CP_Geometry">
407     </xs:element>
408
409 <xs:element name="Path.Stroke" type="CT_CP_Brush">
410     </xs:element>
411
412 <xs:element name="Canvas.Resources" type="CT_CP_Resources">
413     </xs:element>
414
415 <xs:element name="FixedPage.Resources" type="CT_CP_Resources">
416     </xs:element>
417
418 <xs:attributeGroup name="AG_GradientStop">
419     <xs:attribute name="Color" type="ST_Color" use="required">
420         </xs:attribute>
421     <xs:attribute name="Offset" type="ST_Double" use="required">
422         </xs:attribute>
423 </xs:attributeGroup>
424
425 <xs:attributeGroup name="AG_Brush">
426     <xs:attribute name="Opacity" type="ST_ZeroOne" default="1.0">
427         </xs:attribute>
428     <xs:attribute ref="x:Key" />
429 </xs:attributeGroup>
430

```

```

431     <xs:attributeGroup name="AG_TileBrush">
432         <xs:attribute name="Transform" type="ST_RscRefMatrix">
433             </xs:attribute>
434         <xs:attribute name="Viewbox" type="ST_ViewBox" use="required">
435             </xs:attribute>
436         <xs:attribute name="Viewport" type="ST_ViewBox" use="required">
437             </xs:attribute>
438         <xs:attribute name="TileMode" type="ST_TileMode" default="None">
439             </xs:attribute>
440         <xs:attribute name="ViewboxUnits" type="ST_ViewUnits" use="required"
441 fixed="Absolute">
442             </xs:attribute>
443         <xs:attribute name="ViewportUnits" type="ST_ViewUnits" use="required"
444 fixed="Absolute">
445             </xs:attribute>
446     </xs:attributeGroup>
447
448     <xs:attributeGroup name="AG_VisualBrush">
449         <xs:attribute name="Visual" type="ST_RscRef">
450             </xs:attribute>
451     </xs:attributeGroup>
452
453     <xs:attributeGroup name="AG_GradientBrush">
454         <xs:attribute name="ColorInterpolationMode" type="ST_ClrIntMode"
455 default="SRgbLinearInterpolation">
456             </xs:attribute>
457         <xs:attribute name="SpreadMethod" type="ST_SpreadMethod" default="Pad">
458             </xs:attribute>
459         <xs:attribute name="MappingMode" type="ST_MappingMode" use="required"
460 fixed="Absolute">
461             </xs:attribute>
462     </xs:attributeGroup>
463
464     <xs:attributeGroup name="AG_SolidColorBrush">
465         <xs:attribute name="Color" type="ST_Color" use="required">
466             </xs:attribute>
467     </xs:attributeGroup>
468
469     <xs:attributeGroup name="AG_ImageBrush">
470         <xs:attribute name="ImageSource" type="ST_UriCtxBmp" use="required">
471             </xs:attribute>
472     </xs:attributeGroup>
473
474     <xs:attributeGroup name="AG_LinearGradientBrush">
475         <xs:attribute name="Transform" type="ST_RscRefMatrix">
476             </xs:attribute>
477         <xs:attribute name="StartPoint" type="ST_Point" use="required">
478             </xs:attribute>
479         <xs:attribute name="EndPoint" type="ST_Point" use="required">
480             </xs:attribute>
481     </xs:attributeGroup>
482
483     <xs:attributeGroup name="AG_RadialGradientBrush">
484         <xs:attribute name="Transform" type="ST_RscRefMatrix">
485             </xs:attribute>

```

```

486     <xs:attribute name="Center" type="ST_Point" use="required">
487         </xs:attribute>
488     <xs:attribute name="GradientOrigin" type="ST_Point" use="required">
489         </xs:attribute>
490     <xs:attribute name="RadiusX" type="ST_GEZero" use="required">
491         </xs:attribute>
492     <xs:attribute name="RadiusY" type="ST_GEZero" use="required">
493         </xs:attribute>
494 </xs:attributeGroup>
495
496 <xs:attributeGroup name="AG_PathGeometry">
497     <xs:attribute name="Figures" type="ST_AbbrGeom">
498         </xs:attribute>
499     <xs:attribute name="FillRule" type="ST_FillRule" default="EvenOdd">
500         </xs:attribute>
501     <xs:attribute name="Transform" type="ST_RscRefMatrix">
502         </xs:attribute>
503     <xs:attribute ref="x:Key" />
504 </xs:attributeGroup>
505
506 <xs:attributeGroup name="AG_ResourceDictionary">
507     <xs:attribute name="Source" type="xs:anyURI">
508         </xs:attribute>
509 </xs:attributeGroup>
510
511 <xs:attributeGroup name="AG_PolyLineSegment">
512     <xs:attribute name="Points" type="ST_Points" use="required">
513         </xs:attribute>
514     <xs:attribute name="IsStroked" type="ST_Boolean" default="true">
515         </xs:attribute>
516 </xs:attributeGroup>
517
518 <xs:attributeGroup name="AG_ArcSegment">
519     <xs:attribute name="Point" type="ST_Point" use="required">
520         </xs:attribute>
521     <xs:attribute name="Size" type="ST_PointGE0" use="required">
522         </xs:attribute>
523     <xs:attribute name="RotationAngle" type="ST_Double" use="required">
524         </xs:attribute>
525     <xs:attribute name="IsLargeArc" type="ST_Boolean" use="required">
526         </xs:attribute>
527     <xs:attribute name="SweepDirection" type="ST_SweepDirection" use="required">
528         </xs:attribute>
529     <xs:attribute name="IsStroked" type="ST_Boolean" default="true">
530         </xs:attribute>
531 </xs:attributeGroup>
532
533 <xs:attributeGroup name="AG_PolyBezierSegment">
534     <xs:attribute name="Points" type="ST_PointsM3" use="required">
535         </xs:attribute>
536     <xs:attribute name="IsStroked" type="ST_Boolean" default="true">
537         </xs:attribute>
538 </xs:attributeGroup>
539
540 <xs:attributeGroup name="AG_PolyQuadraticBezierSegment">

```

```

541     <xs:attribute name="Points" type="ST_PointsM2" use="required">
542         </xs:attribute>
543     <xs:attribute name="IsStroked" type="ST_Boolean" default="true">
544         </xs:attribute>
545 </xs:attributeGroup>
546
547 <xs:attributeGroup name="AG_Glyphs">
548     <xs:attribute name="BidiLevel" default="0">
549         <xs:simpleType>
550             <xs:restriction base="xs:integer">
551                 <xs:minInclusive value="0" />
552                 <xs:maxInclusive value="61" />
553             </xs:restriction>
554         </xs:simpleType>
555     </xs:attribute>
556     <xs:attribute name="CaretStops" type="ST_CaretStops">
557         </xs:attribute>
558     <xs:attribute name="DeviceFontName" type="ST_UnicodeString">
559         </xs:attribute>
560     <xs:attribute name="Fill" type="ST_RscRefColor">
561         </xs:attribute>
562     <xs:attribute name="FontRenderingEmSize" type="ST_GEZero" use="required">
563         </xs:attribute>
564     <xs:attribute name="FontUri" type="xs:anyURI" use="required">
565         </xs:attribute>
566     <xs:attribute name="OriginX" type="ST_Double" use="required">
567         </xs:attribute>
568     <xs:attribute name="OriginY" type="ST_Double" use="required">
569         </xs:attribute>
570     <xs:attribute name="IsSideways" type="ST_Boolean" default="false">
571         </xs:attribute>
572     <xs:attribute name="Indices" type="ST_Indices">
573         </xs:attribute>
574     <xs:attribute name="UnicodeString" type="ST_UnicodeString">
575         </xs:attribute>
576     <xs:attribute name="StyleSimulations" type="ST_StyleSimulations"
577 default="None">
578         </xs:attribute>
579     <xs:attribute name="RenderTransform" type="ST_RscRefMatrix">
580         </xs:attribute>
581     <xs:attribute name="Clip" type="ST_RscRefAbbrGeomF">
582         </xs:attribute>
583     <xs:attribute name="Opacity" type="ST_ZeroOne" default="1.0">
584         </xs:attribute>
585     <xs:attribute name="OpacityMask" type="ST_RscRef">
586         </xs:attribute>
587     <xs:attribute name="Name" type="ST_Name">
588         </xs:attribute>
589     <xs:attribute name="FixedPage.NavigateUri" type="xs:anyURI">
590         </xs:attribute>
591     <xs:attribute ref="xml:lang">
592         </xs:attribute>
593     <xs:attribute ref="x:Key" />
594 </xs:attributeGroup>
595

```

```

596 <xs:attributeGroup name="AG_Path">
597   <xs:attribute name="Data" type="ST_RscRefAbbrGeomF">
598     </xs:attribute>
599   <xs:attribute name="Fill" type="ST_RscRefColor">
600     </xs:attribute>
601   <xs:attribute name="RenderTransform" type="ST_RscRefMatrix">
602     </xs:attribute>
603   <xs:attribute name="Clip" type="ST_RscRefAbbrGeomF">
604     </xs:attribute>
605   <xs:attribute name="Opacity" type="ST_ZeroOne" default="1.0">
606     </xs:attribute>
607   <xs:attribute name="OpacityMask" type="ST_RscRef">
608     </xs:attribute>
609   <xs:attribute name="Stroke" type="ST_RscRefColor">
610     </xs:attribute>
611   <xs:attribute name="StrokeDashArray" type="ST_EvenArrayPos">
612     </xs:attribute>
613   <xs:attribute name="StrokeDashCap" type="ST_DashCap" default="Flat">
614     </xs:attribute>
615   <xs:attribute name="StrokeDashOffset" type="ST_Double" default="0.0">
616     </xs:attribute>
617   <xs:attribute name="StrokeEndLineCap" type="ST_LineCap" default="Flat">
618     </xs:attribute>
619   <xs:attribute name="StrokeStartLineCap" type="ST_LineCap" default="Flat">
620     </xs:attribute>
621   <xs:attribute name="StrokeLineJoin" type="ST_LineJoin" default="Miter">
622     </xs:attribute>
623   <xs:attribute name="StrokeMiterLimit" type="ST_GEOne" default="10.0">
624     </xs:attribute>
625   <xs:attribute name="StrokeThickness" type="ST_GEZero" default="1.0">
626     </xs:attribute>
627   <xs:attribute name="Name" type="ST_Name">
628     </xs:attribute>
629   <xs:attribute name="FixedPage.NavigateUri" type="xs:anyURI">
630     </xs:attribute>
631   <xs:attribute ref="xml:lang">
632     </xs:attribute>
633   <xs:attribute ref="x:Key" />
634 </xs:attributeGroup>
635
636 <xs:attributeGroup name="AG_PathFigure">
637   <xs:attribute name="IsClosed" type="ST_Boolean" default="false">
638     </xs:attribute>
639   <xs:attribute name="StartPoint" type="ST_Point" use="required">
640     </xs:attribute>
641   <xs:attribute name="IsFilled" type="ST_Boolean" default="true">
642     </xs:attribute>
643 </xs:attributeGroup>
644
645 <xs:attributeGroup name="AG_Canvas">
646   <xs:attribute name="RenderTransform" type="ST_RscRefMatrix">
647     </xs:attribute>
648   <xs:attribute name="Clip" type="ST_RscRefAbbrGeomF">
649     </xs:attribute>
650   <xs:attribute name="Opacity" type="ST_ZeroOne" default="1.0">

```

```

651         </xs:attribute>
652         <xs:attribute name="OpacityMask" type="ST_RscRef">
653             </xs:attribute>
654         <xs:attribute name="Name" type="ST_Name">
655             </xs:attribute>
656         <xs:attribute name="RenderOptions.EdgeMode" type="ST_EdgeMode">
657             </xs:attribute>
658         <xs:attribute name="FixedPage.NavigateUri" type="xs:anyURI">
659             </xs:attribute>
660         <xs:attribute ref="xml:lang">
661             </xs:attribute>
662         <xs:attribute ref="x:Key" />
663     </xs:attributeGroup>
664
665     <xs:attributeGroup name="AG_PageContent">
666         <xs:attribute name="Source" type="xs:anyURI" use="required">
667             </xs:attribute>
668         <xs:attribute name="Width" type="ST_GEOne">
669             </xs:attribute>
670         <xs:attribute name="Height" type="ST_GEOne">
671             </xs:attribute>
672     </xs:attributeGroup>
673
674     <xs:attributeGroup name="AG_LinkTarget">
675         <xs:attribute name="Name" type="ST_NUName" use="required">
676             </xs:attribute>
677     </xs:attributeGroup>
678
679     <xs:attributeGroup name="AG_DocumentReference">
680         <xs:attribute name="Source" type="xs:anyURI" use="required">
681             </xs:attribute>
682     </xs:attributeGroup>
683
684     <xs:attributeGroup name="AG_MatrixTransform">
685         <xs:attribute name="Matrix" type="ST_Matrix" use="required">
686             </xs:attribute>
687         <xs:attribute ref="x:Key" />
688     </xs:attributeGroup>
689
690     <xs:attributeGroup name="AG_FixedPage">
691         <xs:attribute name="Width" type="ST_GEOne" use="required">
692             </xs:attribute>
693         <xs:attribute name="Height" type="ST_GEOne" use="required">
694             </xs:attribute>
695         <xs:attribute name="ContentBox" type="ST_ContentBox">
696             </xs:attribute>
697         <xs:attribute name="BleedBox" type="ST_BleedBox">
698             </xs:attribute>
699         <xs:attribute ref="xml:lang" use="required">
700             </xs:attribute>
701         <xs:attribute name="Name" type="ST_Name">
702             </xs:attribute>
703     </xs:attributeGroup>
704
705     <xs:attributeGroup name="AG_AutomationProvider">

```

```

706     <xs:attribute name="AutomationProperties.Name" type="xs:string">
707         </xs:attribute>
708     <xs:attribute name="AutomationProperties.HelpText" type="xs:string">
709         </xs:attribute>
710 </xs:attributeGroup>
711
712 <xs:attributeGroup name="AG_SnapsToDevicePixels">
713     <xs:attribute name="SnapsToDevicePixels" type="ST_Boolean">
714         </xs:attribute>
715 </xs:attributeGroup>
716
717 <!-- Simple data types -->
718 <!-- A unique Name (ID with pattern restriction according to OpenXPS spec) -->
719 <xs:simpleType name="ST_Name">
720     <xs:restriction base="xs:ID">
721         <xs:pattern
722 value="(\{Lu\}|\{Ll\}|\{Lt\}|\{Lo\}|\{N1\}|_)(\{Lu\}|\{Ll\}|\{Lt\}|\{Lo\}|\{N1\}|\{Mn\}
723 |\{Mc\}|\{Nd\}|_)*" />
724     </xs:restriction>
725 </xs:simpleType>
726
727 <!-- A non-unique Name (ID with pattern restriction according to OpenXPS spec) -->
728 <xs:simpleType name="ST_NUName">
729     <xs:restriction base="xs:string">
730         <xs:pattern
731 value="(\{Lu\}|\{Ll\}|\{Lt\}|\{Lo\}|\{N1\}|_)(\{Lu\}|\{Ll\}|\{Lt\}|\{Lo\}|\{N1\}|\{Mn\}
732 |\{Mc\}|\{Nd\}|_)*" />
733     </xs:restriction>
734 </xs:simpleType>
735
736 <!-- Boolean with true and false only (no 0 or 1) -->
737 <xs:simpleType name="ST_Boolean">
738     <xs:restriction base="xs:boolean">
739         <xs:pattern value="true|false" />
740     </xs:restriction>
741 </xs:simpleType>
742
743 <!-- real number from 0.0 to 1.0 inclusive -->
744 <xs:simpleType name="ST_ZeroOne">
745     <xs:restriction base="ST_Double">
746         <xs:minInclusive value="0.0" />
747         <xs:maxInclusive value="1.0" />
748     </xs:restriction>
749 </xs:simpleType>
750
751 <!-- positive real number -->
752 <xs:simpleType name="ST_GEZero">
753     <xs:restriction base="ST_Double">
754         <xs:minInclusive value="0.0" />
755     </xs:restriction>
756 </xs:simpleType>
757
758 <!-- positive real number, equal or greater than one -->
759 <xs:simpleType name="ST_GEOne">
760     <xs:restriction base="ST_Double">

```



```

816 <!-- PointsM2: List of ST_Point, separated by arbitrary whitespace with a multiple
817 of 2 point count -->
818 <xs:simpleType name="ST_PointsM2">
819 <xs:restriction base="xs:string">
820 <xs:whiteSpace value="collapse" />
821 <!--
822 <xs:pattern value="[rn][scs][rn] [rn][scs][rn]([rn][scs][rn]){2})*"/>
823 -->
824 <xs:pattern value="((\-|\+)?((([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-
825 9]+)?)( ?, ?)((\-|\+)?((([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?) ((\-
826 |\+)?((([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-|\+)?((([0-
827 9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)(( (\-|\+)?((([0-9]+(\.[0-
828 9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-|\+)?((([0-9]+(\.[0-9]+)?)|(\.[0-
829 9]+))((e|E)(\-|\+)?[0-9]+)?))){2})*" />
830 </xs:restriction>
831 </xs:simpleType>
832
833 <!-- PointsM3: List of ST_Point, separated by arbitrary whitespace with a multiple of
834 3 point count -->
835 <xs:simpleType name="ST_PointsM3">
836 <xs:restriction base="xs:string">
837 <xs:whiteSpace value="collapse" />
838 <!--
839 <xs:pattern value="[rn][scs][rn]([rn][scs][rn]){2}((
840 [rn][scs][rn]){3})*"/>
841 -->
842 <xs:pattern value="((\-|\+)?((([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-
843 9]+)?)( ?, ?)((\-|\+)?((([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?) ((\-
844 |\+)?((([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-|\+)?((([0-
845 9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?))){2}(( (\-|\+)?((([0-9]+(\.[0-
846 9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-|\+)?((([0-9]+(\.[0-9]+)?)|(\.[0-
847 9]+))((e|E)(\-|\+)?[0-9]+)?))){3})*" />
848 </xs:restriction>
849 </xs:simpleType>
850
851 <!-- EvenArray: List with even number of entries of non-negative numbers. -->
852 <xs:simpleType name="ST_EvenArrayPos">
853 <xs:restriction base="xs:string">
854 <xs:whiteSpace value="collapse" />
855 <!--
856 <xs:pattern value="[prn] [prn]([prn] [prn])*"/>
857 -->
858 <xs:pattern value="(\+?((([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-
859 9]+)?) (\+?((([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?) (\+?((([0-9]+(\.[0-
860 9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?) (\+?((([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-
861 |\+)?[0-9]+)?))*" />
862 </xs:restriction>
863 </xs:simpleType>
864
865 <!-- Array: List of numbers. -->
866 <xs:simpleType name="ST_Array">
867 <xs:restriction base="xs:string">
868 <xs:whiteSpace value="collapse" />
869 <!--
870 <xs:pattern value="([rn] ?)*"/>

```

```

871 -->
872     <xs:pattern value="(((\-|\+)?([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-
873 |\+)?[0-9]+)?( ? , ?))*" />
874     </xs:restriction>
875 </xs:simpleType>
876
877 <!-- ViewBox: 4 numbers, separated by , and arbitrary whitespace. Second number
878 pair must be non-negative -->
879 <xs:simpleType name="ST_ViewBox">
880     <xs:restriction base="xs:string">
881         <xs:whiteSpace value="collapse" />
882 <!--
883         <xs:pattern value="[rn][scs][rn][scs][prn][scs][prn]" />
884 -->
885         <xs:pattern value="((\-|\+)?([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-
886 |\+)?[0-9]+)?( ? , ?)((\-|\+)?([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?(
887 ? , ?)(\+?([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?( ? , ?)(\+?([0-
888 9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)" />
889         </xs:restriction>
890     </xs:simpleType>
891
892 <!-- ContentBox: 4 non-negative numbers, separated by commas and arbitrary
893 whitespace -->
894 <xs:simpleType name="ST_ContentBox">
895     <xs:restriction base="xs:string">
896         <xs:whiteSpace value="collapse" />
897 <!--
898         <xs:pattern value="[prn][scs][prn][scs][prn][scs][prn]" />
899 -->
900         <xs:pattern value="(\+?([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-
901 9]+)?( ? , ?)(\+?([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?( ? ,
902 ?)(\+?([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?( ? , ?)(\+?([0-9]+(\.[0-
903 9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)" />
904         </xs:restriction>
905     </xs:simpleType>
906
907 <!-- BleedBox: 4 numbers, separated by , and arbitrary whitespace. Second number
908 pair must be non-negative -->
909 <xs:simpleType name="ST_BleedBox">
910     <xs:restriction base="xs:string">
911         <xs:whiteSpace value="collapse" />
912 <!--
913         <xs:pattern value="[rn][scs][rn][scs][prn][scs][prn]" />
914 -->
915         <xs:pattern value="((\-|\+)?([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-
916 |\+)?[0-9]+)?( ? , ?)((\-|\+)?([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?(
917 ? , ?)(\+?([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?( ? , ?)(\+?([0-
918 9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)" />
919         </xs:restriction>
920     </xs:simpleType>
921
922 <!-- Bare Matrix form: 6 numbers separated by , and arbitrary whitespace -->
923 <xs:simpleType name="ST_Matrix">
924     <xs:restriction base="xs:string">
925         <xs:whiteSpace value="collapse" />

```

```

926 <!--
927     <xs:pattern value="[rn][scs][rn][scs][rn][scs][rn][scs][rn]" />
928 -->
929     <xs:pattern value="((\-|\+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)(
930     |\+)?[0-9]+)?)( ?, ?)((\-|\+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)(
931     ?, ?)((\-|\+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-|\+)?((([0-
932     |\+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-|\+)?((([0-
933     9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-|\+)?((([0-9]+\.[0-
934     9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)" />
935     </xs:restriction>
936 </xs:simpleType>
937
938 <!-- Color: 6 or 8 hex digits -->
939 <xs:simpleType name="ST_Color">
940     <xs:restriction base="xs:string">
941         <!-- The pattern restriction does not check for scRGB gamut -->
942         <!-- The pattern restriction does not check for color profile URI validity
943 -->
944         <xs:whiteSpace value="collapse" />
945 <!--
946     <xs:pattern value="(#[0-9a-fA-F]{2})?[0-9a-fA-F]{6}|\
947         (sc# ?[dec][scs][dec][scs][dec]([scs][dec])?)|\
948         (ContextColor [\S]+ [dec]([scs][dec]){1,8})"/>
949 -->
950     <xs:pattern value="(#[0-9a-fA-F]{2})?[0-9a-fA-F]{6}|(sc# ?(\-?((([0-
951     9]+\.[0-9]+)?)|(\.[0-9]+))) ( ?, ?)(\-?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))) ( ?, ?)(\-
952     ?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))) ( ?, ?)(\-?((([0-9]+\.[0-9]+)?)|(\.[0-
953     9]+)))?)|(ContextColor +[\S]+ ?(\-?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))) ( ( ?, ?)(\-?((([0-
954     9]+\.[0-9]+)?)|(\.[0-9]+))) ) {3,8})" />
955     </xs:restriction>
956 </xs:simpleType>
957
958 <!-- Indices grammar for Glyphs.CaretStops -->
959 <xs:simpleType name="ST_CaretStops">
960     <xs:restriction base="xs:string">
961         <xs:whiteSpace value="collapse" />
962         <xs:pattern value="[0-9A-Fa-f]*" />
963     </xs:restriction>
964 </xs:simpleType>
965
966 <!-- Indices grammar for Glyphs.Indices -->
967 <xs:simpleType name="ST_Indices">
968     <xs:restriction base="xs:string">
969         <xs:whiteSpace value="collapse" />
970 <!--
971     <xs:pattern value="(\
972         ((\([pint](:[pint])?\))?[uint])?\
973         (,[prn]?([rn]?([rn])?)?)?\
974         )\
975         (;\
976         ((\([pint](:[pint])?\))?[uint])?\
977         (,[prn]?([rn]?([rn])?)?)?\
978         )" />
979 -->

```

```

980     <xs:pattern value="(((\(((1-9)[0-9]*):((1-9)[0-9]*)?\))\)?([0-
981 9]+))?(,(\+?((([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)?,( (\-|\+)?((([0-
982 9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)?,( (\-|\+)?((([0-9]+(\.[0-
983 9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)?)?);((\(((1-9)[0-9]*):((1-9)[0-
984 9]*))\)?([0-9]+))?(,(\+?((([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-
985 9]+)?)?,( (\-|\+)?((([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)?,( (\-
986 |\+)?((([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)?)?)*" />
987     </xs:restriction>
988     </xs:simpleType>
989
990     <!-- UnicodeString grammar -->
991     <xs:simpleType name="ST_UnicodeString">
992         <xs:restriction base="xs:string">
993             <xs:pattern value="([\^\{\}|\{\}\})|([\r\n])*)?" />
994         </xs:restriction>
995     </xs:simpleType>
996
997     <!-- Abbreviated Geometry grammar for Path.Data , clip and Geometries -->
998     <xs:simpleType name="ST_AbbrGeomF">
999         <xs:restriction base="xs:string">
1000             <xs:whiteSpace value="collapse" />
1001 <!--
1002             <xs:pattern value="(F ?(0|1))?\
1003                 ( ?(M|m)( ?[rn][scs][rn]))\
1004                 (\
1005                     ( ?(M|m)( ?[rn][scs][rn]))|\
1006                     ( ?(L|l)( ?[rn][scs][rn])( [rn][scs][rn])*)|\
1007                     ( ?(H|h|V|v)( ?[rn])( [rn])*)|\
1008                     ( ?(Q|q|S|s)( ?[rn][scs][rn] [rn][scs][rn]))((
1009 [rn][scs][rn]){2})*|\
1010                     ( ?(C|c)( ?[rn][scs][rn]( [rn][scs][rn]){2}))((
1011 [rn][scs][rn]){3})*|\
1012                     ( ?(A|a)( ?[rn][scs][rn] [rn] [0-1] [0-1]
1013 [rn][scs][rn])\
1014                                     ( [rn][scs][rn] [rn] [0-1] [0-1]
1015 [rn][scs][rn])*)|\
1016                                     ( ?(Z|z))\
1017                                     )*/>
1018 -->
1019             <xs:pattern value="(F ?(0|1))?( ?(M|m)( ?((\-|\+)?((([0-9]+(\.[0-
1020 9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-|\+)?((([0-9]+(\.[0-9]+)?)|(\.[0-
1021 9]+))((e|E)(\-|\+)?[0-9]+)?)))(( ?(M|m)( ?((\-|\+)?((([0-9]+(\.[0-9]+)?)|(\.[0-
1022 9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-|\+)?((([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-
1023 |\+)?[0-9]+)?)))|( ?(L|l)( ?((\-|\+)?((([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-
1024 9]+)?)( ?, ?)((\-|\+)?((([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?))(( (\-
1025 |\+)?((([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-|\+)?((([0-
1026 9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?))*|( ?(H|h|V|v)( ?((\-|\+)?((([0-
1027 9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?))(( (\-|\+)?((([0-9]+(\.[0-
1028 9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?))*|( ?(Q|q|S|s)( ?((\-|\+)?((([0-9]+(\.[0-
1029 9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-|\+)?((([0-9]+(\.[0-9]+)?)|(\.[0-
1030 9]+))((e|E)(\-|\+)?[0-9]+)?))(( (\-|\+)?((([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-
1031 9]+)?)( ?, ?)((\-|\+)?((([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?))(( (\-
1032 |\+)?((([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-|\+)?((([0-
1033 9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?))){2})*|( ?(C|c)( ?((\-|\+)?((([0-
1034 9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-|\+)?((([0-9]+(\.[0-

```

```

1035 9]+?)|(\.[0-9]+))((e|E)(\-\|+)?[0-9]+)?( (\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-
1036 9]+))((e|E)(\-\|+)?[0-9]+)?( ?, ?)(\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-\
1037 |\+)?[0-9]+?))){2}(( (\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-\|+)?[0-9]+)?(
1038 ?, ?)(\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-\|+)?[0-9]+?))){3}*)|( ?(A|a)(
1039 ?(\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-\|+)?[0-9]+)?( ?, ?)(\-\|+)?((([0-
1040 9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-\|+)?[0-9]+)? (\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-
1041 9]+))((e|E)(\-\|+)?[0-9]+)? [0-1] [0-1] (\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-
1042 9]+))((e|E)(\-\|+)?[0-9]+)?( ?, ?)(\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-\
1043 |\+)?[0-9]+?)) ( (\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-\|+)?[0-9]+)?( ?,
1044 ?)(\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-\|+)?[0-9]+)? (\-\|+)?((([0-
1045 9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-\|+)?[0-9]+)? [0-1] [0-1] (\-\|+)?((([0-9]+\.[0-
1046 9]+)?)|(\.[0-9]+))((e|E)(\-\|+)?[0-9]+)?( ?, ?)(\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-
1047 9]+))((e|E)(\-\|+)?[0-9]+?))*)|( ?(Z|z)))" />
1048 </xs:restriction>
1049 </xs:simpleType>
1050
1051 <!-- Abbreviated Geometry grammar for PatGeometry.Figures -->
1052 <xs:simpleType name="ST_AbbrGeom">
1053 <xs:restriction base="xs:string">
1054 <xs:whiteSpace value="collapse" />
1055 <!--
1056 <xs:pattern value="( ?(M|m)( ?[rn][scs][rn]))\
1057 (\
1058 ( ?(M|m)( ?[rn][scs][rn]))|\
1059 ( ?(L|l)( ?[rn][scs][rn])( [rn][scs][rn])*)|\
1060 ( ?(H|h|V|v)( ?[rn])( [rn])*)|\
1061 ( ?(Q|q|S|s)( ?[rn][scs][rn] [rn][scs][rn]))((
1062 [rn][scs][rn]){2})*|\
1063 ( ?(C|c)( ?[rn][scs][rn]( [rn][scs][rn]){2}))((
1064 [rn][scs][rn]){3})*|\
1065 ( ?(A|a)( ?[rn][scs][rn] [rn] [0-1] [0-1]
1066 [rn][scs][rn])\
1067 ( [rn][scs][rn] [rn] [0-1] [0-1]
1068 [rn][scs][rn])*)|\
1069 ( ?(Z|z))\
1070 )*" />
1071 -->
1072 <xs:pattern value="( ?(M|m)( ?((\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-
1073 9]+))((e|E)(\-\|+)?[0-9]+)?( ?, ?)(\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-\
1074 |\+)?[0-9]+?)))( ?(M|m)( ?((\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-\|+)?[0-
1075 9]+)?( ?, ?)(\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-\|+)?[0-9]+?)))( |
1076 ?(L|l)( ?((\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-\|+)?[0-9]+)?( ?, ?)(\-\
1077 |\+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-\|+)?[0-9]+?)) ( (\-\|+)?((([0-9]+\.[0-
1078 9]+)?)|(\.[0-9]+))((e|E)(\-\|+)?[0-9]+)?( ?, ?)(\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-
1079 9]+))((e|E)(\-\|+)?[0-9]+?))*)|( ?(H|h|V|v)( ?((\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-
1080 9]+))((e|E)(\-\|+)?[0-9]+?)) ( (\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-\
1081 |\+)?[0-9]+?))*)|( ?(Q|q|S|s)( ?((\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-\
1082 |\+)?[0-9]+?)( ?, ?)(\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-\|+)?[0-9]+?))
1083 (\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-\|+)?[0-9]+?)( ?, ?)(\-\|+)?((([0-
1084 9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-\|+)?[0-9]+?)) ( (\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-
1085 9]+)?)|(\.[0-9]+))((e|E)(\-\|+)?[0-9]+?)( ?, ?)(\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-
1086 9]+))((e|E)(\-\|+)?[0-9]+?))){2}*)|( ?(C|c)( ?((\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-
1087 9]+))((e|E)(\-\|+)?[0-9]+?)( ?, ?)(\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-\
1088 |\+)?[0-9]+?)( (\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-\|+)?[0-9]+?)( ?,
1089 ?)(\-\|+)?((([0-9]+\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-\|+)?[0-9]+?))){2}(( (\-\

```

```

1090 |\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?( ? , ?)(\\-|\\+)?((([0-
1091 9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?){3})*|( ?(A|a)( ?(\\-|\\+)?((([0-
1092 9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?( ? , ?)(\\-|\\+)?((([0-9]+(\\. [0-
1093 9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)? (\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-
1094 9]+))((e|E)(\\-|\\+)?[0-9]+)? [0-1] [0-1] (\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-
1095 9]+))((e|E)(\\-|\\+)?[0-9]+)?( ? , ?)(\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-
1096 |\\+)?[0-9]+)?)( (\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?( ? ,
1097 ?)(\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)? (\\-|\\+)?((([0-
1098 9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)? [0-1] [0-1] (\\-|\\+)?((([0-9]+(\\. [0-
1099 9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?( ? , ?)(\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-
1100 9]+))((e|E)(\\-|\\+)?[0-9]+)?)*|( ?(Z|z)))"* />
1101 </xs:restriction>
1102 </xs:simpleType>
1103
1104 <!-- Image reference via Uri -->
1105 <xs:simpleType name="ST_UriImage">
1106 <xs:restriction base="xs:anyURI">
1107 <xs:pattern value="([^\{].*)?" />
1108 </xs:restriction>
1109 </xs:simpleType>
1110
1111 <!-- Image reference via ColorConvertedBitmap -->
1112 <xs:simpleType name="ST_CtxBmpImage">
1113 <xs:restriction base="xs:string">
1114 <xs:pattern value="\{ColorConvertedBitmap[\\s]+[\\S]+[\\s]+[\\S]+\\}[\\s]*" />
1115 </xs:restriction>
1116 </xs:simpleType>
1117
1118 <!-- Image reference via Uri or ColorConvertedBitmap -->
1119 <xs:simpleType name="ST_UriCtxBmp">
1120 <xs:union memberTypes="ST_UriImage ST_CtxBmpImage" />
1121 </xs:simpleType>
1122
1123 <!-- Resource reference -->
1124 <xs:simpleType name="ST_RscRef">
1125 <xs:restriction base="xs:string">
1126 <xs:pattern value="\{StaticResource[\\s]+[\\S]+\\}[\\s]*" />
1127 </xs:restriction>
1128 </xs:simpleType>
1129
1130 <!-- Resource reference OR Color -->
1131 <xs:simpleType name="ST_RscRefColor">
1132 <xs:union memberTypes="ST_Color ST_RscRef" />
1133 </xs:simpleType>
1134
1135 <!-- Resource reference OR Compact Matrix-->
1136 <xs:simpleType name="ST_RscRefMatrix">
1137 <xs:union memberTypes="ST_Matrix ST_RscRef" />
1138 </xs:simpleType>
1139
1140 <!-- Resource reference OR AbbrGeomF-->
1141 <xs:simpleType name="ST_RscRefAbbrGeomF">
1142 <xs:union memberTypes="ST_AbbrGeomF ST_RscRef" />
1143 </xs:simpleType>
1144

```

```

1145 <!-- Sweep Direction enumeration -->
1146 <xs:simpleType name="ST_SweepDirection">
1147   <xs:restriction base="xs:string">
1148     <xs:enumeration value="Clockwise" />
1149     <xs:enumeration value="Counterclockwise" />
1150   </xs:restriction>
1151 </xs:simpleType>
1152
1153 <!-- Dash Cap enumeration -->
1154 <xs:simpleType name="ST_DashCap">
1155   <xs:restriction base="xs:string">
1156     <xs:enumeration value="Flat" />
1157     <xs:enumeration value="Round" />
1158     <xs:enumeration value="Square" />
1159     <xs:enumeration value="Triangle" />
1160   </xs:restriction>
1161 </xs:simpleType>
1162
1163 <!-- Line Cap enumeration -->
1164 <xs:simpleType name="ST_LineCap">
1165   <xs:restriction base="xs:string">
1166     <xs:enumeration value="Flat" />
1167     <xs:enumeration value="Round" />
1168     <xs:enumeration value="Square" />
1169     <xs:enumeration value="Triangle" />
1170   </xs:restriction>
1171 </xs:simpleType>
1172
1173 <!-- Line Join enumeration -->
1174 <xs:simpleType name="ST_LineJoin">
1175   <xs:restriction base="xs:string">
1176     <xs:enumeration value="Miter" />
1177     <xs:enumeration value="Bevel" />
1178     <xs:enumeration value="Round" />
1179   </xs:restriction>
1180 </xs:simpleType>
1181
1182 <!-- Tile Mode enumeration -->
1183 <xs:simpleType name="ST_TileMode">
1184   <xs:restriction base="xs:string">
1185     <xs:enumeration value="None" />
1186     <xs:enumeration value="Tile" />
1187     <xs:enumeration value="FlipX" />
1188     <xs:enumeration value="FlipY" />
1189     <xs:enumeration value="FlipXY" />
1190   </xs:restriction>
1191 </xs:simpleType>
1192
1193 <!-- Color Interpolation Mode enumeration -->
1194 <xs:simpleType name="ST_ClrIntMode">
1195   <xs:restriction base="xs:string">
1196     <xs:enumeration value="ScRgbLinearInterpolation" />
1197     <xs:enumeration value="SRgbLinearInterpolation" />
1198   </xs:restriction>
1199 </xs:simpleType>

```

```
1200
1201 <!-- SpreadMethod Mode enumeration -->
1202 <xs:simpleType name="ST_SpreadMethod">
1203   <xs:restriction base="xs:string">
1204     <xs:enumeration value="Pad" />
1205     <xs:enumeration value="Reflect" />
1206     <xs:enumeration value="Repeat" />
1207   </xs:restriction>
1208 </xs:simpleType>
1209
1210 <!-- FillRule Mode enumeration -->
1211 <xs:simpleType name="ST_FillRule">
1212   <xs:restriction base="xs:string">
1213     <xs:enumeration value="EvenOdd" />
1214     <xs:enumeration value="NonZero" />
1215   </xs:restriction>
1216 </xs:simpleType>
1217
1218 <!-- Edge Mode enumeration -->
1219 <xs:simpleType name="ST_EdgeMode">
1220   <xs:restriction base="xs:string">
1221     <xs:enumeration value="Aliased" />
1222   </xs:restriction>
1223 </xs:simpleType>
1224
1225 <!-- Style Simulation Enumeration -->
1226 <xs:simpleType name="ST_StyleSimulations">
1227   <xs:restriction base="xs:string">
1228     <xs:enumeration value="None" />
1229     <xs:enumeration value="ItalicSimulation" />
1230     <xs:enumeration value="BoldSimulation" />
1231     <xs:enumeration value="BoldItalicSimulation" />
1232   </xs:restriction>
1233 </xs:simpleType>
1234
1235 <!-- ViewUnits Enumeration -->
1236 <xs:simpleType name="ST_ViewUnits">
1237   <xs:restriction base="xs:string">
1238     <xs:enumeration value="Absolute" />
1239   </xs:restriction>
1240 </xs:simpleType>
1241
1242 <!-- MappingMode Enumeration -->
1243 <xs:simpleType name="ST_MappingMode">
1244   <xs:restriction base="xs:string">
1245     <xs:enumeration value="Absolute" />
1246   </xs:restriction>
1247 </xs:simpleType>
1248 </xs:schema>
```



---

### A.3 Resource Dictionary Key

The schema shown below is also provided in electronic form as a file named OpenXPSResourceDictionaryKey.xsd, which is contained in an accompanying zip archive named "OpenXPS WC3 Schemas.zip". If discrepancies exist between the representation as published below and the corresponding electronic version, the published version below is the definitive version.

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <xs:schema targetNamespace="http://schemas.openxps.org/oxps/v1.0/resourcedictionary-
3 key" xmlns="http://schemas.openxps.org/oxps/v1.0/resourcedictionary-key"
4 xmlns:xs="http://www.w3.org/2001/XMLSchema" elementFormDefault="qualified"
5 blockDefault="#all">
6
7   <xs:attribute name="Key">
8     <xs:simpleType>
9       <xs:restriction base="xs:string">
10        <!-- A Key (pattern restriction according to OpenXPS spec) -->
11        <xs:pattern
12 value="(\p{Lu}|\p{Ll}|\p{Lt}|\p{Lo}|\p{Nl}|_)(\p{Lu}|\p{Ll}|\p{Lt}|\p{Lo}|\p{Nl}|\p{Mn}
13 |\p{Mc}|\p{Nd}|_)*" />
14        </xs:restriction>
15      </xs:simpleType>
16    </xs:attribute>
17
18 </xs:schema>
```



## A.4 Document Structure

The schema shown below is also provided in electronic form as a file named OpenXPSDocumentStructure.xsd, which is contained in an accompanying zip archive named "OpenXPS WC3 Schemas.zip". If discrepancies exist between the representation as published below and the corresponding electronic version, the published version below is the definitive version.

```

1 <?xml version="1.0" encoding="UTF-8"?><xs:schema
2 targetNamespace="http://schemas.openxps.org/oxps/v1.0/documentstructure"
3 xmlns="http://schemas.openxps.org/oxps/v1.0/documentstructure"
4 xmlns:xs="http://www.w3.org/2001/XMLSchema" elementFormDefault="qualified"
5 blockDefault="#all">
6
7     <xs:import namespace="http://www.w3.org/XML/1998/namespace" />
8
9     <!-- =====DocumentStructure Part===== -->
10    <!-- Complex Types -->
11    <xs:complexType name="CT_DocumentStructure">
12        <xs:sequence>
13            <xs:element ref="DocumentStructure.Outline" minOccurs="0" />
14            <xs:element ref="Story" minOccurs="0" maxOccurs="unbounded" />
15        </xs:sequence>
16    </xs:complexType>
17    <xs:complexType name="CT_CP_Outline">
18        <xs:sequence>
19            <xs:element ref="DocumentOutline" />
20        </xs:sequence>
21    </xs:complexType>
22    <xs:complexType name="CT_DocumentOutline">
23        <xs:sequence>
24            <xs:element ref="OutlineEntry" maxOccurs="unbounded" />
25        </xs:sequence>
26        <xs:attributeGroup ref="AG_DocumentOutline" />
27    </xs:complexType>
28    <xs:complexType name="CT_OutlineEntry">
29        <xs:attributeGroup ref="AG_OutlineEntry" />
30    </xs:complexType>
31    <xs:complexType name="CT_Story">
32        <xs:sequence>
33            <xs:element ref="StoryFragmentReference" maxOccurs="unbounded" />
34        </xs:sequence>
35        <xs:attributeGroup ref="AG_Story" />
36    </xs:complexType>
37    <xs:complexType name="CT_StoryFragmentReference">
38        <xs:attributeGroup ref="AG_StoryFragmentReference" />
39    </xs:complexType>
40    <!-- Simple Types -->
41    <!-- A Name (ID with pattern restriction according to OpenXPS spec) -->
42    <xs:simpleType name="ST_Name">
43        <xs:restriction base="xs:string">

```

```

44         <xs:pattern
45 value="(\p{Lu}|\p{Ll}|\p{Lo}|\p{Lt}|\p{Nl})(\p{Lu}|\p{Ll}|\p{Lo}|\p{Lt}|\p{Nl}|\p{Mn}|\
46 p{Mc}|\p{Nd}|\p{Lm}|_)*" />
47         </xs:restriction>
48     </xs:simpleType>
49     <!-- A Unique Name (ID with pattern restriction according to OpenXPS spec) -->
50     <xs:simpleType name="ST_NameUnique">
51         <xs:restriction base="xs:ID">
52             <xs:pattern
53 value="(\p{Lu}|\p{Ll}|\p{Lo}|\p{Lt}|\p{Nl})(\p{Lu}|\p{Ll}|\p{Lo}|\p{Lt}|\p{Nl}|\p{Mn}|\
54 p{Mc}|\p{Nd}|\p{Lm}|_)*" />
55             </xs:restriction>
56         </xs:simpleType>
57         <!-- integer greater than or equal to 1 inclusive -->
58         <xs:simpleType name="ST_IntGEOne">
59             <xs:restriction base="xs:int">
60                 <xs:minInclusive value="1" />
61             </xs:restriction>
62         </xs:simpleType>
63         <!-- Elements -->
64         <xs:element name="DocumentStructure" type="CT_DocumentStructure">
65             </xs:element>
66         <xs:element name="DocumentStructure.Outline" type="CT_CP_Outline">
67             </xs:element>
68         <xs:element name="DocumentOutline" type="CT_DocumentOutline">
69             </xs:element>
70         <xs:element name="OutlineEntry" type="CT_OutlineEntry">
71             </xs:element>
72         <xs:element name="Story" type="CT_Story">
73             </xs:element>
74         <xs:element name="StoryFragmentReference" type="CT_StoryFragmentReference">
75             </xs:element>
76         <!-- Attribute Groups -->
77         <xs:attributeGroup name="AG_DocumentOutline">
78             <xs:attribute ref="xml:lang" use="required">
79                 </xs:attribute>
80         </xs:attributeGroup>
81         <xs:attributeGroup name="AG_OutlineEntry">
82             <xs:attribute name="OutlineLevel" type="ST_IntGEOne" use="optional"
83 default="1">
84                 </xs:attribute>
85             <xs:attribute name="OutlineTarget" type="xs:anyURI" use="required">
86                 </xs:attribute>
87             <xs:attribute name="Description" type="xs:string" use="required">
88                 </xs:attribute>
89             <xs:attribute ref="xml:lang" use="optional">
90                 </xs:attribute>
91         </xs:attributeGroup>
92         <xs:attributeGroup name="AG_Story">
93             <xs:attribute name="StoryName" type="xs:string" use="required">
94                 </xs:attribute>
95         </xs:attributeGroup>
96         <xs:attributeGroup name="AG_StoryFragmentReference">
97             <xs:attribute name="FragmentName" type="xs:string" use="optional">
98                 </xs:attribute>

```

```

99         <xs:attribute name="Page" type="ST_IntGEOne" use="required">
100             </xs:attribute>
101     </xs:attributeGroup>
102     <!-- =====StoryFragments Part===== -->
103     <!-- Complex Types -->
104     <xs:complexType name="CT_StoryFragments">
105         <xs:sequence>
106             <xs:element ref="StoryFragment" maxOccurs="unbounded" />
107         </xs:sequence>
108     </xs:complexType>
109     <xs:complexType name="CT_StoryFragment">
110         <xs:sequence>
111             <xs:element ref="StoryBreak" minOccurs="0" />
112             <xs:choice maxOccurs="unbounded">
113                 <xs:element ref="SectionStructure" />
114                 <xs:element ref="ParagraphStructure" />
115                 <xs:element ref="ListStructure" />
116                 <xs:element ref="TableStructure" />
117                 <xs:element ref="FigureStructure" />
118             </xs:choice>
119             <xs:element ref="StoryBreak" minOccurs="0" />
120         </xs:sequence>
121         <xs:attributeGroup ref="AG_StoryFragment" />
122     </xs:complexType>
123     <xs:complexType name="CT_Break">
124         </xs:complexType>
125     <xs:complexType name="CT_Section">
126         <xs:choice maxOccurs="unbounded">
127             <xs:element ref="ParagraphStructure" />
128             <xs:element ref="ListStructure" />
129             <xs:element ref="TableStructure" />
130             <xs:element ref="FigureStructure" />
131         </xs:choice>
132     </xs:complexType>
133     <xs:complexType name="CT_Paragraph">
134         <xs:choice minOccurs="0" maxOccurs="unbounded">
135             <xs:element ref="NamedElement" />
136         </xs:choice>
137     </xs:complexType>
138     <xs:complexType name="CT_Table">
139         <xs:choice maxOccurs="unbounded">
140             <xs:element ref="TableRowGroupStructure" />
141         </xs:choice>
142     </xs:complexType>
143     <xs:complexType name="CT_TableRowGroup">
144         <xs:choice maxOccurs="unbounded">
145             <xs:element ref="TableRowStructure" />
146         </xs:choice>
147     </xs:complexType>
148     <xs:complexType name="CT_TableRow">
149         <xs:choice maxOccurs="unbounded">
150             <xs:element ref="TableCellStructure" />
151         </xs:choice>
152     </xs:complexType>
153     <xs:complexType name="CT_TableCell">

```

```

154     <xs:choice minOccurs="0" maxOccurs="unbounded">
155         <xs:element ref="ParagraphStructure" />
156         <xs:element ref="ListStructure" />
157         <xs:element ref="TableStructure" />
158         <xs:element ref="FigureStructure" />
159     </xs:choice>
160     <xs:attributeGroup ref="AG_TableCell" />
161 </xs:complexType>
162 <xs:complexType name="CT_List">
163     <xs:choice maxOccurs="unbounded">
164         <xs:element ref="ListItemStructure" />
165     </xs:choice>
166 </xs:complexType>
167 <xs:complexType name="CT_ListItem">
168     <xs:choice minOccurs="0" maxOccurs="unbounded">
169         <xs:element ref="ParagraphStructure" />
170         <xs:element ref="ListStructure" />
171         <xs:element ref="TableStructure" />
172         <xs:element ref="FigureStructure" />
173     </xs:choice>
174     <xs:attributeGroup ref="AG_ListItem" />
175 </xs:complexType>
176 <xs:complexType name="CT_Figure">
177     <xs:choice minOccurs="0" maxOccurs="unbounded">
178         <xs:element ref="NamedElement" />
179     </xs:choice>
180 </xs:complexType>
181 <xs:complexType name="CT_NamedElement">
182     <xs:attributeGroup ref="AG_NamedElement" />
183 </xs:complexType>
184 <!-- Simple Types -->
185 <!-- FragmentType enumeration -->
186 <xs:simpleType name="ST_FragmentType">
187     <xs:restriction base="xs:string">
188         <xs:enumeration value="Content" />
189         <xs:enumeration value="Header" />
190         <xs:enumeration value="Footer" />
191     </xs:restriction>
192 </xs:simpleType>
193 <xs:simpleType name="ST_TableSpan">
194     <xs:restriction base="xs:int">
195         <xs:minInclusive value="1" />
196     </xs:restriction>
197 </xs:simpleType>
198 <!-- Elements -->
199 <xs:element name="StoryFragments" type="CT_StoryFragments">
200     </xs:element>
201 <xs:element name="StoryFragment" type="CT_StoryFragment">
202     </xs:element>
203 <xs:element name="StoryBreak" type="CT_Break">
204     </xs:element>
205 <xs:element name="SectionStructure" type="CT_Section">
206     </xs:element>
207 <xs:element name="ParagraphStructure" type="CT_Paragraph">
208     </xs:element>

```

```

209     <xs:element name="TableStructure" type="CT_Table">
210         </xs:element>
211     <xs:element name="TableRowGroupStructure" type="CT_TableRowGroup">
212         </xs:element>
213     <xs:element name="TableRowStructure" type="CT_TableRow">
214         </xs:element>
215     <xs:element name="TableCellStructure" type="CT_TableCell">
216         </xs:element>
217     <xs:element name="ListStructure" type="CT_List">
218         </xs:element>
219     <xs:element name="ListItemStructure" type="CT_ListItem">
220         </xs:element>
221     <xs:element name="FigureStructure" type="CT_Figure">
222         </xs:element>
223     <xs:element name="NamedElement" type="CT_NamedElement">
224         </xs:element>
225     <!-- Attribute Groups -->
226     <xs:attributeGroup name="AG_StoryFragment">
227         <xs:attribute name="StoryName" type="xs:string" use="optional">
228             </xs:attribute>
229         <xs:attribute name="FragmentName" type="xs:string" use="optional">
230             </xs:attribute>
231         <xs:attribute name="FragmentType" type="ST_FragmentType" use="required">
232             </xs:attribute>
233     </xs:attributeGroup>
234     <xs:attributeGroup name="AG_TableCell">
235         <xs:attribute name="RowSpan" type="ST_TableSpan" use="optional"
236 default="1">
237             </xs:attribute>
238         <xs:attribute name="ColumnSpan" type="ST_TableSpan" use="optional"
239 default="1">
240             </xs:attribute>
241     </xs:attributeGroup>
242     <xs:attributeGroup name="AG_ListItem">
243         <xs:attribute name="Marker" type="ST_NameUnique" use="optional">
244             </xs:attribute>
245     </xs:attributeGroup>
246     <xs:attributeGroup name="AG_NamedElement">
247         <xs:attribute name="NameReference" type="ST_Name" use="required">
248             </xs:attribute>
249     </xs:attributeGroup>
250 </xs:schema>

```



---

## A.5 Discard Control

The schema shown below is also provided in electronic form as a file named OpenXPSDiscardControl.xsd, which is contained in an accompanying zip archive named "OpenXPS WC3 Schemas.zip". If discrepancies exist between the representation as published below and the corresponding electronic version, the published version below is the definitive version.

```
1 <?xml version="1.0" encoding="UTF-8"?>
2 <xs:schema targetNamespace="http://schemas.openxps.org/oxps/v1.0/discard-control"
3 xmlns="http://schemas.openxps.org/oxps/v1.0/discard-control"
4 xmlns:xs="http://www.w3.org/2001/XMLSchema" elementFormDefault="qualified"
5 blockDefault="#all">
6
7     <xs:complexType name="CT_DiscardControl">
8         <xs:sequence>
9             <xs:element ref="Discard" minOccurs="0" maxOccurs="unbounded" />
10        </xs:sequence>
11    </xs:complexType>
12
13    <xs:complexType name="CT_Discard">
14        <xs:attribute name="SentinelPage" type="xs:anyURI" use="required">
15            </xs:attribute>
16        <xs:attribute name="Target" type="xs:anyURI" use="required">
17            </xs:attribute>
18    </xs:complexType>
19
20    <xs:element name="DiscardControl" type="CT_DiscardControl">
21        </xs:element>
22
23    <xs:element name="Discard" type="CT_Discard">
24        </xs:element>
25
26 </xs:schema>
```

## A.6 3D-Graphic Content

The schema shown below is also provided in electronic form as a file named OpenXPS3D.xsd, which is contained in an accompanying zip archive named "OpenXPS WC3 Schemas.zip". If discrepancies exist between the representation as published below and the corresponding electronic version, the published version below is the definitive version.

```

1  <?xml version="1.0" encoding="utf-8"?>
2  <xs:schema xmlns="http://schemas.openxps.org/oxps-3d/v1.0"
3    xmlns:oxps="http://schemas.openxps.org/oxps/v1.0"
4    xmlns:xs="http://www.w3.org/2001/XMLSchema"
5    xmlns:x="http://schemas.openxps.org/oxps/v1.0/resourcedictionary-key"
6    targetNamespace="http://schemas.openxps.org/oxps-3d/v1.0"
7    elementFormDefault="qualified" blockDefault="#all">
8    <!-- Import OpenXPS and related XML Schemas -->
9    <xs:import namespace="http://schemas.openxps.org/oxps/v1.0"/>
10   <xs:import namespace=
11     "http://schemas.openxps.org/oxps/v1.0/resourcedictionary-key"/>
12   <xs:import namespace="http://www.w3.org/XML/1998/namespace"/>
13   <!-- Names used for types and groups:
14     ST_*      simpleType
15     CT_*      complexType
16     G_*       group
17     AG_*      attributeGroup   -->
18   <!-- Complex Types -->
19   <xs:complexType name="CT_Brush3D">
20     <xs:sequence>
21       <xs:element ref="oxps:ImageBrush.Transform" minOccurs="0"/>
22     </xs:sequence>
23     <xs:attributeGroup ref="AG_Brush3D"/>
24   </xs:complexType>
25   <!-- Root elements -->
26   <xs:element name="Brush3D">
27     <xs:complexType>
28       <xs:complexContent>
29         <xs:extension base="CT_Brush3D"/>
30       </xs:complexContent>
31     </xs:complexType>
32   </xs:element>
33   <!-- Attribute Groups -->
34   <xs:attributeGroup name="AG_Brush3D">
35     <xs:attribute name="Source3D" type="ST_UriImage3D" use="required"/>
36     <xs:attribute ref="x:Key"/>
37     <xs:attribute name="Transform" type="oxps:ST_RscRefMatrix"/>
38     <xs:attribute name="Viewbox" type="oxps:ST_ViewBox" use="required"/>
39     <xs:attribute name="Viewport" type="oxps:ST_ViewBox" use="required"/>
40     <xs:attribute name="ViewboxUnits" type="oxps:ST_ViewUnits" use="required"
41       fixed="Absolute"/>
42     <xs:attribute name="ViewportUnits" type="oxps:ST_ViewUnits" use="required"
43       fixed="Absolute"/>
44   </xs:attributeGroup>
45   <!-- Simple Types -->

```

```
46 <xs:simpleType name="ST_UriImage3D">
47   <xs:restriction base="xs:anyURI">
48     <xs:pattern value="([^\{].*)?"/>
49   </xs:restriction>
50 </xs:simpleType>
51 </xs:schema>
```



## B. Schemas – RELAX NG

This annex is informative

---

### B.1 General Attribute Specification

The schema shown below is also provided in electronic form as a file named `xml.rnc`, which is contained in an accompanying zip archive named "OpenXPS RELAX NG Schemas.zip". If discrepancies exist between the representation as published below and the corresponding electronic version, the published version below is the definitive version.

This schema is included by several other schemas.

```
1 default namespace =
2   "http://schemas.openxps.org/oxps/v1.0/signature-definitions"
3 xml_lang = attribute xml:lang { xsd:language | xsd:string "" }
4 xml_space = attribute xml:space { "default" | "preserve" }
5 xml_base = attribute xml:base { xsd:anyURI }
6 xml_id = attribute xml:id { xsd:ID }
7 xml_specialAttrs = xml_base?, xml_lang?, xml_space?, xml_id?
```

---

### B.2 Driver Schemas

The schema files described in this subclause are drivers that include other schema modules and that specify the top-level elements.

#### B.2.1 DiscardControl\_Part

The schema shown below is also provided in electronic form as a file named `DiscardControl_Part.rnc`, which is contained in an accompanying zip archive named "OpenXPS RELAX NG Schemas.zip". If discrepancies exist between the representation as published below and the corresponding electronic version, the published version below is the definitive version.

```
1 include "OpenXPSDiscardControl.rnc"
2 start = dc_DiscardControl
```

#### B.2.2 DocumentStructure\_Part

The schema shown below is also provided in electronic form as a file named `DocumentStructure_Part.rnc`, which is contained in an accompanying zip archive named "OpenXPS RELAX NG Schemas.zip". If discrepancies exist between the representation as published below and the corresponding electronic version, the published version below is the definitive version.

```
1 include "OpenXPSDocumentStructure.rnc"
2 include "xml.rnc"
```

```
3 start = ds_DocumentStructure
```

### B.2.3 FixedDocumentSequence\_Part

The schema shown below is also provided in electronic form as a file named FixedDocumentSequence\_Part.rnc, which is contained in an accompanying zip archive named "OpenXPS RELAX NG Schemas.zip". If discrepancies exist between the representation as published below and the corresponding electronic version, the published version below is the definitive version.

```
1 include "OpenXPSDocument.rnc"  
2 include "OpenXPSResourceDictionaryKey.rnc"  
3 include "xml.rnc"  
4 start = oxps_FixedDocumentSequence
```

### B.2.4 FixedDocument\_Part

The schema shown below is also provided in electronic form as a file named FixedDocument\_Part.rnc, which is contained in an accompanying zip archive named "OpenXPS RELAX NG Schemas.zip". If discrepancies exist between the representation as published below and the corresponding electronic version, the published version below is the definitive version.

```
1 include "OpenXPSDocument.rnc"  
2 include "OpenXPSResourceDictionaryKey.rnc"  
3 include "xml.rnc"  
4 start = oxps_FixedDocument
```

### B.2.5 FixedPage\_Part

The schema shown below is also provided in electronic form as a file named FixedPage\_Part.rnc, which is contained in an accompanying zip archive named "OpenXPS RELAX NG Schemas.zip". If discrepancies exist between the representation as published below and the corresponding electronic version, the published version below is the definitive version.

```
1 include "OpenXPSDocument.rnc"  
2 include "OpenXPSResourceDictionaryKey.rnc"  
3 include "xml.rnc"  
4 start = oxps_FixedPage
```

### B.2.6 SignatureDefinitions\_Part

The schema shown below is also provided in electronic form as a file named SignatureDefinitions\_Part.rnc, which is contained in an accompanying zip archive named "OpenXPS RELAX NG Schemas.zip". If discrepancies exist between the representation as published below and the corresponding electronic version, the published version below is the definitive version.

```
1 include "OpenXPSSignatureDefinitions.rnc"  
2 include "xml.rnc"  
3 start = sd_SignatureDefinitions
```

### B.2.7 StoryFragments\_Part

The schema shown below is also provided in electronic form as a file named StoryFragments\_Part.rnc, which is contained in an accompanying zip archive named "OpenXPS RELAX NG Schemas.zip". If discrepancies exist between the representation as published below and the corresponding electronic version, the published version below is the definitive version.

```
1 include "OpenXPSDocumentStructure.rnc"  
2 include "xml.rnc"  
3 start = ds_StoryFragments
```



---

### B.3 Signature Definitions

The schema shown below is also provided in electronic form as a file named OpenXPSSignatureDefinitions.rnc, which is contained in an accompanying zip archive named "OpenXPS RELAX NG Schemas.zip". If discrepancies exist between the representation as published below and the corresponding electronic version, the published version below is the definitive version.

```
1  default namespace =
2    "http://schemas.openxps.org/oxps/v1.0/signature-definitions"
3  namespace sd =
4    "http://schemas.openxps.org/oxps/v1.0/signature-definitions"
5  namespace xs = "http://www.w3.org/2001/XMLSchema"
6
7  sd_SignatureDefinitionsType =
8    element SignatureDefinition { sd_SignatureDefinitionType }+
9  sd_SpotLocationType =
10   attribute PageURI { xs:anyURI },
11   attribute StartX { xs:double },
12   attribute StartY { xs:double }
13  sd_SignatureDefinitionType =
14   attribute SpotID { xs:ID },
15   attribute SignerName { xs:string }?,
16   xml_lang?,
17   element SpotLocation { sd_SpotLocationType }?,
18   element Intent { xs:string }?,
19   element SignBy { xs:dateTime }?,
20   element SigningLocation { xs:string }?
21  sd_SignatureDefinitions =
22   element SignatureDefinitions { sd_SignatureDefinitionsType }
```



## B.4 OpenXPS Document

The schema shown below is also provided in electronic form as a file named OpenXPSDocument.rnc, which is contained in an accompanying zip archive named "OpenXPS RELAX NG Schemas.zip". If discrepancies exist between the representation as published below and the corresponding electronic version, the published version below is the definitive version.

```
1 default namespace oxps = "http://schemas.openxps.org/oxps/v1.0"
2 namespace x =
3   "http://schemas.openxps.org/oxps/v1.0/resourcedictionary-key"
4 namespace xs = "http://www.w3.org/2001/XMLSchema"
5
6 oxps_CT_MatrixTransform = oxps_AG_MatrixTransform
7 oxps_CT_SolidColorBrush = oxps_AG_Brush, oxps_AG_SolidColorBrush
8 oxps_CT_ImageBrush =
9   oxps_AG_Brush,
10  oxps_AG_TileBrush,
11  oxps_AG_ImageBrush,
12  oxps_ImageBrush.Transform?
13 oxps_CT_VisualBrush =
14  oxps_AG_Brush,
15  oxps_AG_TileBrush,
16  oxps_AG_VisualBrush,
17  oxps_VisualBrush.Transform?,
18  oxps_VisualBrush.Visual?
19 oxps_CT_LinearGradientBrush =
20  oxps_AG_Brush,
21  oxps_AG_GradientBrush,
22  oxps_AG_LinearGradientBrush,
23  oxps_LinearGradientBrush.Transform?,
24  oxps_LinearGradientBrush.GradientStops
25 oxps_CT_RadialGradientBrush =
26  oxps_AG_Brush,
27  oxps_AG_GradientBrush,
28  oxps_AG_RadialGradientBrush,
29  oxps_RadialGradientBrush.Transform?,
30  oxps_RadialGradientBrush.GradientStops
31 oxps_CT_GradientStop = oxps_AG_GradientStop
32 oxps_CT_PathGeometry =
33   oxps_AG_PathGeometry, oxps_PathGeometry.Transform?, oxps_PathFigure*
34 oxps_CT_Glyphs =
35   oxps_AG_Glyphs,
36   oxps_Glyphs.RenderTransform?,
37   oxps_Glyphs.Clip?,
38   oxps_Glyphs.OpacityMask?,
39   oxps_Glyphs.Fill?
40 oxps_CT_Path =
41   oxps_AG_Path,
42   oxps_AG_AutomationProvider,
43   oxps_AG_SnapsToDevicePixels,
44   oxps_Path.RenderTransform?,
45   oxps_Path.Clip?,
```

```

46  oxml_Path.OpacityMask?,
47  oxml_Path.Fill?,
48  oxml_Path.Stroke?,
49  oxml_Path.Data?
50  oxml_CT_PathFigure =
51  oxml_AG_PathFigure,
52  (oxml_PolyLineSegment
53  | oxml_PolyBezierSegment
54  | oxml_ArcSegment
55  | oxml_PolyQuadraticBezierSegment)+
56  oxml_CT_ArcSegment = oxml_AG_ArcSegment
57  oxml_CT_PolyQuadraticBezierSegment = oxml_AG_PolyQuadraticBezierSegment
58  oxml_CT_PolyLineSegment = oxml_AG_PolyLineSegment
59  oxml_CT_PolyBezierSegment = oxml_AG_PolyBezierSegment
60  oxml_CT_Canvas =
61  oxml_AG_Canvas,
62  oxml_AG_AutomationProvider,
63  oxml_Canvas.Resources?,
64  oxml_Canvas.RenderTransform?,
65  oxml_Canvas.Clip?,
66  oxml_Canvas.OpacityMask?,
67  (oxml_Path | oxml_Glyphs | oxml_Canvas)*
68  oxml_CT_ResourceDictionary =
69  oxml_AG_ResourceDictionary,
70  (oxml_ImageBrush
71  | oxml_LinearGradientBrush
72  | oxml_RadialGradientBrush
73  | oxml_VisualBrush
74  | oxml_SolidColorBrush
75  | oxml_MatrixTransform
76  | oxml_PathGeometry
77  | oxml_Path
78  | oxml_Glyphs
79  | oxml_Canvas)*
80  oxml_CT_FixedPage =
81  oxml_AG_FixedPage,
82  oxml_FixedPage.Resources?,
83  (oxml_Path | oxml_Glyphs | oxml_Canvas)*
84  oxml_CT_FixedDocument = oxml_PageContent+
85  oxml_CT_PageContent = oxml_AG_PageContent, oxml_PageContent.LinkTargets?
86  oxml_CT_FixedDocumentSequence = oxml_DocumentReference+
87  oxml_CT_DocumentReference = oxml_AG_DocumentReference
88  oxml_CT_LinkTarget = oxml_AG_LinkTarget
89  oxml_CT_CP_LinkTargets = oxml_LinkTarget+
90  oxml_CT_CP_Transform = oxml_MatrixTransform
91  oxml_CT_CP_Visual = oxml_Path | oxml_Glyphs | oxml_Canvas
92  oxml_CT_CP_GradientStops = oxml_GradientStop+
93  oxml_CT_CP_Geometry = oxml_PathGeometry
94  oxml_CT_CP_Brush =
95  oxml_ImageBrush
96  | oxml_LinearGradientBrush
97  | oxml_RadialGradientBrush
98  | oxml_SolidColorBrush
99  | oxml_VisualBrush
100 oxml_CT_CP_Resources = oxml_ResourceDictionary?

```

```

101  oxps_MatrixTransform =
102    element MatrixTransform { oxps_CT_MatrixTransform }
103  oxps_SolidColorBrush =
104    element SolidColorBrush { oxps_CT_SolidColorBrush }
105  oxps_ImageBrush = element ImageBrush { oxps_CT_ImageBrush }
106  oxps_VisualBrush = element VisualBrush { oxps_CT_VisualBrush }
107  oxps_LinearGradientBrush =
108    element LinearGradientBrush { oxps_CT_LinearGradientBrush }
109  oxps_RadialGradientBrush =
110    element RadialGradientBrush { oxps_CT_RadialGradientBrush }
111  oxps_Glyphs = element Glyphs { oxps_CT_Glyphs }
112  oxps_Path = element Path { oxps_CT_Path }
113  oxps_Canvas = element Canvas { oxps_CT_Canvas }
114  oxps_GradientStop = element GradientStop { oxps_CT_GradientStop }
115  oxps_ResourceDictionary =
116    element ResourceDictionary { oxps_CT_ResourceDictionary }
117  oxps_PathGeometry = element PathGeometry { oxps_CT_PathGeometry }
118  oxps_PathFigure = element PathFigure { oxps_CT_PathFigure }
119  oxps_PolyLineSegment =
120    element PolyLineSegment { oxps_CT_PolyLineSegment }
121  oxps_ArcSegment = element ArcSegment { oxps_CT_ArcSegment }
122  oxps_PolyBezierSegment =
123    element PolyBezierSegment { oxps_CT_PolyBezierSegment }
124  oxps_PolyQuadraticBezierSegment =
125    element PolyQuadraticBezierSegment {
126      oxps_CT_PolyQuadraticBezierSegment
127    }
128  oxps_FixedPage = element FixedPage { oxps_CT_FixedPage }
129  oxps_FixedDocument = element FixedDocument { oxps_CT_FixedDocument }
130  oxps_PageContent = element PageContent { oxps_CT_PageContent }
131  oxps_FixedDocumentSequence =
132    element FixedDocumentSequence { oxps_CT_FixedDocumentSequence }
133  oxps_DocumentReference =
134    element DocumentReference { oxps_CT_DocumentReference }
135  oxps_LinkTarget = element LinkTarget { oxps_CT_LinkTarget }
136  oxps_PageContent.LinkTargets =
137    element PageContent.LinkTargets { oxps_CT_CP_LinkTargets }
138  oxps_ImageBrush.Transform =
139    element ImageBrush.Transform { oxps_CT_CP_Transform }
140  oxps_VisualBrush.Transform =
141    element VisualBrush.Transform { oxps_CT_CP_Transform }
142  oxps_LinearGradientBrush.Transform =
143    element LinearGradientBrush.Transform { oxps_CT_CP_Transform }
144  oxps_RadialGradientBrush.Transform =
145    element RadialGradientBrush.Transform { oxps_CT_CP_Transform }
146  oxps_PathGeometry.Transform =
147    element PathGeometry.Transform { oxps_CT_CP_Transform }
148  oxps_Glyphs.RenderTransform =
149    element Glyphs.RenderTransform { oxps_CT_CP_Transform }
150  oxps_Path.RenderTransform =
151    element Path.RenderTransform { oxps_CT_CP_Transform }
152  oxps_Canvas.RenderTransform =
153    element Canvas.RenderTransform { oxps_CT_CP_Transform }
154  oxps_VisualBrush.Visual =
155    element VisualBrush.Visual { oxps_CT_CP_Visual }

```

```

156 oxps_LinearGradientBrush.GradientStops =
157     element LinearGradientBrush.GradientStops { oxps_CT_CP_GradientStops }
158 oxps_RadialGradientBrush.GradientStops =
159     element RadialGradientBrush.GradientStops { oxps_CT_CP_GradientStops }
160 oxps_Glyphs.Clip = element Glyphs.Clip { oxps_CT_CP_Geometry }
161 oxps_Path.Clip = element Path.Clip { oxps_CT_CP_Geometry }
162 oxps_Canvas.Clip = element Canvas.Clip { oxps_CT_CP_Geometry }
163 oxps_Glyphs.OpacityMask =
164     element Glyphs.OpacityMask { oxps_CT_CP_Brush }
165 oxps_Path.OpacityMask = element Path.OpacityMask { oxps_CT_CP_Brush }
166 oxps_Canvas.OpacityMask =
167     element Canvas.OpacityMask { oxps_CT_CP_Brush }
168 oxps_Glyphs.Fill = element Glyphs.Fill { oxps_CT_CP_Brush }
169 oxps_Path.Fill = element Path.Fill { oxps_CT_CP_Brush }
170 oxps_Path.Data = element Path.Data { oxps_CT_CP_Geometry }
171 oxps_Path.Stroke = element Path.Stroke { oxps_CT_CP_Brush }
172 oxps_Canvas.Resources =
173     element Canvas.Resources { oxps_CT_CP_Resources }
174 oxps_FixedPage.Resources =
175     element FixedPage.Resources { oxps_CT_CP_Resources }
176 oxps_AG_GradientStop =
177     attribute Color { oxps_ST_Color },
178     attribute Offset { oxps_ST_Double }
179 oxps_AG_Brush =
180
181     ## default value: 1.0
182     attribute Opacity { oxps_ST_ZeroOne }?,
183     x_Key?
184 oxps_AG_TileBrush =
185     attribute Transform { oxps_ST_RscRefMatrix }?,
186     attribute Viewbox { oxps_ST_ViewBox },
187     attribute Viewport { oxps_ST_ViewBox },
188
189     ## default value: None
190     attribute TileMode { oxps_ST_TileMode }?,
191     attribute ViewboxUnits { oxps_ST_ViewUnits },
192     attribute ViewportUnits { oxps_ST_ViewUnits }
193 oxps_AG_VisualBrush = attribute Visual { oxps_ST_RscRef }?
194 oxps_AG_GradientBrush =
195
196     ## default value: SRgbLinearInterpolation
197     attribute ColorInterpolationMode { oxps_ST_ClrIntMode }?,
198
199     ## default value: Pad
200     attribute SpreadMethod { oxps_ST_SpreadMethod }?,
201     attribute MappingMode { oxps_ST_MappingMode }
202 oxps_AG_SolidColorBrush = attribute Color { oxps_ST_Color }
203 oxps_AG_ImageBrush = attribute ImageSource { oxps_ST_UriCtxBmp }
204 oxps_AG_LinearGradientBrush =
205     attribute Transform { oxps_ST_RscRefMatrix }?,
206     attribute StartPoint { oxps_ST_Point },
207     attribute EndPoint { oxps_ST_Point }
208 oxps_AG_RadialGradientBrush =
209     attribute Transform { oxps_ST_RscRefMatrix }?,
210     attribute Center { oxps_ST_Point },

```

```

211     attribute GradientOrigin { oxps_ST_Point },
212     attribute RadiusX { oxps_ST_GEZero },
213     attribute RadiusY { oxps_ST_GEZero }
214 oxps_AG_PathGeometry =
215     attribute Figures { oxps_ST_AbbrGeom }?,
216
217     ## default value: EvenOdd
218     attribute FillRule { oxps_ST_FillRule }?,
219     attribute Transform { oxps_ST_RscRefMatrix }?,
220     x_Key?
221 oxps_AG_ResourceDictionary = attribute Source { xsd:anyURI }?
222 oxps_AG_PolyLineSegment =
223     attribute Points { oxps_ST_Points },
224
225     ## default value: true
226     attribute IsStroked { oxps_ST_Boolean }?
227 oxps_AG_ArcSegment =
228     attribute Point { oxps_ST_Point },
229     attribute Size { oxps_ST_PointGE0 },
230     attribute RotationAngle { oxps_ST_Double },
231     attribute IsLargeArc { oxps_ST_Boolean },
232     attribute SweepDirection { oxps_ST_SweepDirection },
233
234     ## default value: true
235     attribute IsStroked { oxps_ST_Boolean }?
236 oxps_AG_PolyBezierSegment =
237     attribute Points { oxps_ST_PointsM3 },
238
239     ## default value: true
240     attribute IsStroked { oxps_ST_Boolean }?
241 oxps_AG_PolyQuadraticBezierSegment =
242     attribute Points { oxps_ST_PointsM2 },
243
244     ## default value: true
245     attribute IsStroked { oxps_ST_Boolean }?
246 oxps_AG_Glyphs =
247
248     ## default value: 0
249     attribute BidilLevel {
250         xsd:integer { minInclusive = "0" maxInclusive = "61" }
251     }?,
252     attribute CaretStops { oxps_ST_CaretStops }?,
253     attribute DeviceFontName { oxps_ST_UnicodeString }?,
254     attribute Fill { oxps_ST_RscRefColor }?,
255     attribute FontRenderingEmSize { oxps_ST_GEZero },
256     attribute FontUri { xsd:anyURI },
257     attribute OriginX { oxps_ST_Double },
258     attribute OriginY { oxps_ST_Double },
259
260     ## default value: false
261     attribute IsSideways { oxps_ST_Boolean }?,
262     attribute Indices { oxps_ST_Indices }?,
263     attribute UnicodeString { oxps_ST_UnicodeString }?,
264
265     ## default value: None

```

```

266 attribute StyleSimulations { oxps_ST_StyleSimulations }?,
267 attribute RenderTransform { oxps_ST_RscRefMatrix }?,
268 attribute Clip { oxps_ST_RscRefAbbrGeomF }?,
269
270 ## default value: 1.0
271 attribute Opacity { oxps_ST_ZeroOne }?,
272 attribute OpacityMask { oxps_ST_RscRef }?,
273 attribute Name { oxps_ST_Name }?,
274 attribute FixedPage.NavigateUri { xsd:anyURI }?,
275 xml_lang?,
276 x_Key?
277 oxps_AG_Path =
278 attribute Data { oxps_ST_RscRefAbbrGeomF }?,
279 attribute Fill { oxps_ST_RscRefColor }?,
280 attribute RenderTransform { oxps_ST_RscRefMatrix }?,
281 attribute Clip { oxps_ST_RscRefAbbrGeomF }?,
282
283 ## default value: 1.0
284 attribute Opacity { oxps_ST_ZeroOne }?,
285 attribute OpacityMask { oxps_ST_RscRef }?,
286 attribute Stroke { oxps_ST_RscRefColor }?,
287 attribute StrokeDashArray { oxps_ST_EvenArrayPos }?,
288
289 ## default value: Flat
290 attribute StrokeDashCap { oxps_ST_DashCap }?,
291
292 ## default value: 0.0
293 attribute StrokeDashOffset { oxps_ST_Double }?,
294
295 ## default value: Flat
296 attribute StrokeEndLineCap { oxps_ST_LineCap }?,
297
298 ## default value: Flat
299 attribute StrokeStartLineCap { oxps_ST_LineCap }?,
300
301 ## default value: Miter
302 attribute StrokeLineJoin { oxps_ST_LineJoin }?,
303
304 ## default value: 10.0
305 attribute StrokeMiterLimit { oxps_ST_GEOne }?,
306
307 ## default value: 1.0
308 attribute StrokeThickness { oxps_ST_GEZero }?,
309 attribute Name { oxps_ST_Name }?,
310 attribute FixedPage.NavigateUri { xsd:anyURI }?,
311 xml_lang?,
312 x_Key?
313 oxps_AG_PathFigure =
314
315 ## default value: false
316 attribute IsClosed { oxps_ST_Boolean }?,
317 attribute StartPoint { oxps_ST_Point },
318
319 ## default value: true
320 attribute IsFilled { oxps_ST_Boolean }?

```

```

321 oxps_AG_Canvas =
322   attribute RenderTransform { oxps_ST_RscRefMatrix }?,
323   attribute Clip { oxps_ST_RscRefAbbrGeomF }?,
324
325   ## default value: 1.0
326   attribute Opacity { oxps_ST_ZeroOne }?,
327   attribute OpacityMask { oxps_ST_RscRef }?,
328   attribute Name { oxps_ST_Name }?,
329   attribute RenderOptions.EdgeMode { oxps_ST_EdgeMode }?,
330   attribute FixedPage.NavigateUri { xsd:anyURI }?,
331   xml_lang?,
332   x_Key?
333 oxps_AG_PageContent =
334   attribute Source { xsd:anyURI },
335   attribute Width { oxps_ST_GEOne }?,
336   attribute Height { oxps_ST_GEOne }?
337 oxps_AG_LinkTarget = attribute Name { oxps_ST_Name }
338 oxps_AG_DocumentReference = attribute Source { xsd:anyURI }
339 oxps_AG_MatrixTransform =
340   attribute Matrix { oxps_ST_Matrix },
341   x_Key?
342 oxps_AG_FixedPage =
343   attribute Width { oxps_ST_GEOne },
344   attribute Height { oxps_ST_GEOne },
345   attribute ContentBox { oxps_ST_ContentBox }?,
346   attribute BleedBox { oxps_ST_BleedBox }?,
347   xml_lang,
348   attribute Name { oxps_ST_Name }?
349 oxps_AG_AutomationProvider =
350   attribute AutomationProperties.Name { xsd:string }?,
351   attribute AutomationProperties.HelpText { xsd:string }?
352 oxps_AG_SnapsToDevicePixels =
353   attribute SnapsToDevicePixels { oxps_ST_Boolean }?
354 oxps_ST_Name =
355   xsd:ID {
356     pattern =
357
358     "(\\p{Lu}|\\p{Ll}|\\p{Lt}|\\p{Lo}|\\p{NL}|_|)(\\p{Lu}|\\p{Ll}|\\p{Lt}|\\p{Lo}|\\p{NL}|\\p{Mn}|\\p
359 {Mc}|\\p{Nd}|_|)*"
360   }
361 oxps_ST_Boolean = xsd:boolean { pattern = "true|false" }
362 oxps_ST_ZeroOne =
363   xsd:double {
364     pattern =
365     "((\\-|\\+)?(((\\[0-9]+(\\.([0-9]+)?)|\\.([0-9]+)))(e|E)(\\-|\\+)?[0-9]+)?)?"
366     minInclusive = "0.0"
367     maxInclusive = "1.0"
368   }
369 oxps_ST_GEZero =
370   xsd:double {
371     pattern =
372     "((\\-|\\+)?(((\\[0-9]+(\\.([0-9]+)?)|\\.([0-9]+)))(e|E)(\\-|\\+)?[0-9]+)?)?"
373     minInclusive = "0.0"
374   }
375 oxps_ST_GEOne =

```



```

431 }
432 oxps_ST_EvenArrayPos =
433   xsd:string {
434     # whiteSpace="collapse" is removed.
435     pattern =
436       "(\+?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)(\+?(([0-
437 9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)(\+?(([0-9]+(\.[0-9]+)?)|(\.[0-
438 9]+))((e|E)(\-|\+)?[0-9]+)?)(\+?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-
439 9]+)?))*"
440   }
441 oxps_ST_Array =
442   xsd:string {
443     # whiteSpace="collapse" is removed.
444     pattern =
445       "(((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)? )?)*"
446   }
447 oxps_ST_ViewBox =
448   xsd:string {
449     # whiteSpace="collapse" is removed.
450     pattern =
451       "((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-
452 |\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)(\+?(([0-
453 9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)(\+?(([0-9]+(\.[0-
454 9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)"
455   }
456 oxps_ST_ContentBox =
457   xsd:string {
458     # whiteSpace="collapse" is removed.
459     pattern =
460       "(\+?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)(\+?(([0-
461 9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)(\+?(([0-9]+(\.[0-
462 9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)(\+?(([0-9]+(\.[0-9]+)?)|(\.[0-
463 9]+))((e|E)(\-|\+)?[0-9]+)?)"
464   }
465 oxps_ST_BleedBox =
466   xsd:string {
467     # whiteSpace="collapse" is removed.
468     pattern =
469       "((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-
470 |\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)(\+?(([0-
471 9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)(\+?(([0-9]+(\.[0-
472 9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)"
473   }
474 oxps_ST_Matrix =
475   xsd:string {
476     # whiteSpace="collapse" is removed.
477     pattern =
478       "((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-
479 |\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-|\+)?(([0-
480 9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-|\+)?(([0-9]+(\.[0-
481 9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-
482 9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-
483 9]+))((e|E)(\-|\+)?[0-9]+)?)"
484   }
485 oxps_ST_Color =

```

```

486   xsd:string {
487     # whiteSpace="collapse" is removed.
488     pattern =
489       "(#[0-9a-fA-F]{2})?[0-9a-fA-F]{6}|(sc# ?(\-?(([0-9]+(\.[0-9]+)?)|(\.[0-
490 9]+)))( ?, ?)(\-?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+)))( ?, ?)(\-?(([0-9]+(\.[0-
491 9]+)?)|(\.[0-9]+)))( ?, ?)(\-?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+)))?)|(ContextColor
492 [\S]+ (\-?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+)))( ?, ?)(\-?(([0-9]+(\.[0-9]+)?)|(\.[0-
493 9]+))){1,8})"
494   }
495   oxps_ST_CaretStops =
496   xsd:string {
497     # whiteSpace="collapse" is removed.
498     pattern = "[0-9A-Fa-f]*"
499   }
500   oxps_ST_Indices =
501   xsd:string {
502     # whiteSpace="collapse" is removed.
503     pattern =
504       "(((\(((1-9)[0-9]*):([1-9][0-9]*)?\))\))?([0-9]+))?(,(\+?(([0-9]+(\.[0-
505 9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)?(,((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-
506 9]+))((e|E)(\-|\+)?[0-9]+)?)?(,((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-
507 |\+)?[0-9]+)?))?)?);((\(((1-9)[0-9]*):([1-9][0-9]*)?\))\))?([0-9]+))?(,(\+?(([0-
508 9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)?(,((\-|\+)?(([0-9]+(\.[0-
509 9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)?(,((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-
510 9]+))((e|E)(\-|\+)?[0-9]+)?))?)?)*"
511   }
512   oxps_ST_UnicodeString =
513   xsd:string { pattern = "(([\^{}|(\{\\})](.|\r\n))*)" }
514   oxps_ST_AbbrGeomF =
515   xsd:string {
516     # whiteSpace="collapse" is removed.
517     pattern =
518       "(F ?(0|1))?( ?(M|m) ?((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-
519 |\+)?[0-9]+)?)( ?, ?)((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-
520 9]+)?))(( ?(M|m) ?((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-
521 9]+)?)( ?, ?)((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?))|
522 ?(L|l)( ?((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-
523 |\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?))((\-|\+)?(([0-
524 9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-|\+)?(([0-9]+(\.[0-
525 9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?))*)|( ?(H|h|V|v)( ?((\-|\+)?(([0-9]+(\.[0-
526 9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?))((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-
527 9]+))((e|E)(\-|\+)?[0-9]+)?))*)|( ?(Q|q|S|s)( ?((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-
528 9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-
529 9]+))((e|E)(\-|\+)?[0-9]+)?))((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-
530 |\+)?[0-9]+)?)( ?, ?)((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-
531 9]+)?))(( (\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?,
532 ?)((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+?))){2})*|( ?(C|c)(
533 ?((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-
534 |\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?))((\-|\+)?(([0-
535 9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-|\+)?(([0-9]+(\.[0-
536 9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+?))){2}(( (\-|\+)?(([0-9]+(\.[0-
537 9]+)?)|(\.[0-9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-
538 9]+))((e|E)(\-|\+)?[0-9]+?))){3})*|( ?(A|a)( ?((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-
539 9]+))((e|E)(\-|\+)?[0-9]+)?)( ?, ?)((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-
540 9]+))((e|E)(\-|\+)?[0-9]+?)) ((\-|\+)?(([0-9]+(\.[0-9]+)?)|(\.[0-9]+))((e|E)(\-

```

```

541 |\\+)?[0-9]+)? [0-1] [0-1] ((\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?(
542 |\\+)?[0-9]+)?( ?, ?)(\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?(
543 9]+)?))((\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?( ?, ?)(\\-|
544 |\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)? ((\\-|\\+)?((([0-9]+(\\. [0-
545 9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?) [0-1] [0-1] ((\\-|\\+)?((([0-9]+(\\. [0-
546 9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?( ?, ?)(\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-
547 9]+))((e|E)(\\-|\\+)?[0-9]+)?))*|( ?(Z|z)))*)"
548 }
549 oxps_ST_AbbrGeom =
550   xsd:string {
551     # whiteSpace="collapse" is removed.
552     pattern =
553       "( ?(M|m)( ?(\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?(
554   ?, ?)(\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?))(( ?(M|m)(
555   ?(\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?( ?, ?)(\\-|
556   |\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?))|( ?(L|l)( ?(\\-|
557   |\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?( ?, ?)(\\-|\\+)?((([0-
558   9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?))((\\-|\\+)?((([0-9]+(\\. [0-
559   9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?( ?, ?)(\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-
560   9]+))((e|E)(\\-|\\+)?[0-9]+)?))*|( ?(H|h|V|v)( ?(\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-
561   9]+))((e|E)(\\-|\\+)?[0-9]+)?))((\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|
562   |\\+)?[0-9]+)?))*|( ?(Q|q|S|s)( ?(\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|
563   |\\+)?[0-9]+)?( ?, ?)(\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-
564   9]+)?) ((\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?( ?, ?)(\\-|
565   |\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?))((\\-|\\+)?((([0-
566   9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?( ?, ?)(\\-|\\+)?((([0-9]+(\\. [0-
567   9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?))*|( ?(C|c)( ?(\\-|\\+)?((([0-9]+(\\. [0-
568   9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?( ?, ?)(\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-
569   9]+))((e|E)(\\-|\\+)?[0-9]+)?( (\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|
570   |\\+)?[0-9]+)?( ?, ?)(\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-
571   9]+)?))){2})((\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?( ?,
572   ?)(\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?))){3}))*|( ?(A|a)(
573   ?(\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?( ?, ?)(\\-|
574   |\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?) ((\\-|\\+)?((([0-9]+(\\. [0-
575   9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?) [0-1] [0-1] ((\\-|\\+)?((([0-9]+(\\. [0-
576   9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?( ?, ?)(\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-
577   9]+))((e|E)(\\-|\\+)?[0-9]+)?))((\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|
578   |\\+)?[0-9]+)?( ?, ?)(\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-
579   9]+)?) ((\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?) [0-1] [0-1]
580   ((\\-|\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?( ?, ?)(\\-|
581   |\\+)?((([0-9]+(\\. [0-9]+)?)|\\. [0-9]+))((e|E)(\\-|\\+)?[0-9]+)?))*|( ?(Z|z)))*)"
582   }
583 oxps_ST_UriImage = xsd:anyURI { pattern = "([\\^\\{.*])?" }
584 oxps_ST_CtxBmpImage =
585   xsd:string {
586     pattern = "\\{ColorConvertedBitmap[\\s]+[\\S]+[\\s]+[\\S]+\\}[\\s]*"
587   }
588 oxps_ST_UriCtxBmp = oxps_ST_UriImage | oxps_ST_CtxBmpImage
589 oxps_ST_RscRef =
590   xsd:string { pattern = "\\{StaticResource[\\s]+[\\S]+\\}[\\s]*" }
591 oxps_ST_RscRefColor = oxps_ST_Color | oxps_ST_RscRef
592 oxps_ST_RscRefMatrix = oxps_ST_Matrix | oxps_ST_RscRef
593 oxps_ST_RscRefAbbrGeomF = oxps_ST_AbbrGeomF | oxps_ST_RscRef
594 oxps_ST_SweepDirection = "Clockwise" | "Counterclockwise"
595 oxps_ST_DashCap = "Flat" | "Round" | "Square" | "Triangle"

```

```
596 oxps_ST_LineCap = "Flat" | "Round" | "Square" | "Triangle"
597 oxps_ST_LineJoin = "Miter" | "Bevel" | "Round"
598 oxps_ST_TileMode = "None" | "Tile" | "FlipX" | "FlipY" | "FlipXY"
599 oxps_ST_ClrIntMode =
600     "ScRgbLinearInterpolation" | "SRgbLinearInterpolation"
601 oxps_ST_SpreadMethod = "Pad" | "Reflect" | "Repeat"
602 oxps_ST_FillRule = "EvenOdd" | "NonZero"
603 oxps_ST_EdgeMode = "Aliased"
604 oxps_ST_StyleSimulations =
605     "None"
606     | "ItalicSimulation"
607     | "BoldSimulation"
608     | "BoldItalicSimulation"
609 oxps_ST_ViewUnits = "Absolute"
610 oxps_ST_MappingMode = "Absolute"
```

---

## B.5 Resource Dictionary Key

The schema shown below is also provided in electronic form as a file named `OpenXPSResourceDictionaryKey.rnc`, which is contained in an accompanying zip archive named "OpenXPS RELAX NG Schemas.zip". If discrepancies exist between the representation as published below and the corresponding electronic version, the published version below is the definitive version.

```
1 namespace x =
2   "http://schemas.openxps.org/oxps/v1.0/resourcedictionary-key"
3 namespace xs = "http://www.w3.org/2001/XMLSchema"
4
5 x_Key =
6   attribute x:Key {
7     xs:string {
8       pattern =
9
10      "(\p{Lu}|\p{Ll}|\p{Lt}|\p{Lo}|\p{Nl}|_)(\p{Lu}|\p{Ll}|\p{Lt}|\p{Lo}|\p{Nl}|\p{Mn}|\p
11      {Mc}|\p{Nd}|_)*"
12    }
13  }
```



## B.6 Document Structure

The schema shown below is also provided in electronic form as a file named OpenXPSDocumentStructure.rnc, which is contained in an accompanying zip archive named "OpenXPS RELAX NG Schemas.zip". If discrepancies exist between the representation as published below and the corresponding electronic version, the published version below is the definitive version.

```

1  default namespace =
2    "http://schemas.openxps.org/oxps/v1.0/documentstructure"
3  namespace ds = "http://schemas.openxps.org/oxps/v1.0/documentstructure"
4  namespace xs = "http://www.w3.org/2001/XMLSchema"
5
6  ds_CT_DocumentStructure = ds_DocumentStructure.Outline?, ds_Story*
7  ds_CT_CP_Outline = ds_DocumentOutline
8  ds_CT_DocumentOutline = ds_AG_DocumentOutline, ds_OutlineEntry+
9  ds_CT_OutlineEntry = ds_AG_OutlineEntry
10 ds_CT_Story = ds_AG_Story, ds_StoryFragmentReference+
11 ds_CT_StoryFragmentReference = ds_AG_StoryFragmentReference
12 ds_ST_Name =
13   xsd:string {
14     pattern =
15
16     "(\p{Lu}|\p{Ll}|\p{Lo}|\p{Lt}|\p{Nl})(\p{Lu}|\p{Ll}|\p{Lo}|\p{Lt}|\p{Nl}|\p{Mn}|\p{Mc}|\p{Nd}|\p{Lm}|_)*"
17   }
18
19 ds_ST_NameUnique =
20   xsd:ID {
21     pattern =
22
23     "(\p{Lu}|\p{Ll}|\p{Lo}|\p{Lt}|\p{Nl})(\p{Lu}|\p{Ll}|\p{Lo}|\p{Lt}|\p{Nl}|\p{Mn}|\p{Mc}|\p{Nd}|\p{Lm}|_)*"
24   }
25
26 ds_ST_IntGEOne = xsd:int { minInclusive = "1" }
27 ds_DocumentStructure =
28   element DocumentStructure { ds_CT_DocumentStructure }
29 ds_DocumentStructure.Outline =
30   element DocumentStructure.Outline { ds_CT_CP_Outline }
31 ds_DocumentOutline = element DocumentOutline { ds_CT_DocumentOutline }
32 ds_OutlineEntry = element OutlineEntry { ds_CT_OutlineEntry }
33 ds_Story = element Story { ds_CT_Story }
34 ds_StoryFragmentReference =
35   element StoryFragmentReference { ds_CT_StoryFragmentReference }
36 ds_AG_DocumentOutline = xml_lang
37 ds_AG_OutlineEntry =
38
39   ## default value: 1
40   attribute OutlineLevel { ds_ST_IntGEOne }?,
41   attribute OutlineTarget { xsd:anyURI },
42   attribute Description { xsd:string },
43   xml_lang?

```

```

44 ds_AG_Story = attribute StoryName { xsd:string }
45 ds_AG_StoryFragmentReference =
46   attribute FragmentName { xsd:string }?,
47   attribute Page { ds_ST_IntGEOne }
48 ds_CT_StoryFragments = ds_StoryFragment+
49 ds_CT_StoryFragment =
50   ds_AG_StoryFragment,
51   ds_StoryBreak?,
52   (ds_SectionStructure
53     | ds_ParagraphStructure
54     | ds_ListStructure
55     | ds_TableStructure
56     | ds_FigureStructure)+,
57   ds_StoryBreak?
58 ds_CT_Break = empty
59 ds_CT_Section =
60   (ds_ParagraphStructure
61     | ds_ListStructure
62     | ds_TableStructure
63     | ds_FigureStructure)+
64 ds_CT_Paragraph = (ds_NamedElement)*
65 ds_CT_Table = (ds_TableRowGroupStructure)+
66 ds_CT_TableRowGroup = (ds_TableRowStructure)+
67 ds_CT_TableRow = (ds_TableCellStructure)+
68 ds_CT_TableCell =
69   ds_AG_TableCell,
70   (ds_ParagraphStructure
71     | ds_ListStructure
72     | ds_TableStructure
73     | ds_FigureStructure)*
74 ds_CT_List = (ds_ListItemStructure)+
75 ds_CT_ListItem =
76   ds_AG_ListItem,
77   (ds_ParagraphStructure
78     | ds_ListStructure
79     | ds_TableStructure
80     | ds_FigureStructure)*
81 ds_CT_Figure = (ds_NamedElement)*
82 ds_CT_NamedElement = ds_AG_NamedElement
83 ds_ST_FragmentType = "Content" | "Header" | "Footer"
84 ds_ST_TableSpan = xsd:int { minInclusive = "1" }
85 ds_StoryFragments = element StoryFragments { ds_CT_StoryFragments }
86 ds_StoryFragment = element StoryFragment { ds_CT_StoryFragment }
87 ds_StoryBreak = element StoryBreak { ds_CT_Break }
88 ds_SectionStructure = element SectionStructure { ds_CT_Section }
89 ds_ParagraphStructure = element ParagraphStructure { ds_CT_Paragraph }
90 ds_TableStructure = element TableStructure { ds_CT_Table }
91 ds_TableRowGroupStructure =
92   element TableRowGroupStructure { ds_CT_TableRowGroup }
93 ds_TableRowStructure = element TableRowStructure { ds_CT_TableRow }
94 ds_TableCellStructure = element TableCellStructure { ds_CT_TableCell }
95 ds_ListStructure = element ListStructure { ds_CT_List }
96 ds_ListItemStructure = element ListItemStructure { ds_CT_ListItem }
97 ds_FigureStructure = element FigureStructure { ds_CT_Figure }
98 ds_NamedElement = element NamedElement { ds_CT_NamedElement }

```

```
99 ds_AG_StoryFragment =
100     attribute StoryName { xsd:string }?,
101     attribute FragmentName { xsd:string }?,
102     attribute FragmentType { ds_ST_FragmentType }
103 ds_AG_TableCell =
104
105     ## default value: 1
106     attribute RowSpan { ds_ST_TableSpan }?,
107
108     ## default value: 1
109     attribute ColumnSpan { ds_ST_TableSpan }?
110 ds_AG_ListItem = attribute Marker { ds_ST_NameUnique }?
111 ds_AG_NamedElement = attribute NameReference { ds_ST_Name }
```



---

## B.7 Discard Control

The schema shown below is also provided in electronic form as a file named OpenXPSDiscardControl.rnc, which is contained in an accompanying zip archive named "OpenXPS RELAX NG Schemas.zip". If discrepancies exist between the representation as published below and the corresponding electronic version, the published version below is the definitive version.

```
1 default namespace =
2   "http://schemas.openxps.org/oxps/v1.0/discard-control"
3 namespace dc = "http://schemas.openxps.org/oxps/v1.0/discard-control"
4 namespace xs = "http://www.w3.org/2001/XMLSchema"
5
6 dc_CT_DiscardControl = dc_Discard*
7 dc_CT_Discard =
8   attribute SentinelPage { xs:anyURI },
9   attribute Target { xs:anyURI }
10 dc_DiscardControl = element DiscardControl { dc_CT_DiscardControl }
11 dc_Discard = element Discard { dc_CT_Discard }
```

## B.8 3D-Graphic Content

The schema shown below is also provided in electronic form as a file named OpenXPS3D.rnc, which is contained in an accompanying zip archive named "OpenXPS RELAX NG Schemas.zip". If discrepancies exist between the representation as published below and the corresponding electronic version, the published version below is the definitive version.

```

1  default namespace o3d = "http://schemas.openxps.org/oxps-3d/v1.0"
2  namespace oxps = "http://schemas.openxps.org/oxps/v1.0"
3  namespace x =
4    "http://schemas.openxps.org/oxps/v1.0/resourcedictionary-key"
5  namespace xs = "http://www.w3.org/2001/XMLSchema"
6
7  o3d_CT_Brush3D = o3d_AG_Brush3D, oxps_ImageBrush.Transform?
8  o3d_Brush3D = element Brush3D { empty }
9  o3d_AG_Brush3D =
10   attribute Source3D { o3d_ST_UriImage3D },
11   x_Key?,
12   attribute Transform { oxps_ST_RscRefMatrix }?,
13   attribute Viewbox { oxps_ST_ViewBox },
14   attribute Viewport { oxps_ST_ViewBox },
15   attribute ViewboxUnits { oxps_ST_ViewUnits },
16   attribute ViewportUnits { oxps_ST_ViewUnits }
17  o3d_ST_UriImage3D = xs:anyURI { pattern = "([^\{\}].*)?" }

```

**End of informative text.**

## C. Abbreviated Geometry Syntax Algorithm

A path geometry specified using the abbreviated geometry syntax (see §11.2.3) is equivalent to a path specified using a path geometry. The following algorithm describes how the abbreviated path syntax can be transformed into a path geometry containing path figures that, in turn, contain various segments.

This algorithm assumes that the presented string is well-formed according to the markup schema. Whitespace skipping is assumed without being explicitly spelled out in the algorithm.

```

Let CURRENTPOINT = 0,0
Create a new PathGeometry PG
PG.FillRule = EvenOdd
Let CURRENTPATHFIGURE = undefined

Read input character CH

if ( CH == 'F' )
{
  Read input character CH
  if ( CH == '0' )
  {
    PG.FillRule = EvenOdd
  }
  else
  {
    PG.FillRule = NonZero
  }
}
else
{
  GOTO label_first
}

label_repeat:
Read input character CH

label_first:

if ( CH == 'm' )
{
  Read relative coordinate pair DX,DY
  Let CURRENTPOINT.X = CURRENTPOINT.X + DX
  Let CURRENTPOINT.Y = CURRENTPOINT.Y + DY
  Create a new PathFigure CURRENTPATHFIGURE and add to PG
  Let attribute CURRENTPATHFIGURE.StartPoint = CURRENTPOINT
}
else if ( CH == 'M' )
{
  Read coordinate pair X,Y
  Let CURRENTPOINT.X = X
  Let CURRENTPOINT.Y = Y
  Create a new PathFigure CURRENTPATHFIGURE and add to PG
  Let attribute CURRENTPATHFIGURE.StartPoint = CURRENTPOINT
}
else if ( CH == 'l' )
{
  Create new PolyLineSegment S
  Add S to CURRENTPATHFIGURE
}

label_1:
  Read relative coordinate pair DX,DY
  Let CURRENTPOINT.X = CURRENTPOINT.X + DX
  Let CURRENTPOINT.Y = CURRENTPOINT.Y + DY

```

```

        Add CURRENTPOINT.X,CURRENTPOINT.Y to end of S.Points attribute list
        if ( next character is not a letter )
        {
            GOTO label_1
        }
    }
    else if ( CH == 'L' )
    {
        Create new PolyLineSegment S
        Add S to CURRENTPATHFIGURE
label_2:
        Read coordinate pair X,Y
        Let CURRENTPOINT.X = X
        Let CURRENTPOINT.Y = Y
        Add CURRENTPOINT.X,CURRENTPOINT.Y to end of S.Points attribute list
        if ( next character is not a letter )
        {
            GOTO label_2
        }
    }
    else if ( CH == 'h' )
    {
        Create new PolyLineSegment S
        Add S to CURRENTPATHFIGURE
label_3:
        Read relative coordinate value DX
        Let CURRENTPOINT.X = CURRENTPOINT.X + DX
        Add CURRENTPOINT.X,CURRENTPOINT.Y to end of S.Points attribute list
        if ( next character is not a letter )
        {
            GOTO label_3
        }
    }
    else if ( CH == 'H' )
    {
        Create new PolyLineSegment S
        Add S to CURRENTPATHFIGURE
label_4:
        Read coordinate value X
        Let CURRENTPOINT.X = X
        Add CURRENTPOINT.X,CURRENTPOINT.Y to end of S.Points attribute list
        if ( next character is not a letter )
        {
            GOTO label_4
        }
    }
    else if ( CH == 'v' )
    {
        Create new PolyLineSegment S
        Add S to CURRENTPATHFIGURE
label_5:
        Read relative coordinate value DY
        Let CURRENTPOINT.Y = CURRENTPOINT.Y + DY
        Add CURRENTPOINT.X,CURRENTPOINT.Y to end of S.Points attribute list
        if ( next character is not a letter )
        {
            GOTO label_5
        }
    }
    else if ( CH == 'V' )
    {
        Create new PolyLineSegment S
        Add S to CURRENTPATHFIGURE
label_6:
        Read coordinate value Y
        Let CURRENTPOINT.Y = Y
        Add CURRENTPOINT.X,CURRENTPOINT.Y to end of S.Points attribute list
        if ( next character is not a letter )
        {

```

```

        GOTO label_6
    }
}
else if ( CH == 'c' )
{
    Create new PolyBezierSegment S
    Add S to CURRENTPATHFIGURE
label_7:
    Read relative coordinate pair DX,DY
    Let POINT.X = CURRENTPOINT.X + DX
    Let POINT.Y = CURRENTPOINT.Y + DY
    Add POINT.X, POINT.Y to end of S.Points attribute list
    Read coordinate pair DX,DY
    Let POINT.X = CURRENTPOINT.X + DX
    Let POINT.Y = CURRENTPOINT.Y + DY
    Add POINT.X, POINT.Y to end of S.Points attribute list
    Read coordinate pair DX,DY
    Let CURRENTPOINT.X = CURRENTPOINT.X + DX
    Let CURRENTPOINT.Y = CURRENTPOINT.Y + DY
    Add CURRENTPOINT.X,CURRENTPOINT.Y to end of S.Points attribute list
    if ( next character is not a letter )
    {
        GOTO label_7
    }
}
else if ( CH == 'C' )
{
    Create new PolyBezierSegment S
    Add S to CURRENTPATHFIGURE
label_8:
    Read coordinate pair X,Y
    Let POINT.X = X
    Let POINT.Y = Y
    Add POINT.X, POINT.Y to end of S.Points attribute list
    Read coordinate pair X,Y
    Let POINT.X = X
    Let POINT.Y = Y
    Add POINT.X, POINT.Y to end of S.Points attribute list
    Read coordinate pair X,Y
    Let CURRENTPOINT.X = X
    Let CURRENTPOINT.Y = Y
    Add CURRENTPOINT.X,CURRENTPOINT.Y to end of S.Points attribute list
    if ( next character is not a letter )
    {
        GOTO label_8
    }
}
else if ( CH == 'q' )
{
    Create new PolyQuadraticBezierSegment S
    Add S to CURRENTPATHFIGURE
label_9:
    Read relative coordinate pair DX,DY
    Let POINT.X = CURRENTPOINT.X + DX
    Let POINT.Y = CURRENTPOINT.Y + DY
    Add POINT.X, POINT.Y to end of S.Points attribute list
    Read relative coordinate pair DX,DY
    Let CURRENTPOINT.X = CURRENTPOINT.X + DX
    Let CURRENTPOINT.Y = CURRENTPOINT.Y + DY
    Add CURRENTPOINT.X,CURRENTPOINT.Y to end of S.Points attribute list
    if ( next character is not a letter )
    {
        GOTO label_9
    }
}
else ( if CH == 'Q' )
{
    Create new PolyQuadraticBezierSegment S

```

```

Add S to CURRENTPATHFIGURE
label_10:
  Read coordinate pair X,Y
  Let POINT.X = X
  Let POINT.Y = Y
  Add POINT.X, POINT.Y to end of S.Points attribute list
  Read coordinate pair X,Y
  Let CURRENTPOINT.X = X
  Let CURRENTPOINT.Y = Y
  Add CURRENTPOINT.X,CURRENTPOINT.Y to end of S.Points attribute list
  if ( next character is not a letter )
  {
    GOTO label_10
  }
}
else if ( CH == 's' )
{
  Create new PolyBezierSegment S
  Add S to CURRENTPATHFIGURE
label_11:
  if ( S.Points is non-empty )
  {
    Let LASTCTRLPOINT = Point before last point in S.Points
    Let POINT.X = 2 * CURRENTPOINT.X - LASTCTRLPOINT.X
    Let POINT.Y = 2 * CURRENTPOINT.Y - LASTCTRLPOINT.Y
  }
  else if ( segment before CURRENTPATHSEGMENT is a PolyBezierSegment )
  {
    Let LASTCTRLPOINT = Point before last point in previous PolyBezierSegment
    Let POINT.X = 2 * CURRENTPOINT.X - LASTCTRLPOINT.X
    Let POINT.Y = 2 * CURRENTPOINT.Y - LASTCTRLPOINT.Y
  }
  else
  {
    Let POINT = CURRENTPOINT
  }

  Add POINT.X, POINT.Y to end of S.Points attribute list
  Read relative coordinate pair DX,DY
  Let POINT.X = CURRENTPOINT.X + DX
  Let POINT.Y = CURRENTPOINT.Y + DY
  Add POINT.X, POINT.Y to end of S.Points attribute list
  Read relative coordinate pair DX,DY
  Let CURRENTPOINT.X = CURRENTPOINT.X + DX
  Let CURRENTPOINT.Y = CURRENTPOINT.Y + DY
  Add CURRENTPOINT.X,CURRENTPOINT.Y to end of S.Points attribute list
  if ( next character is not a letter )
  {
    GOTO label_11
  }
}
else if ( CH == 'S' )
{
  Create new PolyBezierSegment S
  Add S to CURRENTPATHFIGURE
label_12:
  if ( S.Points is non-empty )
  {
    Let LASTCTRLPOINT = Point before last point in S.Points
    Let POINT.X = 2 * CURRENTPOINT.X - LASTCTRLPOINT.X
    Let POINT.Y = 2 * CURRENTPOINT.Y - LASTCTRLPOINT.Y
  }
  else if ( segment before CURRENTPATHSEGMENT is a PolyBezierSegment )
  {
    Let LASTCTRLPOINT = S.Point before last point in previous PolyBezierSegment
    Let POINT.X = 2 * CURRENTPOINT.X - LASTCTRLPOINT.X
    Let POINT.Y = 2 * CURRENTPOINT.Y - LASTCTRLPOINT.Y
  }
  else

```

```

    {
        Let POINT = CURRENTPOINT
    }

    Add POINT.X, POINT.Y to end of S.Points attribute list
    Read coordinate pair X,Y
    Let POINT.X = X
    Let POINT.Y = Y
    Add POINT.X, POINT.Y to end of S.Points attribute list
    Read coordinate pair X,Y
    Let CURRENTPOINT.X = X
    Let CURRENTPOINT.Y = Y
    Add CURRENTPOINT.X,CURRENTPOINT.Y to end of S.Points attribute list
    if ( next character is not a letter )
    {
        GOTO label_12
    }
}
else if ( CH == 'a' )
{
label_13:
    Create new ArcSegment S
    Add S to CURRENTPATHFIGURE
    Read Radius Pair RX,RY
    Read Rotation ROT
    Read integer FLAG1
    Read integer FLAG2
    Read relative coordinate pair DX,DY
    Let CURRENTPOINT.X = CURRENTPOINT.X + DX
    Let CURRENTPOINT.Y = CURRENTPOINT.Y + DY
    Let S.Point = CURRENTPOINT.X,CURRENTPOINT.Y
    Let S.IsLargeArc = (FLAG1 == 1 ? true : false)
    Let S.SweepDirection = (FLAG2 == 1 ? Clockwise : Counterclockwise)
    Let S.RotationAngle = ROT
    Let S.Size = RX, RY
    if ( next character is not a letter )
    {
        GOTO label_13
    }
}
else if ( CH == 'A' )
{
label_14:
    Create new ArcSegment S
    Add S to CURRENTPATHFIGURE
    Read Radius Pair RX,RY
    Read Rotation ROT
    Read integer FLAG1
    Read integer FLAG2
    Read coordinate pair X,Y
    Let CURRENTPOINT.X = X
    Let CURRENTPOINT.Y = Y
    Let S.Point = CURRENTPOINT.X,CURRENTPOINT.Y
    Let S.IsLargeArc = (FLAG1 == 1 ? true : false)
    Let S.SweepDirection = (FLAG2 == 1 ? Clockwise : Counterclockwise)
    Let S.RotationAngle = ROT
    Let S.Size = RX, RY
    if ( next character is not a letter )
    {
        GOTO label_14
    }
}
else if ( CH == 'z' or CH == 'Z' )
{
    Let attribute CURRENTPATHFIGURE.IsClosed = true
    Let CURRENTPOINT = First point of first segment of CURRENTPATHFIGURE
    Let CURRENTPATHFIGURE = undefined
}

```

```
/* This case can not occur, because the input is assumed to be well-formed according to the markup
schema
  else
  {
    ERROR: Invalid input character
  }
*/

if ( End of input reached )
{
  Terminate algorithm, return PG
}
else
{
  GOTO label_repeat
}
```

## D. Standard Namespaces and Content Types

The following tables list the namespaces and content types used in OpenXPS packages and OpenXPS Documents.

### D.1 XML Namespace URIs

*Table D-1. Package-wide namespaces*

<b>Description</b>	<b>Namespace URI</b>
Content Types	<a href="http://schemas.openxmlformats.org/package/2006/content-types">http://schemas.openxmlformats.org/package/2006/content-types</a>
Core Properties	<a href="http://schemas.openxmlformats.org/package/2006/metadata/core-properties">http://schemas.openxmlformats.org/package/2006/metadata/core-properties</a>
Digital Signatures	<a href="http://schemas.openxmlformats.org/package/2006/digital-signature">http://schemas.openxmlformats.org/package/2006/digital-signature</a>
Relationships	<a href="http://schemas.openxmlformats.org/package/2006/relationships">http://schemas.openxmlformats.org/package/2006/relationships</a>
Markup Compatibility	<a href="http://schemas.openxmlformats.org/markup-compatibility/2006">http://schemas.openxmlformats.org/markup-compatibility/2006</a>

*Table D-2. OpenXPS Document namespaces*

<b>Description</b>	<b>Namespace URI</b>
DiscardControl	<a href="http://schemas.openxps.org/oxps/v1.0/discard-control">http://schemas.openxps.org/oxps/v1.0/discard-control</a>
Document Structure	<a href="http://schemas.openxps.org/oxps/v1.0/documentstructure">http://schemas.openxps.org/oxps/v1.0/documentstructure</a>
FixedDocument	<a href="http://schemas.openxps.org/oxps/v1.0">http://schemas.openxps.org/oxps/v1.0</a>
FixedDocumentSequence	<a href="http://schemas.openxps.org/oxps/v1.0">http://schemas.openxps.org/oxps/v1.0</a>
FixedPage	<a href="http://schemas.openxps.org/oxps/v1.0">http://schemas.openxps.org/oxps/v1.0</a>
Resource Dictionary (Key attribute)	<a href="http://schemas.openxps.org/oxps/v1.0/resourcedictionary-key">http://schemas.openxps.org/oxps/v1.0/resourcedictionary-key</a>
Signature Definitions	<a href="http://schemas.openxps.org/oxps/v1.0/signature-definitions">http://schemas.openxps.org/oxps/v1.0/signature-definitions</a>
Story Fragments	<a href="http://schemas.openxps.org/oxps/v1.0/documentstructure">http://schemas.openxps.org/oxps/v1.0/documentstructure</a>
3D Graphics Content	<a href="http://schemas.openxps.org/oxps-3d/v1.0">http://schemas.openxps.org/oxps-3d/v1.0</a>

## D.2 Content Types

The content types in the tables below MUST be used by producers without parameters [M12.8]. If a consumer encounters the presence of parameters on these content types when the affected part is accessed it MUST instantiate an error condition [M12.7].

Table D-3. Package-wide content types

Description	Content type
Core Properties part	application/vnd.openxmlformats-package.core-properties+xml
Digital Signature Certificate part	application/vnd.openxmlformats-package.digital-signature-certificate
Digital Signature Origin part	application/vnd.openxmlformats-package.digital-signature-origin
Digital Signature XML Signature part	application/vnd.openxmlformats-package.digital-signature-xmlsignature+xml
Relationships part	application/vnd.openxmlformats-package.relationships+xml
SignatureDefinitions	application/vnd.ms-package.xps-signaturedefinitions+xml

Table D-4. OpenXPS Document content types

Description	Content type
FixedDocument	application/vnd.ms-package.xps-fixeddocument+xml
FixedDocumentSequence	application/vnd.ms-package.xps-fixeddocumentsequence+xml
FixedPage	application/vnd.ms-package.xps-fixedpage+xml
DiscardControl	application/vnd.ms-package.xps-discard-control+xml
DocumentStructure	application/vnd.ms-package.xps-documentstructure+xml
Font	application/vnd.ms-opentype
ICC profile	application/vnd.ms-color.iccprofile
JPEG image	image/jpeg
Obfuscated font	application/vnd.ms-package.obfuscated-opentype
PNG image	image/png
Remote resource dictionary	application/vnd.ms-package.xps-resourcedictionary+xml
StoryFragments	application/vnd.ms-package.xps-storyfragments+xml
TIFF image	image/tiff
Thumbnail part	image/jpeg or image/png
JPEG XR image	image/vnd.ms-photo
X3D image unicode	model/x3d+xml

<b>Description</b>	<b>Content type</b>
X3D image binary encoding	model/x3d+binary

### D.3 Relationship Types

Table D-5. Package-wide relationship types

<b>Description</b>	<b>Relationship type</b>
Core Properties	<a href="http://schemas.openxmlformats.org/package/2006/relationships/metadata/core-properties">http://schemas.openxmlformats.org/package/2006/relationships/metadata/core-properties</a>
Digital Signature	<a href="http://schemas.openxmlformats.org/package/2006/relationships/digital-signature/signature">http://schemas.openxmlformats.org/package/2006/relationships/digital-signature/signature</a>
Digital Signature Certificate	<a href="http://schemas.openxmlformats.org/package/2006/relationships/digital-signature/certificate">http://schemas.openxmlformats.org/package/2006/relationships/digital-signature/certificate</a>
Digital Signature Origin	<a href="http://schemas.openxmlformats.org/package/2006/relationships/digital-signature/origin">http://schemas.openxmlformats.org/package/2006/relationships/digital-signature/origin</a>
Thumbnail	<a href="http://schemas.openxmlformats.org/package/2006/relationships/metadata/thumbnail">http://schemas.openxmlformats.org/package/2006/relationships/metadata/thumbnail</a>

Table D-6. OpenXPS Document relationship types

<b>Description</b>	<b>Relationship type</b>
Digital Signature Definitions	<a href="http://schemas.openxps.org/oxps/v1.0/signature-definitions">http://schemas.openxps.org/oxps/v1.0/signature-definitions</a>
DiscardControl	<a href="http://schemas.openxps.org/oxps/v1.0/discard-control">http://schemas.openxps.org/oxps/v1.0/discard-control</a>
DocumentStructure	<a href="http://schemas.openxps.org/oxps/v1.0/documentstructure">http://schemas.openxps.org/oxps/v1.0/documentstructure</a>
PrintTicket	<a href="http://schemas.openxps.org/oxps/v1.0/printticket">http://schemas.openxps.org/oxps/v1.0/printticket</a>
Required Resource	<a href="http://schemas.openxps.org/oxps/v1.0/required-resource">http://schemas.openxps.org/oxps/v1.0/required-resource</a>
Restricted Font	<a href="http://schemas.openxps.org/oxps/v1.0/restricted-font">http://schemas.openxps.org/oxps/v1.0/restricted-font</a>
StartPart	<a href="http://schemas.openxps.org/oxps/v1.0/fixerepresentation">http://schemas.openxps.org/oxps/v1.0/fixerepresentation</a>
StoryFragments	<a href="http://schemas.openxps.org/oxps/v1.0/storyfragments">http://schemas.openxps.org/oxps/v1.0/storyfragments</a>



## E. Recommended File Name Extension and Content Types

This annex provides details for implementations and external systems to consistently identify OpenXPS Documents.

---

### E.1 Identification of OpenXPS Documents

Implementations are anticipated for multiple operating systems, including operating systems that use the concept of filename extension and/or content type to identify the format of files for processing. When required by such systems, and to enable interoperability with such systems, implementations SHOULD use a filename extension or termination sequence of `.oxps` and a content type of `application/oxps` [S14.1].

To avoid conflicts between OpenXPS Documents defined in this Standard and legacy formats, producers MUST NOT create OpenXPS Documents with filenames that end in the uppercase, lowercase, or mixed-case sequence `.xps` [M14.1]. Implementations SHOULD NOT use `application/vnd.ms-xpsdocument` to identify OpenXPS Documents [S14.3].

---

### E.2 Embedding Producer Identification

Producers SHOULD include an XML comment immediately following the start-tag of the `FixedPage` element. This comment SHOULD include details of the organization, product, and version that created the content [S14.2] with the intention that this could be used as an aid in the diagnosis of problem content.

[Example:

```
<FixedPage Width="816" Height="1056"
  xmlns="http://schemas.openxps.org/oxps/v1.0" xml:lang="en-US">
  <!--Generated by: Henri Fazy A.G, Papon Café, Version: 3.14159265 -->
  <Glyphs Fill="#ff000000"
    FontUri="/Documents/1/Resources/Fonts/times.ttf" FontRenderingEmSize="12"
    OriginX="348" OriginY="106.4" UnicodeString="Good food indeed." />
</FixedPage>
```

end example]

---

### E.3 Determination of OPC payload

**This subclause is informative**

OpenXPS Documents follow requirements set out in this Standard, as well as other normative references including the Open Packaging Conventions. Implementations may use the following steps to identify an unknown file or stream as an OpenXPS Document within an Open Packaging Conventions payload.

1. Test that the file or stream is a ZIP file
  - a. As required by §9.2 of the Open Packaging Conventions

- b. First four bytes correspond to the local file header signature defined in the .ZIP File Format Specification from PKWARE, Inc., version 6.2.0 (2004)
2. Test that a valid Package Relationships zip item exists
    - a. As required by §8.3.4 of the Open Packaging Conventions
    - b. Check that the content type for the package relationships zip item is correctly defined in the Content Types stream (see OPC §8.1.2) as a relationships part
  3. Test that the Package Relationships Part contains a relationship (see OPC §8.3) whose Target attribute points to a valid FixedDocumentSequence Part
    - a. As required by §10.2 of this Standard
    - b. Check that the content type for the FixedDocumentSequence part is correctly defined in the Content Types stream as a FixedDocumentSequence part

**End of informative text.**

## F. Conformance Requirements

### This annex is informative

This annex restates the conformance requirements for producers and consumers implementing the Open XML Paper Specification. This restatement does not include conformance requirements from normative references such as ECMA-376:2006.

In this annex, conformance requirements are divided into up to three tables per clause, respectively containing the conformance requirements that implementations must follow, those that they should follow, and those that are optional. Each conformance requirement is given a unique ID comprised of a letter (M indicates MUST; S indicates SHOULD; and O indicates OPTIONAL), a requirements group number, and a unique ID within that clause. Implementations can use these IDs to report error conditions. If a requirement is removed from this Standard, its ID will not be reused for any newly added requirement.

### F.1 Implementation Conformance

#### F.1.1 MUST Conformance Requirements

Table F-1. Implementation MUST conformance requirements

ID	Rule	Reference
M0.1	A conforming consumer MUST interpret and process the contents of OpenXPS Document instances in a manner conforming to this Standard.	2.2
M0.2	A conforming consumer is NOT REQUIRED to interpret or process all of the content in an OpenXPS Document instance.	2.2
M0.3	A conforming consumer MUST NOT instantiate an error condition in response to OpenXPS Document content conforming to this Standard.	2.2
M0.4	When "OPTIONAL" or "RECOMMENDED" features contained within OpenXPS Document instances are accessed by a consumer, the consumer MUST interpret and process those features in a manner conforming to this Standard.	2.2
M0.5	Any OpenXPS Document instances a conforming producer creates MUST conform to this Standard.	2.2
M0.6	A conforming producer MUST NOT introduce any non-conforming OpenXPS Document content when modifying an OpenXPS Document instance	2.2
M0.7	When a conforming producer chooses to use an "OPTIONAL" or "RECOMMENDED" feature in an OpenXPS Document instance, then the producer MUST create or modify that feature in a manner conforming to this Standard	2.2

#### F.1.2 SHOULD Conformance Requirements

Table F-2. Implementation SHOULD conformance requirements

ID	Rule	Reference
S0.1	A conformant consumer SHOULD instantiate an error condition when OpenXPS Document content not conforming to this Standard is encountered	2.2

## F.2 OpenXPS Document Format

### F.2.1 MUST Conformance Requirements

Table F-3. OpenXPS Document format MUST conformance requirements

ID	Rule	Reference
M1.1	OpenXPS Documents MUST observe all conformance requirements of the OPC Standard, except where specifically noted otherwise in this Standard.	8, 9.2
M1.2	The OpenXPS Document format MUST use a ZIP archive for its physical model.	8.2

### F.2.2 SHOULD Conformance Requirements

Table F-4. OpenXPS Document format SHOULD conformance requirements

ID	Rule	Reference
S1.1	OpenXPS Documents SHOULD observe all recommendations of the OPC Standard, except where indicated otherwise .	8

## F.3 Parts and Relationships

### F.3.1 MUST Conformance Requirements

Table F-5. Parts and Relationships MUST conformance requirements

ID	Rule	Reference
M2.1	All content to be rendered MUST be contained in the OpenXPS Document.	9.1, 9.1.1,9.1. 5, 9.1.7
M2.2	Each part contained in an OpenXPS Document MUST use only the appropriate content type.	9.1, 9.1.7.3
M2.3	An OpenXPS Document MUST contain exactly one FixedDocumentSequence part per fixed payload.	9.1, 9.1.2
M2.4	An OpenXPS Document MUST contain at least one FixedDocument part per fixed payload.	9.1
M2.5	An OpenXPS Document MUST contain at least one FixedPage part per fixed payload.	9.1
M2.6	A <Glyphs> element in FixedPage markup MUST reference a Font part that exists in the OpenXPS Document.	9.1
M2.7	An <ImageBrush> element in FixedPage markup MUST reference an Image part that exists in the OpenXPS Document.	9.1
M2.8	If FixedPage markup references a Remote Resource Dictionary part, it MUST be included in the OpenXPS Document	9.1
M2.9	This requirement was removed prior to Edition 1 of this Standard.	

ID	Rule	Reference
M2.10	Resources, which include fonts, images, color profiles, and remote resource dictionaries, that are referenced by URIs in FixedPage markup MUST use the Required Resource relationship from the FixedPage to the resource. If any resource references <i>other</i> resources, the producer MUST also use the Required Resource relationship from the FixedPage part to the indirectly referenced resource.	9.1.1, 9.1.5, 9.1.7, 15.2.3, 15.2.4, 15.2.5, 15.2.6, 15.3.7
M2.11	This requirement was removed prior to Edition 1 of this Standard.	
M2.12	A Restricted Font relationship is REQUIRED for each print and preview font used, from the FixedDocument part to the preview and print Font part.	9.1.1, 9.1.7.2, 9.1.7.4
M2.13	Exactly one StartPart relationship is REQUIRED.	9.1.1
M2.14	The StartPart relationship MUST point from the package to the FixedDocumentSequence part that is the primary fixed payload root.	9.1, 9.1.1
M2.15	The order of <DocumentReference> elements in a FixedDocumentSequence part MUST be preserved.	9.1.2
M2.16	The order of <PageContent> elements in a FixedDocument MUST be preserved.	9.1.3
M2.17	JPEG image parts MUST contain images that are compressed according to ITU-T T.81.	9.1.5.1
M2.18	PNG image parts MUST contain images that conform to the PNG specification.	9.1.5.2
M2.19	The PNG ancillary chunk tRNS MUST be supported.	9.1.5.2
M2.20	The PNG ancillary chunk iCCP MUST be supported.	9.1.5.2
M2.21	The PNG ancillary chunk sRGB MUST be ignored.	9.1.5.2
M2.22	The PNG ancillary chunk cHRM MUST be ignored.	9.1.5.2
M2.23	The PNG ancillary chunk gAMA MUST be ignored.	9.1.5.2
M2.24	The PNG ancillary chunk sBIT MUST be ignored.	9.1.5.2
M2.25	TIFF image parts MUST contain images that conform to the TIFF specification	9.1.5.3
M2.26	OpenXPS Document consumers MUST support baseline TIFF 6.0 with the tag values described in Table 9–5 for the specified TIFF image types, excepting the tags described in §9.1.5.3.	9.1.5.3
M2.27	If a TIFF file contains multiple image file directories (IFDs), consumers MUST use only the first IFD and ignore all others.	9.1.5.3
M2.28	OpenXPS Document consumers MUST support TIFF images using CCITT bilevel encoding.	9.1.5.3
M2.29	OpenXPS Document consumers MUST support CMYK TIFF images.	9.1.5.3
M2.30	OpenXPS Document consumers MUST support TIFF images with associated alpha data. If the ExtraSamples tag is 1, the alpha is treated as pre-multiplied alpha. With an ExtraSamples tag of 2, the alpha is treated as non-pre-multiplied alpha.	9.1.5.3

ID	Rule	Reference
M2.31	OpenXPS Document consumers MUST support TIFF images using LZW compression.	9.1.5.3
M2.32	OpenXPS Document consumers MUST support TIFF images using differencing predictors.	9.1.5.3
M2.33	OpenXPS Document consumers MUST support TIFF images using JPEG compression (compression mode 7 only).	9.1.5.3
M2.34	OpenXPS Document consumers MUST support TIFF images with an embedded ICC profile.	9.1.5.3
M2.35	JPEG XR image parts MUST conform to the JPEG XR specification.	9.1.5.4
M2.36	Each FixedPage part MUST NOT have more than one thumbnail part attached.	9.1.6
M2.37	Thumbnails MUST be either JPEG or PNG images	9.1.6
M2.38	If using a fragment in the FontURI attribute of the <Glyphs> element to indicate the font face to use from a TrueType Collection, the attribute value MUST be an integer between 0 and $n-1$ inclusive, where $n$ is the number of font faces in the TrueType Collection.	9.1.7
M2.39	OpenXPS Documents MUST support the OpenType font format (ISO/IEC 14496-22:2007), including TrueType and CFF fonts. Although a subsetted font does not contain all the glyphs in the original font, it MUST be a valid Open Font Format file.	9.1.7, 9.1.7.1
M2.40	Producers MUST observe the guidelines and mechanisms described in §9.1.7.2 in order to honor the licensing rights specified in Open Font Format fonts.	9.1.7.2
M2.41	Consumers MUST be able to process OpenXPS Documents using any combination of the embedding and obfuscation mechanisms described in §9.1.7.2 even if produced in violation of the production requirements.	9.1.7.2
M2.42	For fonts with "Restricted license embedding" licensing intent, producers MUST NOT embed the font.	9.1.7.2
M2.43	FixedDocuments referencing <i>any</i> preview and print fonts MUST NOT be modified or edited. A producer MUST NOT modify or edit the FixedDocument or resources referenced from it.	9.1.7.2, 9.1.7.4
M2.44	For fonts with "Print and preview embedding" licensing intent, producers MUST perform embedded font obfuscation.	9.1.7.2
M2.45	For fonts with "Print and preview embedding" licensing intent, consumers MUST NOT extract or permanently install the font.	9.1.7.2
M2.46	For fonts with "Editable embedding" licensing intent, producers MUST perform embedded font obfuscation.	9.1.7.2
M2.47	For fonts with "Editable embedding" licensing intent, consumers MUST NOT extract or permanently install the font.	9.1.7.2
M2.48	For fonts with "No subsetting" licensing intent, producers MUST perform embedded font obfuscation.	9.1.7.2
M2.49	For fonts with "No subsetting" licensing intent, producers MUST NOT subset the font.	9.1.7.2

ID	Rule	Reference
M2.50	For fonts with "No subsetting" licensing intent, consumers MUST NOT extract or permanently install the font.	9.1.7.2
M2.51	For fonts with "Bitmap embedding only" licensing intent, producers MUST perform embedded font obfuscation for bitmap characters only. If no bitmap characters are present in the font, the producer MUST NOT embed the font.	9.1.7.2
M2.52	For fonts with "Bitmap embedding only" licensing intent, consumers MUST NOT extract or permanently install the font.	9.1.7.2
M2.53	Producers and consumers MUST perform font obfuscation and de-obfuscation according to the steps described in §9.1.7.3.	9.1.7.3
M2.54	The last segment of the part name for an obfuscated font MUST be the GUID generated during the font obfuscation process, with or without an extension.	9.1.7.3
M2.55	When processing <Glyphs> elements, the consumer MUST first select a cmap table from the Open Font Format following the order of preference shown in Table 9-8 (highest listed first).	9.1.7.5
M2.56	When processing <Glyphs> elements, if a WanSung, Big5, Prc, ShiftJis, or MacRoman cmap has been selected, the consumer MUST correctly map from Unicode code points in the UnicodeString attribute to the corresponding code points used by the cmap before looking up glyphs.	9.1.7.5
M2.57	When processing <Glyphs> elements that reference a cmap (3,0) encoding font, consumers MUST handle the case where the UnicodeString attribute contains character codes instead of PUA code points by computing the correct glyph index according to the general recommendations of the OpenType specification.	9.1.7.5
M2.58	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. Consumers MUST process all PrintTicket parts when an OpenXPS Document is printed.	
M2.59	PrintTicket parts can be attached only to FixedDocumentSequence, FixedDocument, and FixedPage parts, and each of these parts MUST attach no more than one PrintTicket.	9.1.9
M2.60	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. Consumers MUST process job-level, document-level and page-level settings of PrintTicket parts associated with FixedDocumentSequence parts.	
M2.61	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. Consumers MUST process document-level and page-level settings of PrintTicket parts associated with FixedDocument parts and MUST ignore job-level settings of PrintTicket parts associated with FixedDocument parts.	

ID	Rule	Reference
M2.62	<p>This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.</p> <p>Consumers MUST process page-level settings of PrintTicket parts associated with FixedPage parts and MUST ignore job-level and document-level settings of PrintTicket parts associated with FixedPage parts.</p>	
M2.63	<p>This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.</p> <p>When processing a PrintTicket, consumers MUST first remove all levels of PrintTicket content not applicable to the current element.</p>	
M2.64	<p>This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.</p> <p>When processing a PrintTicket, consumers MUST second validate the PrintTicket according to the methods defined in the PrintTicket Validation Checklist of the Print Schema documentation.</p>	
M2.65	<p>This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.</p> <p>Following validation of a PrintTicket, the printing consumer MUST properly interpret the print settings according to the rules for merging two PrintTicket parts.</p>	
M2.66	<p>This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.</p> <p>If there is no print setting merge conflict between different PrintTicket levels, a prefix-scoped element MUST be pushed down, or inherited, from a more general ticket to a more specific ticket. This case is isomorphic to the case where both tickets contain an identical element.</p>	
M2.67	<p>This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.</p> <p>If there is a print setting merge conflict between different PrintTicket levels, the setting from the most specific ticket MUST take precedence.</p>	
M2.68	<p>Consumers MUST use semantic document structure provided in included DocumentStructure and StoryFragments parts in preference to any other analysis method of generating such structure.</p>	9.1.11
M2.69	<p>Consumers MUST support Markup Compatibility and Extensibility elements and attributes in DocumentStructure, FixedDocument, FixedDocumentSequence, FixedPage, Relationships, Remote Resource Dictionary, SignatureDefinitions, and StoryFragments parts.</p> <p>Before attempting to validate one of these parts against a schema, consumers MUST remove all Markup Compatibility and Extensibility elements and attributes, ignorable namespace declarations, and all ignored elements and attributes not defined in the expected version of OpenXPS Document markup.</p>	9.3.1, 9.3.2
M2.70	<p>XML content MUST be encoded using either UTF-8 or UTF-16. If any such part includes an encoding declaration (as defined in §4.3.3 of the XML Standard), that declaration MUST NOT name any encoding other than UTF-8 or UTF-16.</p>	9.3.2

ID	Rule	Reference
M2.71	DTD content MUST NOT be used in the XML markup defined in this Standard, and consumers MUST instantiate an error condition when encountering DTD content.	9.3.2
M2.72	XML content MUST be valid against the corresponding W3C XSD schema defined in this Standard. In particular, the XML content MUST NOT contain elements or attributes drawn from namespaces that are not explicitly defined in the corresponding XSD unless the XSD allows elements or attributes drawn from any namespace to be present in particular locations in the XML markup.	9.3.2
M2.73	XML content MUST NOT contain elements or attributes drawn from "xml" or "xsi" namespaces unless they are explicitly defined in the W3C XSD schema or by other means in the Standard.	9.3.2
M2.74	Properties MUST NOT be set more than once, regardless of the syntax used to specify the value. In certain cases, they can be specified using either property attributes or property elements. Consumers MUST instantiate an error condition when encountering properties that are specified in both ways.	9.3.3.2
M2.75	OpenXPS Document markup MUST NOT use the xml:space attribute.	9.3.4
M2.76	The language of the contents of an OpenXPS Document MUST be identified using the xml:lang attribute, the value of which is inherited by child and descendant elements. When the language of the contents is unknown and is required, the value "und" (undetermined) MUST be used.	9.3.5.1
M2.77	Producers that generate a relationship MUST include the target part in the OpenXPS Document for any of the following relationship types: DiscardControl, DocumentStructure, PrintTicket, Required Resource, Restricted Font, StartPart, StoryFragments, and Thumbnail. Consumers that access the target part of any relationship with one of these relationship types MUST instantiate an error condition if the part is not included in the OpenXPS Document.	9.1.1
M2.78	Consumers MUST support JPEG images that contain the EXIF-specified APP1 marker and interpret the EXIF color space correctly.	9.1.5.1
M2.79	OpenXPS Document consumers MUST support TIFF images that include the EXIF IFD (tag 34665) as described in the EXIF specification. The EXIF color space MUST be interpreted correctly.	9.1.5.3
M2.80	Each <DocumentReference> element in a FixedDocumentSequence part MUST reference a FixedDocument part by relative URI.	9.1.2
M2.81	Each <PageContent> element in a FixedDocument part MUST reference a FixedPage part by relative URI.	9.1.3
M2.82	<ImageBrush> and <Glyphs> elements MUST reference Image and Font parts by relative URI.	9.1.4
M2.83	If the ExtraSamples tag value is 0, the associated alpha data in this channel MUST be ignored	9.1.5.3
M2.84	The payload containing an OpenXPS Document may include additional parts not defined by this Standard. Consumers MUST ignore parts in valid OpenXPS Documents that they do not understand.	9.1

ID	Rule	Reference
M2.85	Consumers MUST ensure that they can distinguish between the uses of those markers listed in Table 9–3 and other data that is recorded using the same markers.	9.1.5.1
M2.86	Signature definitions MUST conform to the Signature Definitions schema as defined in §A.1.	9.1.10
M2.87	The order of child property elements is significant: they MUST occur before any contents of the parent element and they MUST appear in the sequence specified in the schema	9.3.3.2.3
M2.88	xml:lang is REQUIRED for <FixedPage> elements.	9.3.5.1
M2.89	xml:lang MUST NOT be used on any other fixed page markup element [than <FixedPage>, <Canvas>, <Path>, or <Glyphs>].	9.3.5.1
M2.90	xml:lang is REQUIRED for the <DocumentOutline> element for document structure.	9.3.5.1
M2.91	JPEG XR image parts MUST use the Tag-based file format defined in Annex A of the JPEG XR specification.	9.1.5.4
M2.92	Regarding restricted license embedding, if <i>only</i> this bit is set, the font MUST NOT be modified, embedded or exchanged in any manner without obtaining permission from the legal owner.	9.1.7.2
M2.93	When editing content, producers MUST instantiate an error condition when encountering any font with the print and preview restriction bit set for which no Restricted Font relationship has been added to the FixedDocument part.	9.1.7.4
M2.94	Consumers MUST consider an OpenXPS Document valid even if the producer failed to properly set the Restricted Font relationship.	9.1.7.4

### F.3.2 SHOULD Conformance Requirements

Table F–6. Parts and Relationships SHOULD conformance requirements

ID	Rule	Reference
S2.1	It is RECOMMENDED that there be exactly one Required Resource relationship from the FixedPage part for each resource referenced from the markup.	9.1.1
S2.2	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. Each <DocumentReference> element in a FixedDocumentSequence part SHOULD reference a FixedDocument part by relative URI.	
S2.3	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. Each <PageContent> element in a FixedDocument part SHOULD reference a FixedPage part by relative URI.	
S2.4	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. <ImageBrush> and <Glyphs> elements SHOULD reference Image and Font parts by relative URI.	

ID	Rule	Reference
S2.5	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. (See [M8.41] and [M8.42].) Color profiles embedded in image files SHOULD be used if present and compatible with this Standard.	
S2.6	It is RECOMMENDED that JPEG image part names end with the extension “.jpg”.	9.1.5.1
S2.7	The use of CMYK JPEG images is NOT RECOMMENDED. TIFF or JPEG XR images SHOULD be used instead to represent CMYK images.	9.1.5.1, 15.3.4.3
S2.8	It is RECOMMENDED that PNG image part names end with the extension “.png”.	9.1.5.2
S2.9	It is RECOMMENDED that TIFF image part names end with the extension “.tif”.	9.1.5.3
S2.10	Consumers SHOULD ignore unsupported TIFF tags (those not described in Table 9–5 and §9.1.5.3). Producers SHOULD NOT include unsupported tags.	9.1.5.3
S2.11	Given the wide variety of incompliant TIFF images in circulation, consumers SHOULD accommodate common mistakes in TIFF images, and implement a reasonable recovery strategy when a problematic TIFF image is encountered.	9.1.5.3
S2.12	It is RECOMMENDED that JPEG XR image part names end with the extension “.jxr”.	9.1.5.4
S2.13	It is RECOMMENDED that if thumbnails are used for pages, a thumbnail SHOULD be included for every page in the document.	9.1.6
S2.14	Consumers SHOULD only process thumbnails associated via a package relationship from the package as a whole or via a relationship from a FixedPage part. Thumbnails attached to any other part SHOULD be ignored.	9.1.6
S2.15	Producers SHOULD use Unicode-encoded fonts.	9.1.7, 9.1.7.5
S2.16	For fonts with “Installable embedding” licensing intent, producers SHOULD perform embedded font obfuscation.	9.1.7.2
S2.17	For fonts with “Installable embedding” licensing intent, consumers SHOULD NOT extract or permanently install the font.	9.1.7.2
S2.18	For fonts with “Restricted license embedding” licensing intent, producers SHOULD generate a path filled with an image brush referencing an image of rendered characters and SHOULD include the actual text in the AutomationProperties.Name attribute of the <Path> element.	9.1.7.2
S2.19	Although the licensing intent allows embedding of non-obfuscated fonts and installation of the font on a remote client system under certain conditions, this is NOT RECOMMENDED in OpenXPS Documents.	9.1.7.3

ID	Rule	Reference
S2.20	It is RECOMMENDED that the extension of an obfuscated Font part name be ".odttf" for TrueType fonts and ".odttc" for TrueType collections.	9.1.7.3
S2.21	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. Producers SHOULD include only PrintTicket settings that support portability of the OpenXPS Document.	
S2.22	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. Producers SHOULD only attach PrintTicket parts containing only document-level and page-level settings with FixedDocument parts.	
S2.23	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. Producers SHOULD only attach PrintTicket parts containing only page-level settings with FixedPage parts.	
S2.24	The FixedDocumentSequence part SHOULD follow the part name recommendation <code>"/&lt;FixedDocSeq&gt;.fdseq"</code> where <code>&lt;FixedDocSeq&gt;</code> is the name of the FixedDocumentSequence. The FixedDocumentSequence SHOULD use the extension <code>".fdseq"</code> .	9.2
S2.25	A FixedDocument part SHOULD follow the part name recommendation <code>"/Documents/&lt;n&gt;/&lt;FixedDocument&gt;.fdoc"</code> where <code>&lt;n&gt;</code> is a numeral that indicates the ordinal position of the fixed document in the fixed document sequence and <code>&lt;FixedDocument&gt;</code> is the name of the fixed document. FixedDocument parts SHOULD use the extension <code>".fdoc"</code> .	9.2
S2.26	A FixedPage part SHOULD follow the part name recommendation <code>"/Documents/&lt;n&gt;/Pages/&lt;m&gt;.fpage"</code> where <code>&lt;n&gt;</code> represents the document that includes this page and <code>&lt;m&gt;</code> is the page number. FixedPage parts SHOULD use the extension <code>".fpage"</code> .	9.2

ID	Rule	Reference
S2.27	<p>A resource that is specific to a particular document SHOULD follow the part name recommendation  <code>"/Documents/&lt;n&gt;/Resources/&lt;Resource&gt;"</code> where <code>&lt;n&gt;</code> is the document that uses the resource and <code>&lt;Resource&gt;</code> is the segments identifying the particular resource.</p> <p>A resource that is shared across multiple documents SHOULD follow the part name recommendation  <code>"/Resources/&lt;Resource&gt;"</code>.</p> <p>A Font resource SHOULD use <code>"Fonts/&lt;FontName&gt;.&lt;FontExt&gt;"</code> for its <code>&lt;Resource&gt;</code> value, where <code>&lt;FontExt&gt;</code> SHOULD be either <code>".ttf"</code> or <code>".odttf"</code> for non-obfuscated and obfuscated fonts respectively.</p> <p>An Image resource SHOULD use <code>"Images/&lt;ImageName&gt;.&lt;ImageExt&gt;"</code> for its <code>&lt;Resource&gt;</code> value, where <code>&lt;ImageExt&gt;</code> is the correct extension for the image type.</p> <p>A Remote Resource Dictionary resource SHOULD use <code>"Dictionaries/&lt;DictName&gt;.dict"</code> for its <code>&lt;Resource&gt;</code> value. A Remote Resource Dictionary SHOULD use <code>".dict"</code> as its extension.</p> <p><code>&lt;FontName&gt;</code>, <code>&lt;ImageName&gt;</code>, and <code>&lt;DictName&gt;</code> SHOULD be a string representation of a GUID value if the resource is a shared resource.</p>	9.2
S2.28	<p>A DocumentStructure part SHOULD follow the part name recommendation  <code>"/Documents/&lt;n&gt;/Structure/&lt;DocStruct&gt;.struct"</code> where <code>&lt;n&gt;</code> is the fixed document that the document structure applies to. DocumentStructure parts SHOULD use the extension <code>".struct"</code>.</p>	9.2
S2.29	<p>A StoryFragments part SHOULD follow the part name recommendation  <code>"/Documents/&lt;n&gt;/Structure/Fragments/&lt;m&gt;.frag"</code> where <code>&lt;n&gt;</code> is the fixed document that contains the story fragments and <code>&lt;m&gt;</code> is the page number the StoryFragments part applies to. StoryFragments parts SHOULD use the extension <code>".frag"</code>.</p>	9.2
S2.30	<p>ICC profile parts SHOULD follow the part name recommendation  <code>"/Documents/&lt;n&gt;/Metadata/&lt;ProfileName&gt;.&lt;ProfileExt&gt;"</code> where <code>&lt;n&gt;</code> is the fixed document that contains the profile.</p> <p>ICC profile parts shared across multiple documents SHOULD follow the part name recommendation  <code>"/Metadata/&lt;ProfileName&gt;.&lt;ProfileExt&gt;"</code>. In this case, <code>&lt;ProfileName&gt;</code> SHOULD be a string representation of a GUID value.</p> <p>The <code>&lt;ProfileExt&gt;</code> SHOULD be appropriate to the color profile type, such as <code>".icm"</code>.</p>	9.2

ID	Rule	Reference
S2.31	Thumbnail parts SHOULD follow the part name recommendation <code>"/Documents/&lt;n&gt;/Metadata/&lt;ThumbName&gt;.&lt;ThumbExt&gt;"</code> where <code>&lt;n&gt;</code> is the fixed document that contains the thumbnail. If the Thumbnail part represents the package as a whole, it SHOULD follow the part name recommendation <code>"/Metadata/&lt;ThumbName&gt;.&lt;ThumbExt&gt;"</code> . In this case, <code>&lt;ThumbName&gt;</code> SHOULD be a string representation of a GUID value. The <code>&lt;ThumbExt&gt;</code> SHOULD be appropriate to the image type, either <code>".png"</code> or <code>".jpg"</code> .	9.2
S2.32	PrintTicket part names associated with the entire job SHOULD be associated via relationship with the FixedDocumentSequence part and contain two segments, using <code>"/Metadata/"</code> as the first segment. PrintTicket parts associated with a particular fixed document or fixed page SHOULD contain four segments, using <code>"/Documents/n/Metadata/"</code> as the first three segments, where <code>&lt;n&gt;</code> is the fixed document that uses these parts. PrintTicket parts based on XML SHOULD use the extension <code>".xml"</code> .	9.2
S2.33	The names of any non-standard parts that are associated with a particular fixed document SHOULD follow the part name recommendation <code>"/Documents/&lt;n&gt;/Other/&lt;PartName&gt;"</code> , where <code>&lt;n&gt;</code> is the fixed document to which the part belongs.	9.2
S2.34	Consumers SHOULD support JPEG images that contain JFIF-specified APP0 and ICC-specified APP2 markers.	9.1.5.1
S2.35	If the referenced font part is a TrueType Collection, then if the fragment portion of the URI is not recognized as a valid integer, consumers SHOULD instantiate an error condition.	9.1.7
S2.36	If the consumer understands the content of the PrintTicket, then the PrintTicket part SHOULD be processed when the OpenXPS Document is printed.	9.1.9
S2.37	For images that have a constant opacity, producers SHOULD NOT use the image format alpha channel; the Opacity attribute in the <code>&lt;ImageBrush&gt;</code> element SHOULD be used instead.	9.1.5

**F.3.3 OPTIONAL Conformance Requirements**

*Table F-7. Parts and Relationships OPTIONAL conformance requirements*

ID	Rule	Reference
O2.1	Thumbnail parts MAY be included in an OpenXPS Document	9.1
O2.2	PrintTicket parts MAY be included in an OpenXPS Document.	9.1
O2.3	ICC Profile parts MAY be included in an OpenXPS Document.	9.1, 15.1.8
O2.4	DocumentStructure parts MAY be included in an OpenXPS Document.	9.1

<b>ID</b>	<b>Rule</b>	<b>Reference</b>
O2.5	StoryFragments parts MAY be included in an OpenXPS Document.	9.1
O2.6	SignatureDefinitions parts MAY be included in an OpenXPS Document.	9.1, 9.1.10
O2.7	DiscardControl parts MAY be included in an OpenXPS Document.	9.1
O2.8	A Core Properties relationship MAY be included in an OpenXPS Document, from the package to the Core Properties part.	9.1.1
O2.9	A Digital Signatures Origin relationship MAY be included in an OpenXPS Document, from the package to the Digital Signature Origin part.	9.1.1
O2.10	Digital Signature relationships MAY be included in an OpenXPS Document, from the Digital Signature Origin part to a Digital Signature XML Signature part.	9.1.1
O2.11	Digital Signature Certificate relationships MAY be included in an OpenXPS Document, from a Digital Signature XML Signature part to the Digital Signature Certificate part.	9.1.1
O2.12	Digital Signature Definitions parts MAY be included in an OpenXPS Document, from a FixedDocument part to the Digital Signature Definitions part.	9.1.1
O2.13	DiscardControl relationships MAY be included in an OpenXPS Document, from the package to a DiscardControl part.	9.1.1
O2.14	DocumentStructure relationships MAY be included in an OpenXPS Document, from a FixedDocument part to the DocumentStructure part.	9.1.1
O2.15	PrintTicket relationships MAY be included in an OpenXPS Document, from a FixedDocumentSequence, FixedDocument, or FixedPage part to a PrintTicket part.	9.1.1
O2.16	StoryFragments relationships MAY be included in an OpenXPS Document, from a FixedPage part to a StoryFragments part.	9.1.1
O2.17	Thumbnail relationships MAY be included in an OpenXPS Document, from the package to an Image part or from a FixedPage part to an Image part.	9.1.1
O2.18	Color Profiles MAY be embedded in image files.	9.1.5
O2.19	Thumbnail images MAY be attached to a FixedPage part using a Thumbnail relationship.	9.1.6
O2.20	Fonts MAY be subsetted based on glyph usage.	9.1.7.1
O2.21	Producers MAY use a 128-bit random number instead of a true GUID for an obfuscated font name.	9.1.7.3
O2.22	An obfuscated Font part MAY have an arbitrary extension.	9.1.7.3

ID	Rule	Reference
O2.23	Producers MAY add digital signature requests and instructions to an OpenXPS Document in the form of signature definitions.	9.1.10
O2.24	A producer MAY sign against an existing signature definition to provide additional signature information.	9.1.10
O2.25	A recipient of an OpenXPS Document MAY also sign it against a signature definition.	9.1.10
O2.26	This requirement was removed prior to Edition 1 of this Standard.	
O2.27	Consumers MAY provide an algorithmic construction of the structure of an OpenXPS Document based on a page-layout analysis, provided such structure is not explicitly provided in DocumentStructure and StoryFragments parts.	9.1.11
O2.28	A resource that is intended to be used across multiple fixed documents MAY be named according to the guidelines for shared resources.	9.2
O2.29	Producers MAY include Markup Compatibility and Extensibility elements and attributes in DocumentStructure, FixedDocument, FixedDocumentSequence, FixedPage, Relationships, Remote Resource Dictionary, SignatureDefinitions, and StoryFragments parts.	9.3.1
O2.30	Wherever a single whitespace character is allowed in OpenXPS Document markup, multiple whitespace characters MAY be used (unless explicitly restricted by a pattern restriction in the corresponding schema).	9.3.4
O2.31	Attributes in OpenXPS Document markup that specify comma-delimited attribute values MAY, unless specified otherwise, OPTIONALLY include whitespace characters preceding or following the comma.	9.3.4
O2.32	Where the OpenXPS Document schema specifies attributes of types that allow whitespace collapsing, leading and trailing whitespace in the attribute value MAY be used along with other whitespace that relies on the whitespace collapsing behavior specified in the XML Schema Standard.	9.3.4
O2.33	xml:lang MAY be used with <Canvas>, <Path>, and <Glyphs> elements.	9.3.5.1
O2.34	xml:lang is OPTIONAL for the <OutlineEntry> element.	9.3.5.1
O2.35	The payload containing an OpenXPS Document MAY include additional parts not defined by this Standard.	9.1

## F.4 Documents

### F.4.1 MUST Conformance Requirements

Table F-8. Document MUST conformance requirements

ID	Rule	Reference
M3.1	The order of <DocumentReference> elements MUST match the order of the documents in the fixed document sequence.	10.1
M3.2	The Source attribute of the <DocumentReference> element MUST specify a FixedDocument part within the OpenXPS Document.	10.1.1
M3.3	Producers MUST NOT produce a document with multiple <DocumentReference> elements that reference the same fixed document.	10.1.1
M3.4	The order of <PageContent> elements MUST match the order of the pages in the document.	10.2
M3.5	The Source attribute of the <PageContent> element MUST specify a FixedPage part within the OpenXPS Document.	10.2.1
M3.6	Producers MUST NOT produce markup where a <PageContent> element references the same fixed page referenced by any other <PageContent> element in the entire OpenXPS Document, even in other fixed documents within the fixed payload.	10.2.1
M3.7	If the attribute is specified, the BleedBox BleedOriginX value MUST be less than or equal to 0.	10.3.1
M3.8	If the attribute is specified, the BleedBox BleedOriginY value MUST be less than or equal to 0.	10.3.1
M3.9	If the attribute is specified, the BleedBox BleedWidth value MUST be greater than or equal to the Width attribute value plus the absolute value of the BleedBox BleedOriginX value.	10.3.1
M3.10	If the attribute is specified, the BleedBox BleedHeight value MUST be greater than or equal to the fixed page Height value plus the absolute value of the BleedBox BleedOriginY value.	10.3.1
M3.11	If the attribute is specified, the ContentBox ContentOriginX value MUST be greater than or equal to 0 and less than the fixed page Width attribute value	10.3.2
M3.12	If the attribute is specified, the ContentBox ContentOriginY value MUST be greater than or equal to 0 and less than the fixed page Height attribute value.	10.3.2
M3.13	If the attribute is specified, the ContentBox ContentWidth value MUST be less than or equal to the difference between the fixed page Width attribute value and the ContentBox ContentOriginX value.	10.3.2
M3.14	If the attribute is specified, the ContentBox ContentHeight value MUST be less than or equal to the difference between the fixed page Height attribute value and the ContentBox ContentOriginY value.	10.3.2
M3.15	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. When rendering a fixed page for printing, consumers MUST be aware of the interaction between the fixed page markup and the PrintTicket settings.	

ID	Rule	Reference
M3.16	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.  <b>producer bleed size</b> — Represents the overflow (or “bleed”) box used by the producer for registration and layout. When the PrintTicket specifies the page scaling option FitApplicationBleedSizeToPageImageableSize, printing consumers MUST scale the bleed box (producer bleed size) to the PageImageableSize, preserving the aspect ratio.	
M3.17	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.  <b>producer content size</b> — Represents the content bounding box specified by the producer. When the PrintTicket specifies the page scaling option FitApplicationContentSizeToPageImageableSize, printing consumers MUST scale the content box (producer content size) to the PageImageableSize, preserving the aspect ratio.	
M3.18	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.  <b>producer media size</b> — Represents the physical media on which the content will be printed. When the PrintTicket specifies the page scaling option FitApplicationMediaSizeToPageImageableSize, printing consumers MUST scale the height and width (producer media size) to the PageImageableSize, preserving the aspect ratio.	
M3.19	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. When the PrintTicket specifies the page scaling option FitApplicationMediaSizeToPageMediaSize, printing consumers MUST scale the height and width (producer media size) to the PageMediaSize, preserving the aspect ratio.	
M3.20	The x:Key attribute of the <Canvas> element MUST be present when the element is defined in a resource dictionary. It MUST NOT be specified outside a resource dictionary.	10.4
M3.21	The <PageContent> element has one allowable child element, <PageContent.LinkTargets>, and it MUST NOT contain more than a single child element.	10.2.1
M3.22	The fixed page MUST specify a height, width, and default language.	10.3

#### F.4.2 SHOULD Conformance Requirements

Table F-9. Document SHOULD conformance requirements

ID	Rule	Reference
S3.1	Specifying a ContentBox attribute for the <FixedPage> element is RECOMMENDED.	10.3, 10.3.2

ID	Rule	Reference
S3.2	Invalid bleed box specifications SHOULD be ignored in favor of the default bleed box.	10.3.1
S3.3	Invalid content box specifications SHOULD be ignored in favor of the default content box.	10.3.2
S3.4	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.	
	<p><b>physical media size</b> — Represents the physical media on which the content will be printed.</p> <p>In the absence of media scaling, the fixed page content is imaged directly to the physical media with the origin of the fixed page aligned with the origin of the physical media size. Any fixed page content that extends beyond the dimension of the physical media size SHOULD be clipped.</p>	
S3.5	By default, consumers SHOULD clip to the FixedPage Width and Height.	10.3.3

### F.4.3 OPTIONAL Conformance Requirements

Table F-10. Document OPTIONAL conformance requirements

ID	Rule	Reference
O3.1	The positioning, scaling, orientation, and clipping of FixedPage content when mapping to physical media MAY be controlled by settings provided in the PrintTicket.	10.3.3
O3.2	Consumers MAY provide implementation-defined mechanisms to select alternative clipping strategies.	10.3.3

## F.5 Graphics

### F.5.1 MUST Conformance Requirements

Table F-11. Graphics MUST conformance requirements

ID	Rule	Reference
M4.1	The x:Key attribute of the <Path> element MUST be present when the element is defined in a resource dictionary. It MUST NOT be specified outside a resource dictionary.	11.1
M4.2	The x:Key attribute of the <PathGeometry> element MUST be present when the element is defined in a resource dictionary. It MUST NOT be specified outside a resource dictionary.	11.2.1.1
M4.3	A <PathGeometry> element contains a set of path figures specified either with the Figures attribute or with a child <PathFigure> element. Producers MUST NOT specify the path figures of a geometry with both the Figures attribute and a child <PathFigure> element.	11.2.1.1
M4.4	The <PathGeometry> element's Figures attribute can be used to describe the path figures the geometry contains using abbreviated syntax with the exception that the FillRule command MUST NOT be used.	11.2.1.3
M4.5	The x or y radius in the Size attribute MUST NOT be negative.	11.2.2.2.1

ID	Rule	Reference
M4.6	This [FillRule] command <b>MUST</b> appear only as the first command in the abbreviated geometry syntax.	11.2.3
M4.7	This [FillRule] command <b>MUST NOT</b> be specified in the value of the Figures attribute of the <PathGeometry> element.	11.2.3
M4.8	The first figure in a geometry <b>MUST</b> begin with a Move command.	11.2.3

### F.5.2 SHOULD Conformance Requirements

Table F-12. Graphics *SHOULD* conformance requirements

ID	Rule	Reference
S4.1	Line segments and curve segments <b>SHOULD NOT</b> be specified as zero-length.	11.2.2.1

### F.5.3 OPTIONAL Conformance Requirements

Table F-13. Graphics *OPTIONAL* conformance requirements

ID	Rule	Reference
O4.1	Consumers or viewers that perform anti-aliasing <b>MAY</b> “snap” those control points of the path that are situated on the path bounding box to whole device pixels if the ignorable SnapsToDevicePixels attribute is specified as true.	11.1, 19.39
O4.2	A path geometry <b>MAY</b> define the fill algorithm to be used on the component path figures.	11.2
O4.3	Abbreviated geometry syntax <b>MAY</b> be used to specify a geometry of one or more figures comprised of multiple segments.	11.2.3
O4.4	If entering more than one drawing command of the same type sequentially, the duplicate command entry <b>MAY</b> be omitted.	11.2.3
O4.5	Every geometry <b>MAY</b> specify one or more figures, and <b>MAY</b> be preceded by a FillRule command where allowed.	11.2.3
O4.6	Subsequent Move commands indicate the start of a new figure but <b>MAY</b> be omitted, indicating the current endpoint for the subsequent figure is the same as the end point of the previous figure.	11.2.3

## F.6 Text

### F.6.1 MUST Conformance Requirements

Table F-14. Text *MUST* conformance requirements

ID	Rule	Reference
M5.1	If the CaretStops attribute is missing from the <Glyphs> element, a consumer <b>MUST</b> interpret the text as having a caret stop between each Unicode UTF-16 code unit and at the beginning and end of the text.	12.1
M5.2	If the UnicodeString attribute of the <Glyphs> element is not specified or contains an empty value (“” or “{}”), and if the Indices attribute is not specified or contains no glyph indices, then a consumer <b>MUST</b> instantiate an error condition.	12.1, 12.1.4

ID	Rule	Reference
M5.3	The x:Key attribute of the <Glyphs> element MUST be present when the element is defined in a resource dictionary. It MUST NOT be specified outside a resource dictionary.	12.1
M5.4	The sum of the code unit counts for all the GlyphMapping entries in the Indices attribute MUST NOT exceed the number of UTF-16 code units in the UnicodeString attribute if the UnicodeString attribute is specified and does not contain an empty value (" " or "{}"). If a ClusterMapping is not specified within a GlyphMapping entry, the code unit count is 1.	12.1.3
M5.5	If there is not a one-to-one mapping between code units in the UnicodeString attribute and the glyph indices, the GlyphIndex value in the Indices attribute MUST be specified.	12.1.3
M5.6	The AdvanceWidth of the Indices attribute MUST be calculated as the exact unrounded origin of the subsequent glyph minus the sum of the calculated (that is, rounded) advance widths of the preceding glyphs.	12.1.3
M5.7	A UnicodeString attribute value that begins with an open brace ("{" ) MUST be escaped with a prefix of "{}". If a UnicodeString attribute value starts with "{}", consumers MUST ignore those first two characters in processing the UnicodeString and in calculating index positions for the characters of the UnicodeString.	12.1.4
M5.8	This requirement was removed prior to Edition 1 of this Standard.	
M5.9	If the UnicodeString attribute contains a Unicode code unit that cannot be mapped to a glyph index via a cmap table in the font and there is no corresponding GlyphIndex entry in the Indices attribute, the consumer MUST display the .notdef glyph	12.1.4
M5.10	In the absence of entries in the Indices attribute to override the Unicode code units in the UnicodeString attribute value, consumers MUST treat Unicode control marks in the UnicodeString attribute like ordinary characters and render the glyphs to which the Unicode control marks are mapped in the CMAP table.	12.1.4
M5.11	Because advance-widths, glyph indices, and caret-stops are associated with the generated Unicode string, consumers MUST NOT normalize the UnicodeString attribute value to produce an internal representation.	12.1.4
M5.12	Producers MUST lay out algorithmically emboldened glyphs using advance widths that are 2% of the em size larger than when not algorithmically emboldened.	12.1.5
M5.13	Consumers MUST implement the effect of algorithmic emboldening such that the black box of the glyph grows by 2% of the em size. When advance widths are omitted from the markup and the glyphs are algorithmically emboldened, the advance widths obtained from the horizontal metrics font table (if IsSideways is false) or the vertical metrics font table (if IsSideways is true) of the font MUST be increased by 2% of the em size.	12.1.5
M5.14	Producers MUST lay out algorithmically italicized glyphs using exactly the same advance widths as when not algorithmically italicized.	12.1.5
M5.15	Producers MUST NOT specify text that is both right-to-left (BidiLevel attribute set to an odd value) and vertical (IsSideways attribute set to true).	12.1.6.2
M5.16	If a consumer does not understand the specified device font name, it MUST render the embedded version of the font.	12.1.7

<b>ID</b>	<b>Rule</b>	<b>Reference</b>
M5.17	When rendering a printer device font, consumers <b>MUST</b> use the UnicodeString attribute and ignore the glyph index components of the Indices attribute.	12.1.7
M5.18	When rendering a printer device font, consumers <b>MUST</b> still honor the advance width and x,y offset values present in the Indices attribute.	12.1.7
M5.19	For producers, a <Glyphs> element with a specified device font name <b>MUST</b> have exactly one Indices glyph per character in the UnicodeString attribute. Its Indices attribute <b>MUST NOT</b> include any cluster specifications. If the Indices attribute includes a cluster mapping, the consumer <b>MUST NOT</b> use the device font and <b>MUST</b> render the embedded version of the font.	12.1.7
M5.20	If a device font name is specified, each of the <Glyphs> element's Indices glyphs <b>MUST</b> include a specified advance width and <b>MUST</b> include specified x and y offset values if they are non-zero	12.1.7
M5.21	This requirement was removed prior to Edition 1 of this Standard.	
M5.22	If there are insufficient flags in the CaretStops attribute value to correspond to all the UTF-16 code units in the UnicodeString attribute value, all remaining UTF-16 code units in the Unicode string <b>MUST</b> be considered valid caret stops.	12.1.9
M5.23	If the Indices attribute is specified, the values provided <b>MUST</b> be used in preference to values determined from the UnicodeString attribute alone.	12.1.3
M5.24	If the Indices attribute specifies a GlyphIndex that does not exist in the font, the consumer <b>MUST</b> instantiate an error condition.	12.1.3
M5.25	The Indices attribute <b>MUST</b> adhere to the glyph specification syntax.	12.1.3
M5.26	AdvanceWidth's advance <b>MUST</b> be 0 or greater.	12.1.3
M5.27	For larger blocks of text, the producer <b>MAY</b> specify the xml:lang attribute on the <Canvas> element.	12.1.8
M5.28	If the Unicode string contains Unicode scalar values that require two UTF-16 code units, a cluster map with a many-to-one or many-to-many mapping <b>MUST</b> be specified for the values.	12.1.4

### F.6.2 SHOULD Conformance Requirements

Table F-15. Text *SHOULD* conformance requirements

<b>ID</b>	<b>Rule</b>	<b>Reference</b>
S5.1	The value of the CaretStops attribute <b>SHOULD</b> indicate that the caret cannot stop in front of most combining marks and the second UTF-16 code unit of UTF-16 surrogate pairs.	12.1
S5.2	If producers include control marks in the Unicode string, they <b>SHOULD</b> include an Indices attribute to specify glyph indices and/or character-to-glyph mapping information for the control marks.	12.1.4
S5.3	If alternate vertical character representations are available in the font, the producer <b>SHOULD</b> use those and provide their glyph indices in the Indices attribute	12.1.6
S5.4	Producers <b>SHOULD NOT</b> produce markup that will result in different rendering between consumers using the embedded font to render and consumers using the device font to render.	12.1.7

ID	Rule	Reference
S5.5	Specifying a UnicodeString for <Glyphs> elements is RECOMMENDED, as it supports searching, selection, and accessibility.	12.1.4
S5.6	When rendering glyphs where the StyleSimulations value is specified as BoldSimulation, consumers SHOULD offset each glyph up and to the right by 1% of the em size so that baseline and left edge alignments are preserved.	12.1.5

### F.6.3 OPTIONAL Conformance Requirements

Table F-16. Text OPTIONAL conformance requirements

ID	Rule	Reference
O5.1	Producers MAY include Unicode control marks in the Unicode string. Such marks include control codes, layout controls, invisible operators, deprecated format characters, variation selectors, non-characters, and specials, according to their definition within the Unicode Standard.	12.1.4
O5.2	Producers MAY choose to generate UnicodeString attribute values that are not normalized by any Unicode-defined algorithm.	12.1.4
O5.3	Consumers that understand the device font name MAY ignore the embedded font and use the device-resident version.	12.1.7
O5.4	Glyph indices MAY be omitted from markup where there is a one-to-one mapping between the positions of Unicode scalar values in the UnicodeString attribute and the positions of glyphs in the glyph string and the glyph index is the value in selected character mapping table of the font.	12.1.10.1
O5.5	Glyph advance widths MAY be omitted from markup where the advance width desired is specified in the font tables, once adjusted for algorithmic boldening.	12.1.10.2
O5.6	Glyph horizontal and vertical offsets MAY be omitted from markup where the offset is 0.0.	12.1.10.2
O5.7	The <Glyphs> element MAY have an Indices attribute.	12.1.3
O5.8	The glyph specifications within the Indices attribute are OPTIONAL.	12.1.3
O5.9	The GlyphIndex portion of the Indices attribute MAY be used to specify a series of glyphs, complex character-to-glyph cluster mappings, or a combination of both.	12.1.3
O5.10	The Indices attribute MAY include glyph placement information.	12.1.3
O5.11	The GlyphIndex entry MAY be empty.	12.1.3
O5.12	A cluster map specification MAY precede the glyph specification for the first glyph of the cluster.	12.1.3.1
O5.13	The language defaults to the value specified for the xml:lang attribute of the <FixedPage> element but MAY be overridden by an xml:lang attribute on a <Glyphs> element.	12.1.8

## F.7 Brushes

### F.7.1 MUST Conformance Requirements

Table F-17. Brushes MUST conformance requirements

ID	Rule	Reference
M6.1	The x:Key attribute of the <SolidColorBrush> element MUST be present when the element is defined in a resource dictionary. It MUST NOT be specified outside a resource dictionary.	13.1
M6.2	The x:Key attribute of the <ImageBrush> element MUST be present when the element is defined in a resource dictionary. It MUST NOT be specified outside a resource dictionary.	13.2
M6.3	An <ImageBrush> element MUST reference a JPEG, PNG, TIFF, or JPEG XR Image part within the OpenXPS Document package.	13.2
M6.4	The x:Key attribute of the <VisualBrush> element MUST be present when the element is defined in a resource dictionary. It MUST NOT be specified outside a resource dictionary.	13.3
M6.5	The x:Key attribute of the <LinearGradientBrush> element MUST be present when the element is defined in a resource dictionary. It MUST NOT be specified outside a resource dictionary.	13.5
M6.6	The x:Key attribute of the <RadialGradientBrush> element MUST be present when the element is defined in a resource dictionary. It MUST NOT be specified outside a resource dictionary.	13.6
M6.7	ViewboxUnits specifies the unit type for the Viewbox attribute. MUST have the value "Absolute".	13.4
M6.8	ViewportUnits specifies the unit type for the Viewport attribute. MUST have the value "Absolute".	13.4

## F.8 Common Properties

### F.8.1 MUST Conformance Requirements

Table F-18. Common properties MUST conformance requirements

ID	Rule	Reference
M7.1	Individual resource values MUST be specified within a resource dictionary.	14.2
M7.2	Namespace prefixes in resource definitions MUST apply in the context of the definition, rather than in the context of the resource reference.	14.2.3
M7.3	An xml:lang attribute within a resource definition MUST be interpreted in the context of the resource reference, not the resource definition.	14.2.3
M7.4	A remote resource dictionary MUST follow the requirements that apply to inline resource dictionaries.	14.2.3.1
M7.5	A remote resource dictionary MUST NOT contain any resource definition children that reference another remote resource dictionary.	14.2.3.1
M7.6	A <ResourceDictionary> element that specifies a remote resource dictionary in its Source attribute MUST NOT contain any resource definition children.	14.2.3.1

<b>ID</b>	<b>Rule</b>	<b>Reference</b>
M7.7	Inline references to fonts or images in remote resource dictionary entries MUST be interpreted with the same base URI as the Remote Resource Dictionary part, not from the base URI of the part referring to the particular remote resource dictionary entry.	14.2.3.1
M7.8	When a resource definition references a previously defined resource with the same name in an ancestor resource dictionary, the reference MUST be resolved before the redefined resource is added to the dictionary	14.2.5
M7.9	If a resource definition references another resource, the reference MUST be resolved in the context of the resource definition, not in the context of the resource use.	14.2.5
M7.10	If a resource dictionary contains Markup Compatibility and Extensibility elements and attributes, the processing of the Markup Compatibility and Extensibility markup MUST occur in the context of the definition of the resource dictionary, not in the context of resource references.	14.2.6
M7.11	The x:Key attribute of the <MatrixTransform> element MUST be present when the element is defined in a resource dictionary. It MUST NOT be specified outside a resource dictionary.	14.4.1
M7.12	The Opacity property attribute value MUST fall within the 0 (fully transparent) to 1 (fully opaque) range, inclusive.	14.1
M7.13	The <Canvas.Resources> or <FixedPage.Resources> property elements MUST precede any property elements of the <Canvas> or <FixedPage> elements.	14.2
M7.14	The <Canvas.Resources> or <FixedPage.Resources> property elements MUST precede any path, glyphs, or canvas children of the <Canvas> or <FixedPage> elements.	14.2
M7.15	<FixedPage.Resources> and <Canvas.Resources> elements that include a remote resource dictionary MUST include exactly one <ResourceDictionary> element.	14.2.3.1
M7.16	The value of the x:Key attribute MUST be unique within the resource dictionary.	14.2.5

### **F.8.2 SHOULD Conformance Requirements**

*Table F-19. Common properties SHOULD conformance requirements*

<b>ID</b>	<b>Rule</b>	<b>Reference</b>
S7.1	A consumer SHOULD instantiate an error condition if a static resource reference cannot be resolved, or if it <i>can</i> be resolved but the resource type does not match the usage at the location of reference.	14.2.4
S7.2	A consumer SHOULD instantiate an error condition if the search has continued to the root <FixedPage> element and a specified resource has not been found	14.2.5

### F.8.3 OPTIONAL Conformance Requirements

Table F-20. Common properties OPTIONAL conformance requirements

ID	Rule	Reference
O7.1	Resource dictionaries MAY be declared, either inline inside a <FixedPage.Resources> or <Canvas.Resources> element, or in a separate part and referenced by a <ResourceDictionary> element inside a <FixedPage.Resources> or <Canvas.Resources> element.	14.2, 14.2.3.1
O7.2	A resource definition MAY reference another resource defined prior to the point of reference, including a resource earlier within the same resource dictionary.	14.2.3
O7.3	If the resource dictionary does not appear in a separate part, a resource definition MAY reference a previously defined resource in a resource dictionary of a parent or ancestor <Canvas> or <FixedPage> element.	14.2.3
O7.4	This requirement was removed prior to Edition 1 of this Standard.	
O7.5	The resource dictionary of a <Canvas> element MAY re-use (and thus override within the scope of the re-use) an x:Key value defined in the resource dictionary of a parent or ancestor <Canvas> or <FixedPage> element.	14.2.5
O7.6	A resource definition MAY reference a previously defined resource with the same name that is defined in an ancestor resource dictionary.	14.2.5
O7.7	An abbreviated matrix transformation syntax MAY be used to specify a RenderTransform or Transform attribute value.	14.4

## F.9 Color

### F.9.1 MUST Conformance Requirements

Table F-21. Color MUST conformance requirements

ID	Rule	Reference
M8.1	Consumers MUST support alpha and gradient blending in sRGB.	15.1, 15.5
M8.2	Consumers MUST support sRGB colors in image data, using the JPEG, PNG, TIFF, or JPEG XR image formats.	15.1
M8.3	Consumers MUST support scRGB color specification in vector data, with and without alpha.	15.1
M8.4	Consumers MUST support scRGB colors in image data, using the JPEG XR image format.	15.1
M8.5	Consumers MUST support CMYK colors in vector data.	15.1
M8.6	Consumers MUST support CMYK colors in image data, using the TIFF or JPEG XR image formats.	15.1
M8.7	Consumers MUST support N-Channel and Named colors in vector data.	15.1
M8.8	Consumers MUST support N-Channel and Named colors in image data, using the JPEG XR image format.	15.1

ID	Rule	Reference
M8.9	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. It was subsumed by [M8.53]. Consumers MUST support profiles as specified in the ICC specification.	
M8.10	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. Consumers MUST support profiles compliant with ICC.1:2001-04 with a Windows Color System (WCS) profile embedded as a private tag.	
M8.11	This requirement was removed prior to Edition 1 of this Standard, and replaced with S8.21; its description is retained here for historical purposes. Consumers MUST inspect the PageDeviceColorSpaceProfileURI PrintTicket setting to determine that this particular color specification is a native device color and MUST NOT be color-managed according to the included profile unless forced to do so for transparency effects or gradient blending.	
M8.12	OpenXPS producers and consumers MUST provide color management using ICC profiles conforming to the requirements of the ICC Color Profile specification, ICC.1:2001-04, for color spaces other than sRGB and scRGB.	15.1.8, 15.6
M8.13	All ICC profiles used in OpenXPS Documents MUST be an Input profile, an Output profile, a Monitor (RGB) profile, a ColorSpace Conversion profile, or a Named Color profile.	15.1.8
M8.14	Real numbers specified for color channel values of scRGB and ContextColor colors MUST NOT use exponent forms of numbers.	15.2
M8.15	Although alpha values smaller than 0.0 and larger than 1.0 can be specified in scRGB images, the alpha values MUST be clamped to the valid range from 0.0 to 1.0 before any further processing.	15.2.2
M8.16	Although alpha values smaller than 0.0 and larger than 1.0 can be specified in CMYK images, the alpha values MUST be clamped to the valid range from 0.0 to 1.0 before any further processing.	15.2.3
M8.17	For N-Channel colors, the context color MUST specify the number of channel float values equal to the number of channels in the profile.	15.2.3, 15.2.5
M8.18	Although alpha values smaller than 0.0 and larger than 1.0 can be specified in N-Channel images, the alpha values MUST be clamped to the valid range from 0.0 to 1.0 before any further processing.	15.2.5
M8.19	In the case of a named color with an associated tint LUT implemented in an ICC monochrome profile, the profile MUST include an AtoB1Tag (relative colorimetric rendering intent), mapping the named color tint values to valid PCS values.	15.2.6
M8.20	Although alpha values smaller than 0.0 and larger than 1.0 can be specified in named color images, the alpha values MUST be clamped to the valid range from 0.0 to 1.0 before any further processing.	15.2.6
M8.21	This requirement was removed prior to Edition 1 of this Standard.	

ID	Rule	Reference
M8.22	<p>This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.</p> <p>The color name specified by the DocumentImpositionColor PrintTicket setting MUST be matched only to profiles containing exactly one non-zero-length colorant name in the profile's colorantTable.</p>	
M8.23	<p>This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.</p> <p>The color name specified by the DocumentImpositionColor setting serves as a label for that color only and MUST NOT be matched against any Named Colors known by the consumer.</p>	
M8.24	<p>This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.</p> <p>The comparison of the color name specified by the DocumentImpositionColor PrintTicket setting with the colorant name in the profile's colorantTable MUST be performed as a case-sensitive ASCII comparison after trimming leading and trailing whitespace from each string.</p>	
M8.25	<p>For gradients, the specified blending color space in the blending color space setting is used only if no gradient stop color values are specified using sRGB or scRGB colors. If any of the gradient stop color values are specified using sRGB or scRGB colors or the consumer does not understand the blending color space PrintTicket setting, the color interpolation mode of the gradient brush MUST be used instead.</p>	15.5
M8.26	<p>This requirement was removed prior to Edition 1 of this Standard.</p>	
M8.27	<p>This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.</p> <p>If the PageDeviceColorSpaceUsage is set to MatchToDeviceDefault and the profile specified by the PageDeviceColorSpaceURI PrintTicket setting cannot be used as a device color space profile, elements using the profile MUST be color managed like any other element using a color profile.</p>	
M8.28	<p>This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.</p> <p>If the PageBlendColorSpace PrintTicket setting is set to ICCProfile, the profile MUST be an output profile, otherwise it MUST be ignored.</p>	
M8.29	<p>This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.</p> <p>Elements using the named color identified by the DocumentImpositionColor PrintTicket setting MUST appear on all color separations.</p>	
M8.30	<p>If no usable profile is present with an image, then a consumer MUST apply a color rule based on the pixel format. Each pixel format is interpreted to be the encoding of a particular color space as shown in Table 15-3.</p>	9.1.5.1, 9.1.5.2, 9.1.5.3, 9.1.5.4, 15.3.7

ID	Rule	Reference
M8.31	Channel and tint float values in CMYK, N-Channel, and Named Color syntax MUST be clamped to the valid range from 0.0 to 1.0 before further processing. Before the value is used as input for an ICC profile color transformation, it MUST be linearly scaled (with specified rounding/clipping) to the range from 0 to 255 or from 0 to 65535, depending on whether the profile uses 8-bit or 16-bit input tables.	15.2.3, 15.2.4, 15.2.5, 15.2.6
M8.32	For 1-channel color, i.e., monochrome, use a monochrome input (or output) profile. The profile MUST include the ICC-optional AToB1Tag (relative colorimetric intent) if the single color is chromatic (not neutral).	15.2.5, 15.3.5
M8.33	A named color with an associated tint LUT MUST be implemented in an OpenXPS Document using an associated ICC monochrome profile.	15.2.6
M8.34	The ICC profile for a named color with an associated tint LUT MUST contain the tint LUT for a single named color.	15.2.6
M8.35	The ICC profile for a named color with an associated tint LUT MUST be an ICC monochrome input or output profile.	15.2.6
M8.36	In the case of a named color with an associated tint LUT the ASCII prefix-root-suffix name of the named color MUST be encoded into the profileDescriptionTag of the ICC profile.	15.2.6
M8.37	In the case of a named color with an associated tint LUT the profile header color space signature MUST be 'GRAY'.	15.2.6
M8.38	Two or more named colors implemented in an OpenXPS Document using a single associated profile MUST use an ICC Named Color type profile.	15.2.6
M8.39	An ICC Named Color type profile MUST contain the namedColor2Tag including the ASCII prefix-root-suffix name for each named color.	15.2.6, 15.3.6
M8.40	The namedColor2Tag in a Named Color type profile MUST be populated with the ICC PCS color value for each named color.	15.2.6, 15.3.6
M8.41	If present and usable, an associated profile MUST be used by consumers.	15.3.7
M8.42	If present and usable, a color profile embedded in an image file MUST be used by consumers when no usable associated profile is present with the image.	15.3.7
M8.43	A producer MUST associate or embed a usable color profile if the color rules of Table 15–3 do not guarantee appropriate color interpretation for an image.	15.3.7
M8.44	Profiles associated as described in Table 15–1, and determined to be usable, MUST be used by consumers.	15.2
M8.45	If no usable profile is present in a context color syntax, then a consumer MUST apply a color rule based on the context color syntax.	15.2
M8.46	Single component integer default for vector data MUST be grayscale with the sRGB non-linearity, black point, and white point.	15.2
M8.47	Three component integer default for vector data MUST be sRGB.	15.2
M8.48	Three component float default for vector data MUST be scRGB.	15.2
M8.49	The specific CMYK to be used as the four component data default for vector data MUST be determined by the consumer.	15.2

ID	Rule	Reference
M8.50	N-Channel data with $N \leq 3$ and any named color data: the data of the first channel MUST be interpreted independently as grayscale. Other channels are disregarded.	15.2
M8.51	N-Channel with $N > 4$ MUST be treated as four component data using the four component data default for vector data determined by the consumer.	15.2
M8.52	A producer MUST associate or embed a usable color profile if the color rules above do not guarantee appropriate color interpretation for the vector color content.	15.2
M8.53	OpenXPS consumers MUST use associated and embedded ICC profiles, according to the precedence order of §15.3.7 for raster images and according to §15.2 for vector content.	15.1.8
M8.54	Implementations MUST ignore and preserve private tags that they do not understand	15.1.8
M8.55	For Named colors, the OpenXPS context color syntax MUST specify the matching number of tint float values.	15.2.6
M8.56	Consumers MUST support grayscale colors (single channel) in vector data, with and without alpha.	15.1
M8.57	Consumers MUST support grayscale colors in image data, using the JPEG, PNG, TIFF, or JPEG XR image formats.	15.1
M8.58	Producers MUST restrict associated ICC profiles to conform to the requirements of the older ICC Color Profile specification, ICC.1:2001-04, when consumer support of the newer ISO version cannot be ascertained.	15.1.8
M8.59	If a Producer includes an image with an embedded profile conforming to the requirements of ISO 15076-1, then the Producer MUST associate an ICC profile conforming to the requirements of the older ICC Color Profile specification, ICC.1:2001-04, to have precedence over such an embedded profile, when consumer support of the newer ISO version cannot be ascertained.	15.1.8

### F.9.2 SHOULD Conformance Requirements

Table F-22. Color SHOULD conformance requirements

ID	Rule	Reference
S8.1	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. It was subsumed by [M8.53] and [M8.41] through [M8.44]. ICC profiles SHOULD be used when embedded in any image format with any color space. Images with integer pixel formats are assumed to have sRGB as the default color space and images with floating point pixel formats are assumed to have scRGB as the default color space; in these cases, an ICC profile is unnecessary.	
S8.2	If consistency of appearance of grayscale images is important, the producer SHOULD adjust the gray tone response curve of such images before adding to the OpenXPS Document.	15.1.8

ID	Rule	Reference
S8.3	<p>This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.</p> <p>A producer of OpenXPS documents containing named colors SHOULD create the color profile in such a way that a linear ramp of the channel values corresponding to a named colorant maps to PCS values resulting in the same color appearance for consumers unaware of named colors (or the specific colorant).</p>	
S8.4	<p>This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.</p> <p>The ContextColor syntax requires a minimum of 1 Alpha value and 3 Channel values for named colors. It is RECOMMENDED that a 1 or 2 tone profile uses the first 1 or 2 channels, respectively, and specifies 0 for the remaining channels.</p>	
S8.5	<p>This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.</p> <p>If the consumer does not know ALL of the colorants named in the clrt tag, it SHOULD treat the profile as if it were a regular N-channel source profile and SHOULD NOT attempt to use any of the known colorants, as that would result in undefined results.</p>	
S8.6	<p>This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.</p> <p>Support for JPEG CMYK images varies by implementation and SHOULD NOT be used in OpenXPS Documents.</p>	
S8.7	<p>For consumers that do perform separation, the occurrence of the document registration named color in a color syntax is <i>only</i> an indicator that the tint level supplied in the syntax SHOULD be used when drawing the registration marking in each colorant separation.</p>	15.4
S8.8	<p>Producers SHOULD create the profile for the document registration named color in such a way that it does not lay down excessive ink when printed on a device that does not perform separation.</p>	15.4
S8.9	<p>A page-level PrintTicket setting can be used to specify the blending color space that SHOULD be used for blending gradients and transparencies. If a consumer understands the blending color space PrintTicket setting, it SHOULD convert all color to the specified blending color space before performing a blend operation.</p>	15.5
S8.10	<p>This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.</p> <p>If the PageDeviceColorSpaceUsage PrintTicket setting is set to MatchToDeviceDefault, the device's internal color profile SHOULD be used for color management of all elements not using the profile specified by the PageDeviceColorSpaceProfileURI PrintTicket setting.</p>	

ID	Rule	Reference
S8.11	<p>This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.</p> <p>If the PageDeviceColorSpaceUsage PrintTicket setting is set to OverrideDeviceDefault and the profile specified by the PageDeviceColorSpaceProfileURI PrintTicket setting has a number of channels matching the number of primaries of the device, it SHOULD be used instead of the device's internal color management for all elements.</p>	
S8.12	<p>This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.</p> <p>If the PageBlendColorSpace PrintTicket setting is set to ICCProfile, the Uri property of the option specifies an ICC profile defining the color space that SHOULD be used for blending.</p>	
S8.13	<p>This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes.</p> <p>The PageICMRenderingIntent PrintTicket setting SHOULD be ignored for elements using a profile that specifies the rendering intent in the profile.</p>	
S8.14	<p>This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. It was subsumed by new rules for named colors in §15.2.3.</p> <p>A consumer incapable of supporting named colors SHOULD treat the colorant table for named colors tag in an ICC profile as a user-defined custom tag, and therefore ignore it. The consumer SHOULD instead use the color tables as provided in the profile to convert the specified colors to the Profile Connection Space (PCS).</p>	
S8.15	<p>This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. It was replaced by new rules M8.58 and M8.59.</p> <p>Producers SHOULD restrict ICC profiles to conform to the requirements of the older ICC Color Profile specification, ICC.1:2001-04, when consumer support of the newer ISO version cannot be ascertained.</p>	
S8.16	<p>If the OpenXPS system environment allows the use of ICC ISO 15076-1 profiles, the optional colorantTableTag SHOULD be included in such ISO 15076-1 profiles to indicate the names and corresponding PCS values of the individual N-color colorants.</p>	15.2.5, 15.3.5
S8.17	<p>A profile associated or embedded with an image SHOULD be considered unusable by a consumer if 1) The profile is not compatible with the pixel format of the image, 2) The profile contains optional tags that can cause ambiguity when used in OpenXPS, and 3) The profile contains invalid tag type signatures that invalidate OpenXPS use.</p>	15.3.7
S8.18	<p>A profile associated as in Table 15–1 SHOULD be considered unusable by a consumer if 1) The profile is not compatible with the context color syntax, 2) The profile contains optional tags that can cause ambiguity when used in OpenXPS, and 3) The profile contains invalid tag type signatures that invalidate OpenXPS use.</p>	15.2

ID	Rule	Reference
S8.19	The specific CMYK to be used as the four-component raster data default, and the N-Channel (N=>4) default, is implementation-defined. In the absence of specific requirements the use of CGATS/SWOP TR003 2007 CMYK is recommended.	15.3.7
S8.20	In the absence of ICC rendering intents, in a typical case, with ICC profiles conforming to the ICC Color Profile specification, ICC.1:2001-04, a consumer SHOULD apply the defaults shown in Table 15-4.	15.6
S8.21	If a consumer recognizes that a profile given in the syntax for a page element matches the page level PrintTicket output-ready ICC profile and that the page level PrintTicket output-ready ICC profile is suitable for the output device conditions, then the consumer SHOULD elect to treat the element colors as output-ready colors and not color-manage them, unless forced to do so for transparency effects or gradient blending.	15.1.7
S8.22	The name of the document registration named color is given in the profile's profileDescriptionTag. Such a document registration named color SHOULD be unique for that use in the OpenXPS Document instance.	15.4
S8.23	When using only two channels of a named color raster image with a Named Color ICC profile containing two named colors, the third component of the JPEG XR image plane SHOULD be ignored by a consumer.	15.3.6
S8.24	When using only two channels of a named color raster image with a Named Color ICC profile containing two named colors, a producer SHOULD zero all values in the third component of the JPEG XR.	15.3.6
S8.25	When using only two channels of a color raster image with a '2CLR' ICC profile, the third component of the JPEG XR image plane SHOULD be ignored by a consumer.	15.3.5
S8.26	When using only two channels of a color raster image with a '2CLR' ICC profile, a producer SHOULD zero all values in the third component of the JPEG XR.	15.3.5

### F.9.3 OPTIONAL Conformance Requirements

Table F-23. Color OPTIONAL conformance requirements

ID	Rule	Reference
O8.1	Consumers are not required to handle all color spaces natively through every processing stage, but, rather, MAY convert data specified in a color space other than sRGB to sRGB at an early stage (possibly resulting in reduced fidelity).	15.1
O8.2	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. An ICC profile MAY contain the private tag, "MS00", which specifies an embedded Windows Color System (WCS) profile.	

ID	Rule	Reference
08.3	When a named color is used in a gradient brush or with transparency, the result produced by consumers determining the color from the ASCII color name found in the associated ICC Profile MAY differ significantly from the result produced by consumers using the encoded color value of the named color from the associated ICC profile.	15.2.6
08.4	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. A named color profile MAY be used with images for spot coloring.	
08.5	Producers MAY elect to generate content that provides registration marks for consumers that perform color separation.	15.4
08.6	Consumers MAY support alpha and gradient blending with color spaces such as sRGB or CMYK. Consumers that encounter any document using non-sRGB colors MAY process those colors using conversion to the simpler sRGB color space, resulting in deviations, especially for alpha blending.	15.5
08.7	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. If the PageColorManagement PrintTicket setting specifies a value of Driver, the driver MAY color manage elements or convert them to different color spaces.	
08.8	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. Elements using the profile specified by PageBlendColorSpace PrintTicket setting with a value of ICCProfile MAY be blended naively (channel-by-channel) without converting through PCS.	
08.9	OpenXPS producers and consumers MAY provide color management using ICC profiles conforming to the requirements of ISO 15076-1.	15.1.8, 15.6
08.10	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. The specific CMYK to be used as the four-component raster data default, and the N-Channel (N=>4) default, is implementation-defined. In the absence of specific requirements the use of CGATS/SWOP TR003 2007 CMYK is recommended. Alternatively, a consumer MAY choose to instantiate an error condition.	
08.11	A single named color MAY be implemented in an OpenXPS Document using an associated ICC Named Color type profile.	15.2.6
08.12	An the case of an ICC Named Color type profile the namedColor2Tag MAY be populated with specific device color values for each named color.	15.2.6, 15.3.6
08.13	A consumer incapable of supporting a particular ICC profile tag that is optional in both ICC and OpenXPS MAY treat this tag as a user-defined custom tag, and therefore ignore it.	15.2, 15.3.7
08.14	When no usable profile is present a consumer MAY choose to instantiate an error condition.	15.2, 15.3.7
08.15	ICC profiles embedded in any image format (according to the restrictions of the image file format) with any color space.	15.1.8

ID	Rule	Reference
O8.16	OpenXPS producers MAY include ICC profiles for sRGB and scRGB color spaces.	15.1.8
O8.17	An ICC profile MAY contain private tags.	15.1.8
O8.18	Implementations MAY act on private tags.	15.1.8
O8.19	Producers and consumers MAY support N-Channel colors in image data, using the TIFF image format.	15.1
O8.20	A consumer MAY use the profile to obtain the encoded name of the named color.	15.2.6
O8.21	A consumer MAY use the encoded name of a named color to lookup a device-specific color value for the named color.	15.2.6
O8.22	A consumer MAY use the profile to obtain the encoded name of the named color.	15.2.6, 15.3.6
O8.23	A consumer MAY use the encoded name of a named color to lookup a device-specific color value for the named color.	15.2.6, 15.3.6
O8.24	A consumer MAY use the encoded name of a named color to lookup a device-specific color value for the named color	15.3.6
O8.25	Consumers MAY use the ASCII name in the ICC profile or MAY compute a color approximation using a specified color value in the ICC profile; the results of these two methods MAY differ significantly.	15.3.6
O8.26	A document registration named color identified in a PrintTicket MAY occur in an OpenXPS Document using the single named color and monochrome profile with tint LUT syntax.	15.4

## F.10 Document Structure and Interactivity

### F.10.1 MUST Conformance Requirements

Table F-24. Document structure MUST conformance requirements

ID	Rule	Reference
M9.1	In order to merge the table cells and rows correctly, producers MUST specify empty <TableCellStructure> elements for cells that do not break across story fragments.	16.1.2
M9.2	If hyperlinked <Path> or <Glyphs> elements are rendered as overlapping on the page, consumers MUST treat the topmost element as the only hyperlink that can be activated in the overlapping region.	16.2.1
M9.3	If a producer specifies a FixedPage.NavigateUri attribute on a <Canvas> element, consumers MUST treat all child elements of that canvas that do not override this value with their own FixedPage.NavigateUri attribute setting as having an associated hyperlink.	16.2.1
M9.4	Relative internal hyperlinks between FixedPage parts MUST specify, at a minimum, the named address relative to the FixedDocument part.	16.2.1
M9.5	In order to be addressable by either a hyperlink or the document outline, the named address MUST appear in the <PageContent.LinkTargets> element in the fixed document.	16.2.1

<b>ID</b>	<b>Rule</b>	<b>Reference</b>
M9.6	If a named address appears in the <PageContent.LinkTargets> element in the fixed document but is not found in the Name attribute of an element within the associated fixed page, consumers MUST treat the top of the associated fixed page as the named address.	16.2.1
M9.7	If a named address in a URI fragment is not found, consumers MUST ignore the fragment portion of the URI.	16.2.1
M9.8	Internal references MUST specify a page address relative to the fixed document sequence.	16.2.2
M9.9	Consumers MUST expose every element of the fixed page markup to an accessibility interface in the determined reading order, even if the elements are not referenced in the content structure markup.	16.4.1
M9.10	The Name attribute MUST NOT be specified on any children of a <ResourceDictionary> element.	16.2.3
M9.11	The FragmentName attribute MUST be unique within the scope of the story.	16.1.1.6
M9.12	A <StoryBreak> element MUST NOT be included in a position other than the first or last child element of a <StoryFragment> element.	16.1.2
M9.13	A <TableRowGroupStructure> element is REQUIRED in order to specify a set of <TableRowStructure> elements.	16.1.2.7
M9.14	If specified, the Name value MUST meet the following requirements: The initial character MUST be an underscore character or a letter, that is, it falls within the Lu, Ll, Lo, Lt, and Nl categories. Trailing characters MUST be an underscore character or a letter or number, that is, they fall within the Lu, Ll, Lo, Lt, Nl, Mn, Mc, and Nd categories.	16.2.3

### F.10.2 SHOULD Conformance Requirements

Table F-25. Document structure SHOULD conformance requirements

<b>ID</b>	<b>Rule</b>	<b>Reference</b>
S9.1	Every meaningful element in the fixed page markup SHOULD specify a Name attribute in order for the document structure markup to refer to it	16.1.1
S9.2	This requirement was removed prior to Edition 1 of this Standard.	
S9.3	Document structure markup SHOULD NOT refer to a single named element more than once in the document content or to a named element that embeds another named element that it also refers to. When referring to a <Canvas> element, producers SHOULD consider all descendant elements to be referenced in markup order.	16.1.1
S9.4	If a <StoryBreak> element is not present at the beginning of the content structure markup, consumers SHOULD consider the markup a continuation of the previous story fragment that must be merged. Likewise, if a <StoryBreak> element is not present at the end of the content structure markup, consumers SHOULD consider the markup a continuation to the next story fragment that must be merged to determine the cross-fragment content structure.	16.1.2

ID	Rule	Reference
S9.5	Producers authoring document structure information SHOULD reference every element of the fixed page markup that has semantic meaning (such as text or images) in the StoryFragments parts.	16.1.2.2
S9.6	If consumers enable user interactivity, they SHOULD support hyperlink activation and addressing.	16.2
S9.7	When activating a hyperlink, consumers SHOULD load the specified resource if they understand the URI type. If the URI is an internal reference to the OpenXPS Document, consumers SHOULD navigate to the URI.	16.2.1
S9.8	The value of the Name attribute on a <FixedPage>, <Canvas>, <Path>, or <Glyphs> element SHOULD be unique within the scope of the fixed document.	16.2.1
S9.9	It is RECOMMENDED that Name attribute values on <FixedPage>, <Canvas>, <Path>, and <Glyphs> elements be unique within an entire fixed document sequence.	16.2.1
S9.10	If the Name attribute is specified, producers SHOULD also create a corresponding <LinkTarget> element in the FixedDocument part within the <PageContent> element that links to the parent fixed page	16.2.3
S9.11	A hyperlink destination in the same fixed document SHOULD be expressed as a relative URI.	16.2.4
S9.12	This requirement was removed prior to Edition 1 of this Standard. If selection is supported, consumers SHOULD provide a visual cue over or around selected elements.	
S9.13	Selection order within an OpenXPS Document SHOULD follow reading order.	16.3
S9.14	In the absence of document structure provided in the OpenXPS Document, consumers SHOULD, at minimum, rely on the markup order to determine reading order.	16.4.1
S9.15	Producers SHOULD order the markup in FixedPage parts to reflect the order in which it is intended to be read.	16.4.1
S9.16	When document structure information is present, consumers SHOULD rely on the order of appearance of named elements in the content structure markup to determine reading order.	16.4.1
S9.17	The RECOMMENDED reading order of a page-centric application is 1) order the content by page, 2) order by story fragment within the page based on the order the <StoryFragment> elements are specified in the StoryFragments part for that page, 3) order by <NamedElement> reference within the <StoryFragment> element, 4) append all un-referenced elements that appear in the fixed page markup, ordered by markup order.	16.4.1
S9.18	Producers SHOULD order <StoryFragment> elements in each StoryFragments part in their intended reading order.	16.4.1

ID	Rule	Reference
S9.19	The RECOMMENDED reading order of a story-centric application is as follows: 1) Order content by story in the sequence the <Story> elements appear in the DocumentStructure part. 2) Within a story, order <StoryFragmentReference> elements in the sequence they appear in the DocumentStructure part. 3) Within a story fragment, order by <NamedElement> references in the StoryFragments part markup. 4) Append all un-referenced elements that appear in the fixed page markup, ordered by page number, then markup order	16.4.1
S9.20	Producers SHOULD order <Story> elements in the DocumentStructure part in their intended reading order.	16.4.1
S9.21	Producers SHOULD order <StoryFragmentReference> elements within a <Story> element in their intended reading order.	16.4.1
S9.22	A screen reader consumer SHOULD read the document according to its reading order.	16.4.2
S9.23	A screen reader SHOULD use the UnicodeString attribute of each <Glyphs> element to determine the text to read.	16.4.2
S9.24	If a screen reader provides features to navigate the document by structural elements, such as paragraphs or table rows, it SHOULD use any document structure information included in the OpenXPS Document.	16.4.2
S9.25	If the screen reader provides features to describe images, it SHOULD read the text provided in the AutomationProperties.Name and AutomationProperties.HelpText attributes.	16.4.2
S9.26	If the screen reader provides features to describe hyperlink addresses, it SHOULD read the text provided in the FixedPage.NavigateUri attribute.	16.4.2
S9.27	Images and graphics SHOULD specify text alternatives for images and graphics to make this content accessible to vision-impaired individuals. The AutomationProperties.Name attribute SHOULD contain a short description of the basic contents of the image or vector graphic. Individual <Path> elements that do not provide any semantic meaning (such as a line between sections or outlining a table) SHOULD NOT specify these text alternative attributes.	16.4.3
S9.28	An image SHOULD specify the AutomationProperties.Name and AutomationProperties.HelpText attributes on the <Path> element that is filled with an <ImageBrush> that describes the content specified by the ImageSource attribute of the <ImageBrush> element.	16.4.3
S9.29	A vector graphic (a collection of one or more <Path> elements representing a single drawing) SHOULD specify the AutomationProperties.Name and AutomationProperties.HelpText attributes only once, directly on a <Canvas> element wrapping the <Path> elements comprising the graphic.	16.4.3
S9.30	Children of <VisualBrush> elements SHOULD NOT be referenced by document structure markup.	16.1.1, 16.1.2.13

**F.10.3 OPTIONAL Conformance Requirements**

Table F-26. Document structure OPTIONAL conformance requirements

ID	Rule	Reference
O9.1	Producers MAY choose to add document structure information to OpenXPS Documents. Consumers MAY ignore any authored document structure or hyperlinks.	Clause 16
O9.2	Producers MAY provide either the document outline or the document content, or both; consumers MAY ignore either or both.	16.1
O9.3	Consumers MAY choose to interpret document structure markup that refers to a single named element more than once, or refers to a named element that embeds another named element that is also referenced, as duplicate content.	16.1.1
O9.4	Consumers MAY first attempt to locate named elements for document structure directly from the FixedDocument part markup, where they might appear as <LinkTarget> elements if that named element is also intended as an addressable location.	16.1.1
O9.5	A <TableStructure> element is the complete definition of a table. An implementation MAY use it to build special functionality, such as row or column selection.	16.1.2.6
O9.6	Internal hyperlinks can specify a named element fragment relative to a particular fixed document, but consumers MAY interpret such a URI relative to the entire fixed document sequence instead	16.2.1
O9.7	Consumers MAY ignore the Name attribute.	16.2.3
O9.8	Consumers MAY ignore the FixedPage.NavigateUri attribute.	16.2.4
O9.9	Viewing consumers that support interactivity MAY support selection and copying.	16.3
O9.10	Consumers MAY use the FragmentType attribute of the <StoryFragment> element to determine selection behavior, such as disallowing selection of both the page header and the page contents while allowing independent selection within those stories.	16.3
O9.11	In the absence of document structure information provided in the OpenXPS Document, consumers MAY infer the reading order from the position of elements on the page.	16.4.1
O9.12	Consumers MAY use the FragmentType attribute of the <StoryFragment> element to determine reading order by interpreting elements that have FragmentType values of Header and Footer as belonging first or last in the reading order, respectively.	16.4.1
O9.13	Screen readers MAY inspect the Indices attribute to resolve potential ambiguities in the UnicodeString attribute.	16.4.2
O9.14	The <DocumentStructure> element MAY contain a single <DocumentStructure.Outline> element and zero or more <Story> elements	16.1.1.1
O9.15	A <StoryFragment> element MAY be identified with a FragmentName attribute to distinguish it from other fragments for the same story on a single page.	16.1.2.2
O9.16	The <TableCellStructure> element defines the appearance of a table cell. It MAY contain nested <TableStructure> elements	16.1.2.9

ID	Rule	Reference
09.17	The FixedPage.NavigateUri attribute is OPTIONAL.	16.2.4

## F.11 OpenXPS Document Package Features

### F.11.1 MUST Conformance Requirements

Table F-27. OpenXPS Document package feature MUST conformance requirements

ID	Rule	Reference
M10.1	Consumers MUST be prepared to correctly process interleaved packages in which the PrintTicket or the portion of the relationship data attaching the PrintTicket appears in the package after the affected part.	17.1
M10.2	Consumers MUST be able to consume packages regardless of their interleaving structure.	17.1.3
M10.3	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. Consumers that lack the resources to process a part MUST instantiate an error condition.	
M10.4	When consuming interleaved packages, consumers MUST NOT discard any parts without instruction from a DiscardControl part unless they have the ability to access the parts again.	17.1.3
M10.5	If a consumer encounters a reference to an unknown part, it MUST continue to receive further bytes of the package until the unknown part has been transmitted <i>or</i> until the end of the package is reached (indicating an error condition).	17.1.3
M10.6	The DiscardControl part MUST NOT reference itself.	17.1.4.1
M10.7	If either the Target attribute or the SentinelPage attribute of the <Discard> element contain an invalid reference (refer outside the package), the <Discard> element MUST be ignored.	17.1.4.1.2
M10.8	All producers and consumers signing and verifying signatures for end users or applications MUST adhere to the OpenXPS Document signature policy, and producers and consumers MUST interpret digital signatures consistently.	17.2.1
M10.9	Consumers MUST NOT prevent an end user from taking an action solely because doing so will invalidate a signature.	17.2.1

ID	Rule	Reference
M10.10	<p>An OpenXPS Document MUST be considered signed according to the OpenXPS Document signing policy, regardless of the validity of that signature, if the signing rules described in §17.2.1.1 are observed.</p> <p>The following parts MUST be signed: All FixedDocument parts referenced in the markup of the FixedDocumentSequence part; FixedDocumentSequence part that is the target of the Start Part package relationship; All FixedPage parts referenced by all signed FixedDocument parts; &lt;SignedInfo&gt; portion of the Digital Signature XML Signature part containing this signature; All parts associated with each signed FixedPage part by means of a Required Resource relationship; All DocumentStructure parts associated via a Document Structure relationship with all signed FixedDocument parts; All StoryFragments parts associated via Story Fragments relationship with all signed FixedPage parts; All SignatureDefinitions parts associated via a Signature Definitions relationship with any signed FixedDocument part; All Thumbnail parts associated via a Thumbnail relationship from the package root or with any signed FixedPage or FixedDocument part</p>	17.2.1.1
M10.11	<p>An OpenXPS Document MUST NOT be considered signed according to the OpenXPS Document signing policy if any part not covered by the signing rules is included in the signature or if any relationship not covered by the signing rules is included in the signature.</p>	17.2.1.1
M10.12	<p>An OpenXPS Document digital signer MUST NOT sign an OpenXPS Document that contains content (parts or relationships parts) to be signed that defines the Markup Compatibility namespace but the signer does not fully understand all elements, attributes, and alternate content representations introduced through the markup compatibility mechanisms.</p>	17.2.1.1
M10.13	<p>An OpenXPS Document digital signature MUST be treated as an incompliant digital signature if it violates any of the signing rules regarding parts or relationships that MUST or MUST NOT be signed.</p>	17.2.1.2
M10.14	<p>An OpenXPS Document digital signature MUST be shown as a broken digital signature if it is not an incompliant digital signature and it violates any of the signing rules described above regarding parts or relationships that MUST be signed, and it is not an incompliant digital signature, but the signature fails the signature validation routines described in the OPC.</p>	17.2.1.2
M10.15	<p>An OpenXPS Document digital signature MUST be shown as a questionable digital signature if it is not an incompliant or broken digital signature, but the certificate cannot be authenticated against the certificate authority or the signed content (parts and relationships) contain elements or attributes from an unknown namespace introduced through Markup Compatibility mechanisms.</p>	17.2.1.2
M10.16	<p>An OpenXPS Document digital signature MUST be shown as a valid digital signature if it is not an incompliant, broken, or questionable digital signature.</p>	17.2.1.2
M10.17	<p>To prohibit additional signatures in an OpenXPS Document, the signing application MUST sign all the Digital Signature Origin part's relationships of relationship type Digital Signature with the same signature as the rest of the content.</p>	17.2.1.3

ID	Rule	Reference
M10.18	OpenXPS Document signatures MUST NOT refer to a remote certificate store. All certificates MUST be stored in the OpenXPS Document either as a Certificate part or in the Digital Signature XML Signature part.	17.2.1.4
M10.19	To link a <SignatureDefinition> to a signature, the value of the SpotID MUST be specified in the Id attribute of the corresponding <Signature> element in the Digital Signature XML Signature part.	17.2.2.2.1
M10.20	Due to space and rendering limitations, producers MUST NOT assume that consumers will use the values specified in the <SpotLocation> element.	17.2.2.3
M10.21	Consumers MUST display the full value of the <Intent> element to the signing party, either in the signature spot or through some other mechanism.	17.2.2.4
M10.22	If specified, the <SignBy> date and time MUST be specified as a complete date plus hours, minutes, and seconds in UTC time, as described in the W3C Note "Date and Time Formats."	17.2.2.5
M10.23	There MUST NOT be more than one DiscardControl package relationship.	17.1.4.1
M10.24	In some cases, producers might rewrite the contents of a package so that parts are provided more than once, allowing consumers to discard a part in order to free resources for additional processing. Each instance of a part MUST be stored as a new, uniquely named part in the package.	17.1.4.1
M10.25	An OpenXPS Document digital signer MUST NOT sign a PrintTicket part if it does not fully understand the PrintTicket content.	17.2.1.1
M10.26	If the SignatureDefinitions part exists, it MUST contain only one <SignatureDefinitions> element.	17.2.2.1
M10.27	If the SignatureDefinitions part exists, there MUST be <i>at least</i> one <SignatureDefinition> element.	17.2.2.2
M10.28	The SpotID attribute is REQUIRED.	17.2.2.2.1
M10.29	The value of this attribute MUST be globally unique to ensure that a Signature part can be linked to only one <SignatureDefinition> element.	17.2.2.2.1

### F.11.2 SHOULD Conformance Requirements

Table F-28. OpenXPS Document package feature SHOULD conformance requirements

ID	Rule	Reference
S10.1	When interleaving, the Content Types stream SHOULD be interleaved according to the recommendations in the OPC Standard.	17.1
S10.2	When interleaving, PrintTicket parts SHOULD be written to the package before the part to which they are attached.	17.1
S10.3	When interleaving, the portion of the relationship data attaching the PrintTicket to a part SHOULD be written to the package before the part to which it is attached or in close proximity to the part to which it is attached.	17.1

ID	Rule	Reference
S10.4	When interleaving, if no PrintTicket settings are specified for a FixedDocumentSequence, FixedDocument, or FixedPage part, an empty PrintTicket part SHOULD be attached to the part, and the portion of the relationship data attaching the empty PrintTicket SHOULD be written to the package before the part to which it is attached or in close proximity to the part to which it is attached.	17.1
S10.5	When interleaving, the last piece of the Relationships part for a FixedPage part SHOULD be written to the package in close proximity to the first piece of the FixedPage part.	17.1
S10.6	It is RECOMMENDED that one empty PrintTicket be shared for all parts that attach an empty PrintTicket.	17.1.1
S10.7	Producers, such as drivers, that target resource-constrained consumers SHOULD: 1) Conservatively model the memory usage of the device. 2) Interleave pieces of parts in the correct order. 3) Decide when certain parts can be discarded by the consumer and inform the consumer within the package stream. 4) Add to the package a uniquely named copy of a resource that could have been discarded, if the resource is referenced by a part sent later in the stream.	17.1.4
S10.8	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. DiscardControl parts that are not well formed SHOULD NOT be processed and an error condition SHOULD NOT be instantiated.	
S10.9	If a <Discard> element is encountered where either or both of the Target attribute and SentinelPage attribute identify a part which has not been processed yet (is still unknown), the <Discard> element SHOULD be retained until both parts identified by the Target attribute and SentinelPage attribute have been processed or until the end of the package is reached.	17.1.4.1.2
S10.10	When adding a digital signature to an interleaved package, producers of digitally signed documents that are intended for streaming consumption SHOULD add all digital signature parts and the package relationship to the digital signature parts at the beginning of the package, before adding any other part.	17.1.5
S10.11	Consumers SHOULD inform the end user if an action they are going to take will invalidate an existing signature.	17.2.1
S10.12	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. When printing signed documents, the PrintTicket setting JobDigitalSignatureProcessing SHOULD be used to control the digital signature processing behavior. Consumers SHOULD process this PrintTicket setting, if present	
S10.13	If the location specified by the <SpotLocation> element is not used when the signature spot is displayed, it is RECOMMENDED that consumers choose a location that does not contain any page content.	17.2.2.3
S10.14	It is RECOMMENDED that consumers render signature spots as consistently sized rectangles that include the signer name, the intent, the signing location, and the scope of the OpenXPS Document to be signed.	17.2.2.3

<b>ID</b>	<b>Rule</b>	<b>Reference</b>
S10.15	It is RECOMMENDED that a signature spot be a clickable area used to launch the digital signing process.	17.2.2.3
S10.16	If the <SignBy> element is specified, the consumer SHOULD NOT allow the signing party to sign the document using this particular signature spot after the date and time specified.	17.2.2.5
S10.17	The values specified in the Core Properties part SHOULD refer to the entire fixed payload, including the root FixedDocumentSequence part and the compilation of all FixedDocument parts it references.	17.3
S10.18	Head-first OpenXPS Document consumers SHOULD attempt to detect inconsistent packages as soon as possible and SHOULD instantiate an error condition, even if they have already processed the pages that resulted in the error.	17.1
S10.19	The viewing consumer SHOULD use the values specified in the <SpotLocation> element to place a signature spot.	17.2.2.3
S10.20	The relationships for the DiscardControl part and the StartPart SHOULD both be written in the first piece of the package relationship part, and that piece SHOULD be before the first FixedPage part in the package.	17.1
S10.21	The piece of the DiscardControl part that includes a Discard element with a SentinelPage attribute referencing a FixedPage part SHOULD be written to the package before that FixedPage part.	17.1
S10.22	Consumers that support printing of signed documents SHOULD support control through PrintTicket settings pertaining to the treatment of OpenXPS Documents with invalid or questionable signatures.	17.2.1.5
S10.23	If a consumer encounters a reference to an unknown part, it must continue to receive further bytes of the package until the unknown part has been transmitted <i>or</i> until the end of the package is reached (indicating an error condition); if the end of the package is reached the consumer SHOULD instantiate an error condition.	17.1.3

### F.11.3 OPTIONAL Conformance Requirements

Table F-29. OpenXPS Document package feature OPTIONAL conformance requirements

<b>ID</b>	<b>Rule</b>	<b>Reference</b>
O10.1	Interleaving is OPTIONAL.	17.1
O10.2	Producers MAY optimize the interleaving order of parts to help consumers avoid stalls during read-time streaming, and to allow consumers to manage their memory resources more efficiently.	17.1.2
O10.3	Consumers MAY discard FixedPage parts once they have been processed.	17.1.3
O10.4	Consumers MAY discard FixedDocument and FixedDocumentSequence parts after all their child elements and their closing tags have been processed.	17.1.3
O10.5	In the absence of explicit directives to the contrary, consumers MAY discard parts as directed by the DiscardControl part.	17.1.3
O10.6	Some producers (typically drivers) MAY choose a suitable interleaving order by modeling the resource management behavior of the consumer.	17.1.4

<b>ID</b>	<b>Rule</b>	<b>Reference</b>
O10.7	A consumer MAY decide to ignore a malformed DiscardControl part in its entirety or from the first malformed node onward.	17.1.4.1
O10.8	An OpenXPS Document digital signer MAY choose not to sign any content (parts or relationships parts) that defines the Markup Compatibility namespace, even if the content is fully understood.	17.2.1.1
O10.9	An OpenXPS Document digital signature MAY be shown as a questionable digital signature if it is not an incompliant or broken digital signature, but contains some other detectable problem at the discretion of the consumer.	17.2.1.2
O10.10	OpenXPS Documents MAY be signed more than once.	17.2.1.3
O10.11	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. Producers MAY include the JobDigitalSignatureProcessing setting in the job-level PrintTicket within the OpenXPS Document content.	
O10.12	The SpotID attribute of the <SignatureDefinition> element MAY be used to link to an existing signature.	17.2.2.2.1
O10.13	Consumers MAY choose a size and shape to display a signature spot based on the desired display information and page content.	17.2.2.3
O10.14	The <SigningLocation> element MAY be set by the original producer of the OpenXPS Document or by the signing party at the time of requesting a signature.	17.2.2.6
O10.15	The <SpotLocation> element is OPTIONAL.	17.2.2.3
O10.16	The following parts MAY be signed: CoreProperties, Digital Signature Certificate, Digital Signature Origin, DiscardControl, and PrintTicket.	17.2.1.1
O10.17	Consumers MAY elect not to instantiate an error condition when encountering DiscardControl parts that do not conform to this specification.	17.1.4.1

## F.12 Rendering Rules

### F.12.1 MUST Conformance Requirements

Table F-30. Rendering rules MUST conformance requirements

<b>ID</b>	<b>Rule</b>	<b>Reference</b>
M11.1	Producers MUST generate OpenXPS Documents that can be accurately rendered by following the rules described in the "Rendering Rules" clause. Consumers MUST adhere to the rules described in the "Rendering Rules" clause when rendering OpenXPS Documents	18
M11.2	If a non-invertible transform is encountered during rendering, consumers MUST omit rendering the affected element and all of its child and descendant elements.	18.1.3
M11.3	If a non-invertible transform is encountered on a geometry (as specified directly on the geometry or through concatenation), the geometry MUST be considered to contain no area.	18.1.3
M11.4	Producers MUST NOT assume a specific placement error for curve decomposition or rely on side-effects of a specific consumer implementation.	18.1.5

ID	Rule	Reference
M11.5	If a consumer encounters markup with characteristics outside its implementation-defined limits, it MUST instantiate an error condition	18.2
M11.6	The alpha information in TIFF images using an ExtraSamples tag value of 1 and in JPEG XR images using pixel formats 32bppPBGRA, 64bppPRGBA or 128bppPRGBAFloat MUST be interpreted as pre-multiplied alpha information.	18.4.1
M11.7	Composition MUST have the same effect as the application of the rules in §18.5, in sequence.	18.5
M11.8	The precise source coordinates as specified by the viewbox MUST be used to place an up-sampled image tile, which is equivalent to using fractional pixels of the original source image.	18.7.2
M11.9	Consumers MUST precisely position the tiles specified by the image brush and visual brush. If the specified values result in fractional device pixels, the consumer MUST calculate a running placement-error delta and adjust the placement of the next tile where the delta reaches a full device pixel in order to keep the tiles from being increasingly out of phase as the expanse of the path is filled.	18.7.3
M11.10	The Width and Height values specified in the Viewbox and Viewport attributes of an <ImageBrush> or <VisualBrush> element MUST NOT be negative.	18.1.3

### F.12.2 SHOULD Conformance Requirements

Table F-31. Rendering rules SHOULD conformance requirements

ID	Rule	Reference
S11.1	Coordinates are real numbers. All computations on coordinate values SHOULD be performed with at least single floating-point precision. Final conversion (after all transforms have been computed) to device coordinates SHOULD retain at least as much fractional precision as a 28.4 fixed-point representation before performing pixel coverage calculations.	18.1.2, Table 18-1
S11.2	An <i>ideal</i> consumer implementation SHOULD render pixels in an 8x8 sub-pixel space, perform an 8x8 box filter sampling, and set the pixel to the resulting color value.	18.1.4
S11.3	When rendering a shape, a <i>practical</i> implementation (such as a bi-tonal printing device) SHOULD turn on each pixel whose center (at $x+0.5$ ) is covered by the shape, or is touched by the shape with the shape extending beyond the pixel center in the positive $x$ or $y$ direction of the device.	18.1.4, 18.6.12
S11.4	When rendering geometries, consumers SHOULD render curves so they appear smooth from a normal viewing distance.	18.1.5
S11.5	When no anti-aliasing is used, abutting shapes that share the same device coordinates for the end-points and control-points of an edge SHOULD be rendered without overlap and without gaps. Ideally, an implementation SHOULD also follow this rule for shapes that are mathematically abutting without sharing device coordinates for end-points and control-points of edges.	18.1.7

ID	Rule	Reference
S11.6	Clipping occurs as if a mask were created from the clip geometry according to the pixel inclusion rules. An ideal consumer SHOULD create such a mask in an 8x8 sub-pixel space and subsequently draw only those sub-pixels of a shape that correspond to "ON" sub-pixels in the mask.	18.1.8
S11.7	A practical implementation (such as a bi-tonal printing device) SHOULD create a pixel mask according to the pixel inclusion rules and subsequently draw only those pixels of a shape that correspond to "ON" pixels in the mask. In creating the mask and drawing the shape, the abutment of shapes rule SHOULD be observed so that no pixel of the shape is drawn that would not have been drawn if the clip geometry were another abutting shape.	18.1.8
S11.8	A typical consumer SHOULD be able to process markup with the implementation limit characteristics indicated in Table 18-1. Producers SHOULD produce only OpenXPS Documents that stay within these implementation limits.	18.2
S11.9	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. Coordinates are real numbers and SHOULD be computed with at least single floating point precision.	
S11.10	If the nesting level of <VisualBrush> elements is higher than 16, a consumer SHOULD attempt to find alternative processes such as flattening the nested content to a bitmap representation rather than failing to draw.	18.2
S11.11	Gradients SHOULD be rendered according to the guidelines described in §18.3.	18.3
S11.12	Consumers SHOULD pre-process gradient stops for all gradients using the steps described in §18.3.1.1.	18.3.1.1
S11.13	If any gradient stops use an sRGB or scRGB color specification consumers SHOULD blend colors between gradient stops in the color space indicated by the ColorInterpolationMode attribute of the gradient brush, unless a PrintTicket setting provides an alternative blending color space that the consumer understands. If none of the gradient stop elements uses an sRGB or scRGB color specification and the consumer understands the blending color space PrintTicket setting, the blending color space PrintTicket setting SHOULD be used.	18.3.1.2
S11.14	If a ColorInterpolationMode value of SRgbLinearInterpolation is used, the BLEND() function SHOULD convert the color values to sRGB first, and then perform a linear interpolation between them.	18.3.1.2
S11.15	If a ColorInterpolationMode value of ScRgbLinearInterpolation is used, the BLEND() function SHOULD convert the color values to scRGB first, and then perform a linear interpolation between them.	18.3.1.2

ID	Rule	Reference
S11.16	In the presence of transformations or when individual gradient stops are very close, the local color gradient at the offset used in the BLEND() function might be large, resulting in a large change over the extent of a single device pixel. In this case, it is RECOMMENDED that the BLEND() function interpolate the gradient over the extent of each device pixel. Producers SHOULD NOT, however, rely on a specific effect for such dense gradient specifications.	18.3.1.2
S11.17	Producers SHOULD either avoid very close gradient stops to the gradient end point when specifying radial gradients where the outside area is visible or avoid specifying radial gradients with a gradient origin on or outside the ellipse (in which case there is no outside area) to ensure consistent rendering results.	18.3.1.2
S11.18	All opacity calculations SHOULD be performed with at least 8-bit precision to provide sufficient quality for nested content.	18.4
S11.19	When composing superluminous colors, management of out-of-gamut colors SHOULD be deferred until the result is rendered to the final target, at which point out-of-gamut colors are clipped or color managed.	18.4.1
S11.20	The color and appearance of the surface created to hold drawing content as it is composed SHOULD match the destination color and appearance, typically a solid white background for a fixed page or transparent for a canvas.	18.5
S11.21	Contours and dashes SHOULD be rendered so that they have the same appearance as if rendered by sweeping the complete length of the contour or dash with a line segment that is perpendicular to the contour and extends with half its length to each side of the contour. All points covered by the sweep of this perpendicular line are part of the dash or contour.	18.6
S11.22	Consumers SHOULD ensure that parallel edges of strokes appear parallel.	18.6.1
S11.23	Consumers SHOULD produce a visually consistent appearance of stroke thickness for thin lines, regardless of their orientation or how they fit on the device pixel grid.	18.6.2
S11.24	Consumers SHOULD select line and curve drawing algorithms that behave symmetrically and result in the same set of device pixels being drawn regardless of the direction of the line or curve (start point and end point exchanged).	18.6.3
S11.25	If the current render transform is an invertible matrix, consumers SHOULD perform computations on poly line segments and poly Bézier segments with sufficient accuracy to avoid producing zero-length segments.	18.6.8
S11.26	If both width and height of a tile are nearly zero, implementations SHOULD average the color values of the brush contents, resulting in a constant-color brush.	18.7.1
S11.27	Producers SHOULD avoid producing extreme cases where either the height, width, or both height and width are nearly zero and SHOULD NOT rely on any specific behavior when they do	18.7.1

<b>ID</b>	<b>Rule</b>	<b>Reference</b>
S11.28	Source sampling SHOULD be done from the center of the pixel and should be mapped to the center of the pixel in the device-space. With one extent of the viewbox zero, sampling SHOULD be done along a line parallel to the non-zero side. With both extents of the viewbox zero, a point sample SHOULD be taken.	18.7.2
S11.29	When up-sampling an image presented at a lower resolution than the device resolution, bilinear filtering SHOULD be used.	18.7.2
S11.30	When down-sampling an image presented at a higher resolution than the device resolution, at least a bilinear filter SHOULD be used.	18.7.2
S11.31	A stroke using the consistent nominal stroke width convention SHOULD be rendered with a width consistent with other strokes using the convention that have, after application of relevant transforms, the same StrokeThickness attribute value, and consumers aware of this convention SHOULD render such a stroke no thinner than the thinnest visible line that a bi-tonal consumer supports without dropouts or an anti-aliasing consumer can represent as a solid line. In the particular case of StrokeThickness attribute value of "0" the stroke SHOULD be rendered with a 1-pixel thickness if the nominal stroke width convention applies.	18.6.12
S11.32	Producers SHOULD NOT create files containing the extreme degenerate case of StrokeDashArray = "0 0". Such lines SHOULD be rendered as a solid line.	18.6.4.6
S11.33	Consumers SHOULD render an element filled with a linear gradient brush using an implementation of the BLEND() function such that the appearance is the same as if the steps described in §18.3.2 had been taken.	18.3.2
S11.34	Consumers SHOULD render an element filled with a radial gradient brush using an implementation of the BLEND() function such that the appearance is the same as if the steps described in §18.3.3 had been taken.	18.3.3

### F.12.3 OPTIONAL Conformance Requirements

Table F-32. Rendering rules OPTIONAL conformance requirements

<b>ID</b>	<b>Rule</b>	<b>Reference</b>
O11.1	Very high resolution devices MAY use lower fractional precision than a 28.4 fixed-point representation to represent device coordinates.	18.1.2
O11.2	Consumers MAY use different rendering logic as long as it closely approximates the logic of rendering pixels in an 8x8 sub-pixel space, performing an 8x8 box filter sampling, and setting the pixel to the resulting color value.	18.1.4
O11.3	Devices MAY use sub-pixel masking.	18.1.4
O11.4	An implementation capable of anti-aliasing MAY draw a thin line in a way that blends with the background to varying degrees.	18.1.4
O11.5	A bi-tonal implementation on a printer MAY draw thin lines with or without drop-outs, or by applying half-toning, depending on the desired output quality.	18.1.4, 18.5
O11.6	Consumers MAY apply pixel placement rules optimized for character rendering to individual glyphs in a <Glyphs> element.	18.1.6

ID	Rule	Reference
O11.7	Behavior of blending with very close gradient stops MAY vary in an implementation-defined manner (see S11.16).	18.3.1.2
O11.8	When a radial gradient origin is on or outside the ellipse, the “outside” area (outside the cone defined by the origin and the ellipse) MAY be filled with an interpolated color value, depending on the resolution.	18.3.1.2
O11.9	In certain scenarios (such as when rendering 3D scenes to a bitmap), producers MAY choose to create pre-multiplied bitmap data specifying “superluminous” colors.	18.4.1
O11.10	Consumers MAY handle superluminous colors natively or MAY instead choose to convert pre-multiplied source data containing superluminous colors to non-pre-multiplied data before composition by ignoring the superluminous portion of each color channel value.	18.4.1
O11.11	A consumer MAY choose always to initialize the alpha channel of the surface created to hold the drawing content as it is composed to 0.0 (transparent) and the color value to black.	18.5
O11.12	When doing page composition, if all elements on a canvas and the canvas itself are opaque (an opacity of 1.0) and parent or ancestor <Canvas> elements are also opaque, the elements MAY be drawn directly to the containing fixed page (or canvas), provided all render transform and clip values are observed	18.5.1
O11.13	When doing page composition, if an element is fully transparent (an opacity of 0.0), it MAY be skipped.	18.5.1
O11.14	When doing page composition, if a canvas has an opacity of 0.0, it and all of its child and descendant elements MAY be skipped.	18.5.1
O11.15	When doing page composition, if a canvas has a Clip property with no contained area, the canvas and all of its child and descendant elements MAY be skipped.	18.5.1
O11.16	When doing page composition, a consumer MAY further restrict the size of the temporary surface it creates by the effective extent of the geometry specified by the Clip property of the canvas.	18.5.1
O11.17	When doing page composition, a consumer MAY use methods to achieve transparency other than creating a temporary surface. Such methods MAY include planar mapping.	18.5.1
O11.21	If only one of the width and height values of a tile is nearly zero, the brush should be constant-colored along lines parallel to the narrow side of the viewport, but implementations MAY differ.	18.7.1
O11.22	Consumers MAY choose to implement a more sophisticated algorithm for down-sampling an image presented at a higher resolution than the device resolution, such as a Fant scaler, to prevent aliasing artifacts.	18.7.2
O11.23	Consumers MAY choose any technique desired to achieve the requirement to precisely place a tile possibly resulting in fractional device pixel placement, such as linear filtering for seams, stretching of the tile (up-sampling or down-sampling), or pre-computing multiple tiles and adjusting behavior according to how the tiles fit on a grid.	18.7.3
O11.24	Temporary work canvases MAY be re-used when tiling transparent brushes.	18.7.4

ID	Rule	Reference
O11.25	Producers MAY generate a <Path> element intended to be treated as having a consistent nominal stroke width by specifying the StrokeDashArray attribute and by specifying the StrokeDashOffset attribute value less than - 1.0 times the sum of all the numbers in the StrokeDashArray attribute value.	18.6.12
O11.26	If an implementation chooses to draw thin lines, then it MAY choose to draw them with drop outs, following requirement S11.3 in §18.1.4, or as solid rules of 1 pixel thickness.	18.1.4

## F.13 Additional Conformance Requirements

### F.13.1 MUST Conformance Requirements

Table F-33. Additional MUST conformance requirements

ID	Rule	Reference
M12.1	FixedDocument parts MUST be referenced by <DocumentReference> elements within the FixedDocumentSequence part in ascending order. If additional FixedDocument parts are inserted into a fixed document sequence, producers MUST NOT unintentionally change the order of the existing FixedDocument part references.	–
M12.2	A FixedDocument part MUST NOT be referenced more than once by a FixedDocumentSequence part.	–
M12.3	A FixedPage part MUST NOT be referenced more than once <i>in total</i> , throughout all FixedDocument parts.	–
M12.4	FixedPage parts MUST be referenced by <PageContent> elements within a fixed document in ascending order. If additional FixedPage parts are inserted into a FixedDocument part, producers MUST NOT unintentionally change the order of the existing FixedPage part references. Documents in languages for which the reading order of pages is back-to-front can be accommodated by adding <PageContent> elements to the FixedDocument in reverse order or by binding the right side of the page.	–
M12.5	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. Any FixedDocumentSequence, FixedDocument, or FixedPage part that is reachable from the primary fixed payload root or its related parts by relationship or by the Source attribute on a <DocumentReference> or <PageContent> element MUST have no more than one attached PrintTicket part.	
M12.6	Every Font part reachable from the primary fixed payload root or its related parts by relationship or by the Source attribute on a <DocumentReference> or <PageContent> element MUST be a valid OpenType font.	–
M12.7	If a consumer encounters the presence of parameters on the content types in the tables in this subclause when the affected part is accessed it MUST instantiate an error condition.	D.2

ID	Rule	Reference
M12.8	The content types in the tables in this subclause MUST be used by producers without parameters.	D.2

## F.14 3D Graphic Content

### F.14.1 MUST Conformance Requirements

Table F-34. 3D Graphic Content MUST conformance requirements

ID	Rule	Reference
M13.1	A consumer that renders OpenXPS pages for printing on a 2D medium MUST NOT read and render the 3D content to a 2D representation unless at least one of the following is true: It has been explicitly configured to do so by the user; or it provides explicit feedback to the user that the 3D content is being used rather than the 2D representation.	G
M13.2	The X3D file MUST conform to one of the following standards meeting the X3D "Interoperability" conformance level: <a href="#">ISO/IEC 19775-1:2008</a> , <a href="#">ISO/IEC 19776-1:2005</a> , <a href="#">ISO/IEC 19776-3:2007</a> .	G
M13.3	3D Producers MUST use a <Brush3D> element within a <Path.Fill> element, with Markup Compatibility, to place the 3D content on a page within a defined Viewport.	G
M13.4	3D producers MUST define a conforming <AlternateContent.Fallback> element within the parent <Path> element of the <Brush3D> element. The <AlternateContent.Fallback> element MUST contain a 2D representation for viewing and printing of the 3D content.	G
M13.5	3D Producers MUST define the AlternateContent.Fallback that is visually representative of the default 3D viewpoint.	G
M13.6	Implementations that modify the 3D default viewpoint MUST update the AlternateContent.Fallback to match that 3D viewpoint prior to printing or saving the file	G
M13.7	3D Consumers MUST display at least the AlternateContent.FallBack.	G
M13.8	The active 3D window display MUST be contained within the defined Brush3D.Viewport.	G

### F.14.2 SHOULD Conformance Requirements

Table F-35. 3D Graphic Content SHOULD conformance requirements

ID	Rule	Reference
S13.1	3D Consumers SHOULD allow user interaction to navigate and play animations present in the 3D graphics content.	G
S13.2	3D Producers generating X3D model content SHOULD follow these rules: 1. Use Triangle based X3D elements to facet the model. 2. Use positive values for all X Y Z coordinates. 3. Define a face normal for all Triangle faces. 4. Define Triangle faces counter clockwise (right-hand rule) when facing outwards or upwards in ground terrain models. 5. Ensure that all triangle faces share two points with their neighboring faces.	G

ID	Rule	Reference
S13.3	This requirement was removed prior to Edition 1 of this Standard; its description is retained here for historical purposes. 3D Producers SHOULD define equivalent AlternateContent.Fallback sufficient for 2D viewing and printing	
S13.4	3D Consumers SHOULD display the X3D 3D content rendered to display the default 3D viewpoint and perspective as defined in the X3D part.	G
S13.5	3D consumers SHOULD display an active, navigable 3D window. If UI controls are located outside the viewport, no resizing of viewport SHOULD cause repagination or alteration of the page fixed format	G

### F.14.3 OPTIONAL Conformance Requirements

Table F-36. 3D Graphic Content OPTIONAL conformance requirements

ID	Rule	Reference
O13.1	An OpenXPS producer MAY include three-dimensional (3D) graphics within an OpenXPS package.	G

## F.15 Recommended File Name Extension and Content Types

### F.15.1 MUST Conformance Requirements

Table F-37. Recommended File Name Extension and Content Types MUST conformance requirements

ID	Rule	Reference
M14.1	To avoid conflicts between OpenXPS Documents defined in this Standard and legacy formats, producers MUST NOT create OpenXPS Documents with filenames that end in the uppercase, lowercase, or mixed-case sequence .xps.	E.1

### F.15.2 SHOULD Conformance Requirements

Table F-38. Recommended File Name Extension and Content Types SHOULD conformance requirements

ID	Rule	Reference
S14.1	Implementations are anticipated for multiple operating systems, including operating systems that use the concept of filename extension and/or content type to identify the format of files for processing. When required by such systems, and to enable interoperability with such systems, implementations SHOULD use a filename extension or termination sequence of .oxps and a content type of application/oxps.	E.1
S14.2	Producers SHOULD include an XML comment immediately following the start-tag of the FixedPage element. This comment SHOULD include details of the organization, product, and version that created the content.	E.2
S14.3	Implementations SHOULD NOT use application/vnd.ms-xpsdocument to identify OpenXPS Documents.	E.1

**End of informative text.**



## G. 3D Graphic Content

An OpenXPS producer MAY include three-dimensional (3D) graphics within an OpenXPS package [O13.1]. The 3D graphics content provides OpenXPS documents with animatable 3D models to supplement the document text providing a visually richer user experience in 3D Consumers for purposes such as, but not limited to:

1. 3D model examination and walkthroughs.
2. Animations depicting assembly instructions.
3. Animations showing usage instructions.
4. Animations depicting proposed phased building construction projects.

3D content is included in such a way that an alternative representation that is suitable for use in two-dimensional (2D) rendering is provided for a consumer that does not support 3D content; e.g., for printing on paper.

This Annex does not introduce any additional requirements for a producer or consumer that does not support 3D content.

3D content is included using a <Brush3D> to fill a path in the same way as with other brushes; see §11.

A consumer that renders OpenXPS pages for printing on a 2D medium MUST NOT read and render the 3D content to a 2D representation unless at least one of the following is true [M13.1]:

1. It has been explicitly configured to do so by the user; or
2. It provides explicit feedback to the user that the 3D content is being used rather than the 2D representation.

An instance of 3D graphics content is created by placing a conformant X3D file within the OpenXPS document OPC Package. The X3D file MUST conform to one of the following standards meeting the X3D "Interoperability" conformance level [M13.2]: ISO/IEC 19775-1:2008, ISO/IEC 19776-1:2005, or ISO/IEC 19776-3:2007.

Markup compatibility is used to encapsulate the 3D content and its 2D alternative representation.

A 3D Content Capable Producer (3D Producer) is defined as an OpenXPS producer that understands the "<http://schemas.openxps.org/oxps-3d/v1.0>" namespace.

A 3D Content Capable Consumer (3D Consumer) is defined as an OpenXPS consumer that understands the "<http://schemas.openxps.org/oxps-3d/v1.0>" namespace.

3D Producers generating X3D model content SHOULD follow these rules [S13.2]:

1. Use Triangle based X3D elements to facet the model.
2. Use positive values for all X Y Z coordinates.
3. Define a face normal for all Triangle faces.

4. Define Triangle faces counter clockwise (right-hand rule) when facing outwards or upwards in ground terrain models.
5. Ensure that all triangle faces share two points with their neighboring faces.

3D Producers MUST use a <Brush3D> element within a <Path.Fill> element, with Markup Compatibility, to place the 3D content on a page within a defined Viewport [M13.3].

3D producers MUST define a conforming <AlternateContent.Fallback> element within the parent <Path> element of the <Brush3D> element. The <AlternateContent.Fallback> element MUST contain a 2D representation for viewing and printing of the 3D content [M13.4].

3D Producers MUST define the AlternateContent.Fallback that is visually representative of the default 3D viewpoint [M13.5].



Implementations that modify the 3D default viewpoint MUST update AlternateContent.Fallback to match that 3D viewpoint prior to printing or saving the file [M13.6].

*Example G-1. 3D graphics content in FixedPage.fpage*

```
<FixedPage xmlns="http://schemas.openxps.org/oxps/v1.0" Height="1056" Width="816"
xml:lang="und"
  xmlns:fp="http://schemas.openxps.org/oxps-3d/v1.0"
  xmlns:mc="http://schemas.openxmlformats.org/markup-compatibility/2006">
  <Canvas Name="dwfresource_1" RenderTransform="96, -0, -0,96,0,0">
    <Path Data="M0,0 L8.5,0 L8.5,11 L0,11 z">
      <Path.Fill>
        <mc:AlternateContent>
          <mc:Choice Requires="fp">
            <fp:Brush3D fp:Source3D="olympus.x3d" fp:Viewport="0,2.3125,
              8.5,8.6875" fp:ViewportUnits="Absolute" fp:Viewbox="0,0,
              640,640" fp:ViewboxUnits="Absolute"/>
          </mc:Choice>
          <mc:Fallback>
            <ImageBrush ImageSource="ProxyGraphics.png" Viewport="0,2.3125,
              8.5,8.6875" ViewportUnits="Absolute" Viewbox="0,0, 640,640"
              ViewboxUnits="Absolute"/>
          </mc:Fallback>
        </mc:AlternateContent>
      </Path.Fill>
    </Path>
  </Canvas>
</FixedPage>
```

3D consumers SHOULD display an active, navigable 3D window. If UI controls are located outside the viewport, no resizing of viewport SHOULD cause repagination or alteration of the page fixed format [S13.5].

Non-3D Consumers will display AlternateContent.Fallback; as shown below:



*end example]*

*Example G-2. 3D graphics content in FixedPage.fpage*


```
<FixedPage xmlns="http://schemas.openxps.org/oxps/v1.0" Height="1056"
  Width="816" xml:lang="und"
  xmlns:fp="http://schemas.openxps.org/oxps-3d/v1.0"
  xmlns:mc="http://schemas.openxmlformats.org/markup-compatibility/2006">
```

```

<Canvas Name="dwfresource_1" RenderTransform="96, -0, -0,96,0,0">
  <Path>
    <mc:AlternateContent>
      <mc:Choice Requires="x3d">
        <Path.Fill>
          <fp:Brush3D fp:Source3D="3dcube.x3d" fp:Viewport="0,2.3125,
            8.5,8.6875" fp:ViewportUnits="Absolute" fp:Viewbox="0,0,
            640,640" fp:ViewboxUnits="Absolute"/>
        </Path.Fill>
      </mc:Choice>
      <mc:Fallback>
        <Path.Data>
          <PathGeometry>
            <PathFigure StartPoint="120,160" IsClosed="true">
              <PolySegment Points="70,0 120,160 170,80 120,160"/>
            </PathFigure>
            <PathFigure StartPoint="120,160" IsClosed="true">
              <PolySegment Points="170,0 220,160 270,80 120,160"/>
            </PathFigure>
            <PathFigure StartPoint="120,160" IsClosed="true">
              <PolySegment Points="30,0 60,80 10,40
                120,0"/>
            </PathFigure>
          </PathGeometry>
        </Path.Data>
      </mc:Fallback>
    </mc:AlternateContent>
  </Path>
</Canvas>
</FixedPage>

```

*end example]*



3D Consumers MUST display at least the AlternateContent.FallBack [M13.7].

3D Consumers SHOULD display the X3D 3D content rendered to display the default 3D viewpoint and perspective as defined in the X3D part [S13.4].

3D Consumers SHOULD allow user interaction to navigate and play animations present in the 3D graphics content [S13.1]. The active 3D window display MUST be contained within the defined Brush3D.Viewport [M13.8].

targetNamespace: <http://schemas.openxps.org/oxps-3d/v1.0>

---

## G.1 Brush3D

Table 13–1. Brush types is extended by the addition of the following brush type:

Name	Description
3D Content Brush	Fills a region with a 3D graphics model

In the following diagrams and text the prefix “fp” refers to the FixedPage name space. See §19 for definitions of those elements and attributes.

<p>diagram</p>																														
<p>namespace</p>	<p>http://schemas.openxps.org/oxps-3d/v1.0</p>																													
<p>type</p>	<p>extension of CT_Brush3D</p>																													
<p>properties</p>	<p>content complex</p>																													
<p>children</p>	<p>oxps:ImageBrush.Transform</p>																													
<p>attributes</p>	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>annotation</th> </tr> </thead> <tbody> <tr> <td>Source3D</td> <td>ST_UriImage3D</td> <td>required</td> <td></td> <td></td> <td>Specifies the URI of an X3D resource. The URI MUST refer to parts in the package [M2.1].</td> </tr> <tr> <td>x:Key</td> <td></td> <td></td> <td></td> <td></td> <td>Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M4.1].</td> </tr> <tr> <td>Transform</td> <td>oxps:ST_RscRefMatrix</td> <td></td> <td></td> <td></td> <td>Describes the matrix</td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	annotation	Source3D	ST_UriImage3D	required			Specifies the URI of an X3D resource. The URI MUST refer to parts in the package [M2.1].	x:Key					Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M4.1].	Transform	oxps:ST_RscRefMatrix				Describes the matrix					
Name	Type	Use	Default	Fixed	annotation																									
Source3D	ST_UriImage3D	required			Specifies the URI of an X3D resource. The URI MUST refer to parts in the package [M2.1].																									
x:Key					Specifies a name for a resource in a resource dictionary. x:Key MUST be present when the current element is defined in a resource dictionary. x:Key MUST NOT be specified outside of a resource dictionary [M4.1].																									
Transform	oxps:ST_RscRefMatrix				Describes the matrix																									

	Viewbox	oxps:ST_ViewBox	required	<p>transformation applied to the coordinate space of the brush. The Transform property is concatenated with the current effective render transform to yield an effective render transform local to the brush. The viewport for the brush is transformed using that local effective render transform.</p> <p>Specifies the position and dimensions of the brush's source content. Specifies four comma-separated real numbers (x, y, Width, Height), where width and height are non-negative. The dimensions specified are relative to the image's physical dimensions expressed in units of 1/96". The corners of the viewbox are mapped to the corners of the viewport, thereby providing the default clipping and transform for the brush's source content.</p>
	Viewport	oxps:ST_ViewBox	required	<p>Specifies the region in the containing coordinate space of the prime brush tile that is</p>

					(possibly repeatedly) applied to fill the region to which the brush is applied. Specifies four comma-separated real numbers (x, y, Width, Height), where width and height are non-negative. The alignment of the brush pattern is controlled by adjusting the x and y values.
	ViewboxUnits	oxps:ST_ViewUnits	required	Absolute	Specifies the relationship of the viewbox coordinates to the containing coordinate space
	ViewportUnits	oxps:ST_ViewUnits	required	Absolute	Specifies the relationship of the viewport coordinates to the containing coordinate space.
source	<pre> &lt;xs:element name="Brush3D"&gt;   &lt;xs:complexType&gt;     &lt;xs:complexContent&gt;       &lt;xs:extension base="CT_Brush3D"/&gt;     &lt;/xs:complexContent&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>				

[Example:

```

<Brush3D Source3D="olympus.x3d" Viewport="0,2.3125, 8.5,8.6875"
  ViewportUnits="Absolute" Viewbox="0,0, 640,640" ViewboxUnits="Absolute"/>

```

This example shows the required attributes and example values. The Source3D attribute is a URI that must resolve to a conforming X3D file contained within the OpenXPS OPC Package. See §19 for definitions of Viewport, ViewportUnits, Viewbox, ViewBoxUnits and ImageBrush.Transform. *end example*]

## H. Bibliography

*A Nonaliasing, Real-Time Spatial Transform Technique.* Fant, Karl M. *IEEE Computer Graphics and Applications* 6 (Jan. 1986): 71–80.

ISO/IEC 19757-2:2008 *Information technology — Document Schema Definition Language (DSDL) — Part 2: Regular-grammar-based validation — RELAX NG*

*JPEG File Interchange Format, Version 1.02.* Hamilton, Eric. World Wide Web Consortium. 1992.  
<http://www.w3.org/Graphics/JPEG/jfif3.pdf>

*OS/2 and Windows Metrics.* Microsoft Corporation. 2001.  
<http://www.microsoft.com/typography/otspec/os2.htm>

*OpenType Font File.* Microsoft Corporation. 2001.  
<http://www.microsoft.com/typography/otspec/otff.htm>

*OpenType Specification, Version 1.4.* Microsoft Corporation. 2004.  
<http://www.microsoft.com/typography/otspec/default.htm>

*Draft TIFF Technical Note #2,* 17 March 1995, Tom Lane, the Independent JPEG Group.  
[http://www.npes.org/pdf/DftTIFF\\_TN2\\_JPEG.pdf](http://www.npes.org/pdf/DftTIFF_TN2_JPEG.pdf)



## I. Index

In the index that follows, *italic* page numbers are used to indicate illustrations and examples with illustrations. **Bold** page numbers are used to indicate a primary reference when several pages are listed. Page ranges are elided. “*See*” references indicate the primary index location for that topic, while “*See also*” references indicate related index topics.

---

### 3

3D Graphic Content .....455

---

### A

abbreviated geometry syntax ..... *See* geometry, abbreviated syntax  
 accessibility .....45  
   document structure, enabled by .....203  
   image text alternative, long  
     described .....225  
     on canvas .....54  
     on path .....61  
   image text alternative, short  
     described .....225  
     on canvas .....54  
     on path .....61  
   importance of .....224  
   mentioned .....203  
   of text .....100  
   page elements, requirement to expose all .....224  
   reading order  
     document structure, dependent on .....224  
     fragment type, dependent on .....224  
     markup order, dependent on .....224  
     of page-centric application .....224  
     of story-centric application .....224  
   screen reader  
     considerations .....225  
     mentioned .....203, 224  
 alpha ..... *See* opacity  
 anti-aliasing  
   disabling of .....54  
   rendering of .....245  
 arc ..... *See* geometry, segment, arc

---

### B

bleed area ..... *See* page, bleed area  
 bookmark ..... *See* document structure, outline  
 brush .....113

alpha ..... *See* opacity  
 described .....113  
 gradient computations .....247–54  
 gradient stop  
   color, specifying .....150  
   described .....150  
   offset .....150  
   specifying .....149  
 image brush  
   described ..... **115**, 116  
   example .....116  
   image ..... *See* image  
   mentioned .....26, 59  
   source, specifying .....115  
   tile size and placement ..... *See* brush, view port  
   tile source ..... *See* brush, view box  
 linear gradient brush  
   color interpolation mode .....137  
   described .....138  
   end point .....137  
   example .....138  
   gradient stops, specifying .....142  
   mappng mode .....137  
   rendering .....249  
   specifying .....137  
   spread method  
     described .....139  
     Pad .....139  
     Reflect .....140  
     Repeat .....141  
     specifying .....137  
   start point .....137  
 opacity ..... *See* opacity  
 radial gradient brush  
   described .....144  
   example .....145  
   gradient center .....143  
   gradient origin .....143  
   gradient stops, specifying .....149  
   gradient x-radius .....143  
   gradient y-radius .....143  
   mappng mode .....143  
   rendering .....251  
   specifying .....143  
   spread method

described ..... 146  
 Pad ..... 146  
 Reflect ..... 147  
 Repeat ..... 148  
 specifying ..... 143  
 solid color brush ..... 113, 114  
 tile  
 behavior ..... *See* brush, tile, mode  
 image scaling ..... 273  
 mode  
 described ..... 126–36  
 FlipX ..... 131–32  
 FlipXY ..... 135–36  
 FlipY ..... 133–34  
 mentioned ..... 122  
 None ..... 126–28  
 specifying ..... 115, 118, **121**  
 Tile ..... 129–30  
 placement ..... *See* brush, view port  
 size ..... *See* brush, view port  
 small tile rendering ..... 273  
 source ..... *See* brush, view box  
 transparent brush tiling ..... 274  
 transformation ..... *See* transformation  
 view box  
 calculating source coordinates for images ..... 122  
 described ..... 121, **122**  
 example ..... 122–25  
 larger than image ..... 122, 125  
 mapping to view port ..... 115, 118, 460  
 specifying for image brush ..... 115  
 specifying for visual brush ..... 118  
 syntax ..... 115, 118, 460  
 unit type ..... 115, 118, 121  
 units, for images ..... 115, **122**, 460  
 view port  
 described ..... 121, **122**  
 example ..... 122–25  
 placement precision ..... 274  
 specifying for image brush ..... 115  
 specifying for visual brush ..... 118  
 syntax ..... 115, 118, 460  
 unit type ..... 115, 118, 121  
 visual brush  
 described ..... **118**, 119  
 example ..... 120  
 visual ..... 118, 120

---

**C**

canvas  
 anti-aliasing control ..... 54  
 clipping ..... *See* clipping  
 composing properties ..... 56  
 described ..... 54  
 opacity ..... *See* opacity

opacity mask ..... *See* opacity mask  
 transformation ..... *See* transformation  
 caret stop ..... *See* selection, caret stop  
 CFF font ..... *See* font:CFF  
 circle ..... *See* geometry, segment, arc  
 clipping  
 described ..... 164  
 elements applied to ..... 155, 156  
 geometry, reference to ..... 68  
 of canvas ..... 54, 164  
 of glyphs ..... 88, 167  
 of path ..... 61, 165  
 rules ..... 245  
 CMYK ..... *See* color, color space, CMYK  
 color  
 alpha ..... *See* opacity  
 blending ..... **7**  
 behavior described ..... 201  
 blend color space for linear gradient brush ..... 137  
 for gradients ..... 248  
 implementation dependent ..... 201  
 brush, specifying for ..... *See* brush  
 color profile  
 embedded in image . 26, 27, 28, 29, 30, 31, 188, 199, 429  
 ICC profile  
 color channels supported ..... 189  
 described ..... 188  
 grayscale image, usage with ..... 189  
 parts ..... *See* parts  
 profile types allowed ..... 189  
 Windows Color System (WCS) profile  
 embedded in ICC profile ..... 189  
 color separation ..... 200  
 color space  
 CMYK ..... 188  
 in images ..... 187  
 in vector graphics ..... 187  
 gray colors ..... 188  
 ICC profile  
 version supported ..... 189, 201, 427, 433, 435  
 named color ..... **8**, 188  
 n-channel ..... 188  
 in images ..... 187  
 in vector graphics ..... 187  
 scRGB ..... 188  
 in images ..... 187  
 in vector graphics ..... 187  
 spot colors ..... *See* color, color space, named colors  
 sRGB ..... 187  
 in images ..... 187  
 in vector graphics ..... 187  
 support required ..... 187  
 support summarized ..... 187  
 fidelity, improved ..... 187  
 raster image support  
 associating a color profile part ..... 198  
 CMYK ..... 196

gray colors .....195  
 named colors .....198  
 n-channel .....197  
 scRGB .....195  
 sRGB .....194  
 syntax  
   CMYK .....192  
   named color .....193  
   n-channel .....192  
   scRGB .....191  
   sRGB .....191  
   summarized .....190  
   where used .....189  
 color profile .....*See color, color profile*  
 composability of properties..*See OpenXPS Document format, properties, composability*  
 compression  
   image..... *See image package*  
   package ..... *See Open Packaging Conventions, Standard*  
 conformance  
   inherited from Open Packaging Conventions.....17, 404  
   of implementation .....3  
   requirements tables .....399–451  
 consumer .....7  
   implementation burden .....399–451  
 content area .....*See page, content area*  
 content type .....7  
   namespace .....*See namespace*  
   summarized.....398  
   usage of.....21  
 contour intersection point .....7  
 copy and paste..... *See also selection*  
   document structure, improved by .....203  
 core properties .....*See Open Packaging Conventions*  
 curve .....*See geometry, segment*

---

## D

device.....7  
 device color.....*See color, color space, device color*  
 digital signature  
   certificate  
     relationship to.....24  
     store.....237  
     validity .....236  
   co-signature .....*See digital signature, signature definitions*  
   multiple signatures.....236  
   namespace .....*See namespace*  
   Open Packaging Conventions, extended from .....234  
   origin  
     part ..... *See parts*  
     relationship to.....24  
   parts .....*See parts*  
   printing.....237  
   relationship to .....24  
   relationships..... *See relationships*

request..... *See digital signature, signature definitions*  
 signature definitions .....9  
   described .....38, 237  
   markup example.....237  
   mentioned .....22  
   namespace .....*See namespace, See namespace*  
   relationship to .....24  
   sign by date and time .....240  
   signer name .....238  
   signing intent.....240  
   signing location .....240  
   specifying .....238  
   spot ID .....238, 239  
   spot location.....239  
 signature policy  
   conditions where policy does not apply .....235  
   described .....234  
   markup compatibility impact .....235, 236  
   parts to sign  
     optional.....235  
     required .....234  
   relationships to sign  
     as a group, required.....235  
     conditionally required.....235  
     required .....235  
   signing rules .....9, 234–36  
   signing validity .....236  
   single signature .....235  
 signature spot .... *See digital signature, signature definitions*  
 signature status  
   broken .....7  
   broken digital signature .....236  
   compliant .....7  
   incompliant .....7  
   incompliant digital signature .....236  
   questionable.....7  
   questionable digital signature .....236  
   valid .....7  
   valid digital signature .....236  
 discard control  
   consumer considerations.....231  
   elements .....232, 233  
   markup example .....232  
   namespace..... *See namespace*  
   part ..... *See parts*  
   reference, invalid .....233  
   reference, not yet encountered.....233  
   resource constraints, addressing .....231  
   sentinel page.....233  
   target resource .....233  
   usage of .....232, 246  
 document  
   markup..... *See OpenXPS elements, document-level*  
   namespace..... *See namespace*  
   order of .....47  
   reference to .....47  
 document conventions.....11

diagram notes .....11  
 document outline ..... *See* document structure, outline  
 document roll-up ..... *See* document, order of  
 document sequence, namespace ..... *See* namespace  
 document structure  
   constructed algorithmically .....38  
   constructed explicitly .....38  
   content .....203  
   content structure .....7  
   document content .....7  
   figure .....220  
   list  
     item  
       marker .....220  
       specifying .....220  
       specifying .....219  
 markup example .....204  
 named element .....8  
   canvas descendant elements .....204  
   described .....203  
   link target, optimizing location with .....204  
   markup compatibility, updating for .....221  
   referencing each once .....204  
   specifying .....221  
   visual brush descendants prohibited .....204  
 namespace ..... *See* namespace  
 naming page elements .....155, 203  
 outline .....7, 203  
   language ..... *See* language, of outline , *See* language, of  
     outline  
   levels .....206  
   markup described .....205  
   markup example .....206  
   mentioned .....38  
   outline entry .....206  
   target URI .....206  
 paragraph  
   specifying .....217  
 parts ..... *See* parts  
 relationships ..... *See* relationships  
 section  
   specifying .....217  
 story .....9  
   described .....38, 203  
   markup .....207  
   markup example .....209  
   story fragment, correlating to page .....208  
   story fragment, reference to .....208  
 story fragment .....9  
   break indicator .....210, 217  
   content structure, contains .....39, 203  
   described .....39, 203  
   fragment name .....214  
   fragment name, uniqueness .....208  
   fragment type .....214  
   markup described .....213, 214  
   markup elements summarized .....209

markup example .....215, 216  
 merging fragments .....210–13  
 referencing every page element .....215  
 relation to fixed page .....203  
 story belonged to .....214  
 story, not belonging to any .....214  
 story fragments ..... *See* namespace  
 table  
   cell  
     column span .....219  
     merging .....210  
     row span .....219  
     specifying .....219  
   row group, specifying .....218  
   row, specifying .....218  
   specifying .....218  
 thread ..... *See* document structure, story  
 usage of .....38  
 usage optional .....203  
 driver .....7  
   described .....231

---

**E**

effective coordinate space ..... *See* layout, coordinate space  
 elements ..... *See* OpenXPS elements  
 error condition .....4  
 EXIF  
   usage in JPEG ..... *See* image, JPEG, EXIF  
   usage in TIFF ..... *See* image, TIFF, EXIF  
 extensibility of OpenXPS Documents ..... *See* markup  
   compatibility

---

**F**

figure  
   illustration ..... *See* document structure, figure  
   shape ..... *See* geometry, figure  
 fill  
   algorithm ..... *See* geometry, fill algorithm  
   of path ..... *See* path, fill brush  
   of stroke ..... *See* path, stroke brush  
 find .....45, 100, 107  
 fixed document sequence ..... *See* document, order of  
 fixed page ..... *See* page  
 fixed payload ..... *See* OpenXPS Document format  
 FixedDocument part .....8  
 FixedDocumentSequence part .....8  
 FixedPage part .....8  
 font  
   CFF .....33, 102  
   compatibility encoding .....36  
   device font .....88, 106  
   embedding .....33–36, 35  
   extraction .....34, 35  
   language impact on copy and paste .....45

licensing rights.....33, 35, 36  
 obfuscation .....34, **35**  
   algorithm .....35  
 OpenType .....33  
 parts ..... *See* parts  
 rasterization .....34  
 relationships..... *See* relationships, required resource  
 restricted editing..... *See* relationships, restricted font  
 restricted font .....25  
 sharing.....33  
 subsetting.....33, 34  
 TrueType .....33  
 TrueType collection (TTC).....33, 414  
 Unicode encoding.....33  
 usage of.....33

---

**G**

geometry  
 abbreviated syntax.....70, **80–86**, 419  
   algorithm .....391  
 circle..... *See* geometry, segment, arc  
 curve..... *See* geometry, segment  
 described.....67  
 figure  
   closed.....70, **79**, 83  
   described .....67  
   fill control.....70  
   markup.....70  
   reference to .....68, 70  
   segments, composed of.....67  
   start point .....70, 81  
   stroking of segments .....67  
 figures, composed of.....67  
 fill algorithm  
   described .....69  
   EvenOdd .....69  
   mentioned .....67, 420  
   NonZero .....70  
   specifying.....68, 81  
 filled area .....69  
 segment  
   arc.....72–75, 82  
   Bézier curve .....76, 82  
   Bézier curve, quadratic .....78, 82  
   Bézier curve, smooth .....82, 84  
   line .....77, 81  
   segment, degenerate .....271  
   transformation ..... *See* transformation  
   usage described.....68  
 glyphs..... *See* text  
 gradient ..... *See* brush, *See* brush  
 graphics..... *See* path  
 grouping markup ..... *See* canvas

---

**H**

hairline ..... *See* stroke, hairline  
 hyperlink  
   activation .....221  
   addressability  
     appearance in link targets .....222  
     mentioned.....49, 222  
     missing name, handling of.....222  
     name .....222  
     name uniqueness .....222  
     of canvas .....54, 222  
     of glyphs .....88, 222  
     of page.....51, 222  
     of path.....61, 222  
     of visual brush contents .....222  
     page number .....222  
   document-level listing ..... *See* hyperlink, target  
   example .....222  
   mentioned .....203  
   overlapping behavior .....221  
   source  
     base URI .....223  
     described .....223  
     from canvas.....54, 221  
     from glyphs.....88, 221  
     from path .....61, 221  
     inheritance of .....221  
     specifying .....155  
   support recommended .....223  
   target  
     addressability ..... *See* hyperlink, addressability  
     document-level definition of.....50  
     external .....221  
     internal .....221  
     link target, specifying as .....49  
     missing behavior .....222  
     name ..... *See* name  
     relative target handling .....222  
     relative target recommended .....223  
     relative to document, at minimum .....221

---

**I**

ICC ..... *See* color, color profile  
 image  
   brush ..... *See* brush, image brush  
   JPEG .....22, 26  
     APP markers .....26, 27  
     CMYK .....27  
     EXIF.....26  
     naming.....26  
   JPEG XR .....22, 26  
     CMYK .....32  
     features supported.....32  
     grayscale.....32

- named color ..... 32
  - naming ..... 31
  - N-channel ..... 32
  - profiled RGB ..... 32
  - scRGB ..... 32
  - specification ..... 31
  - sRGB ..... 32
  - parts ..... *See* parts
  - PNG ..... 22, 26
    - chunks ..... 27
    - naming ..... 27
    - specification ..... 27
  - relationships ..... *See* relationships, required resource
  - resolution ..... 122
  - resource ..... *See* resource
  - sharing ..... 26
  - thumbnail ..... 22
  - TIFF ..... 22, 26
    - alpha, associated ..... 31
    - CCITT bilevel encoding ..... 30
    - CMYK ..... 30
    - compression ..... 31
    - EXIF ..... 31
    - features, supported ..... 30
    - image file directory (IFD) ..... 30
    - naming ..... 28
    - specification ..... 28, 31
    - tags, supported ..... 28
    - tags, unsupported ..... 30
    - tags, unsupported ..... 31
    - variations, handling ..... 31
  - types supported ..... 26, 116
  - usage described ..... 26, 59
  - image part
    - JPEG ..... 26
    - JPEG XR ..... 31
    - PNG ..... 27
    - TIFF ..... 28
  - implementation limits ..... 246–47
  - implementation-defined behavior ..... 8
  - ink area ..... *See* page, content area
  - interleaving ..... *See* Open Packaging Conventions, interleaving
- 
- J**
- JPEG ..... *See* image, JPEG
  - JPEG XR ..... *See* image, JPEG XR
- 
- L**
- language
    - markup ..... 46, 156
    - of canvas ..... 54
    - of glyphs ..... 88, 107
    - of outline ..... 46, 205
    - of outline entry ..... 46, 206
  - of page ..... 51
  - of path ..... 61
  - of resource ..... 160
  - of signature definition ..... 238
  - usage ..... 45
  - layout ..... *See also* transformation, matrix
    - composition
      - behavior ..... 258
      - examples ..... 259–61
      - optimization ..... 258
      - rules ..... 257
    - coordinate rounding ..... 243
    - coordinate space ..... 167
      - composability ..... 52
      - effective coordinate space ..... 7
        - described ..... 44
        - mentioned 51, 61, 88, 99, 113, 122, 137, 143, 156, 162
      - mentioned ..... 47
      - origin ..... 243
      - transformation ..... *See* transformation
      - units ..... 243
      - x-axis ..... 243
      - y-axis ..... 243
    - degenerate segments ..... 271
    - implementation limits ..... *See* implementation limits
    - page dimensions ..... *See* page pixel
      - center location ..... *See* layout, pixel inclusion
      - inclusion ..... 244
      - placement ..... 244
      - placement behavior for glyphs ..... 245
      - placement error maximum ..... 245
      - rendering ..... 244
      - sub-pixel masking ..... 245
    - PrintTicket interactions ..... 53
    - shape abutment ..... 245
  - line
    - characteristics of ..... *See* stroke
    - curved ..... *See* geometry, segment
    - drawing of ..... *See* path
    - geometry of ..... *See* geometry, segment, line
    - linear gradient ..... *See* brush, linear gradient brush
    - link ..... *See* hyperlink
    - link target ..... *See* hyperlink, target
    - list ..... *See* document structure, list
- 
- M**
- markup compatibility
    - digital signature, impacted by ..... 235
    - document structure, usage in ..... 221
    - mentioned ..... 1
    - namespace ..... *See* namespace
    - mentioned ..... 43
    - preprocessing requirements ..... 43
    - processing required ..... 42

property elements, usage with .....44  
 resource dictionary, usage in .....164  
 usage of .....42  
 memory management, device .....*See* interleaving; discard control  
 miter ..... *See* stroke, line, join

---

## N

name  
 elements applied to .....155  
 link target correspondence .....223  
 link target, specifying as .....49  
 purpose of .....222  
 resource entries, prohibited for .....223  
 syntax .....223  
 uniqueness .....222  
 named color ..... *See* color, color space, named color  
 namespace .....397  
 content type .....397  
 core properties .....397  
 digital signatures .....397  
 discard control .....397  
 document .....397  
 document sequence .....397  
 document structure .....397  
 markup compatibility .....397  
 page .....397  
 relationships .....397  
 resource dictionary key .....397  
 signature definitions .....397  
 story fragments .....397  
 naming of parts ..... *See* parts, naming recommendations  
 natural language ..... *See* language  
 n-channel color ..... *See* color, color space, n-channel

---

## O

opacity  
 blending ..... *See* color, blending  
 brush initial opacity .....122  
 composition effects .....258  
 computations .....254–56  
 described .....156  
 elements applied to .....155  
 mask ..... *See* opacity mask  
 of canvas .....54  
 of color .....32, 114, 137, 143, 187, 190, 191, 192, 193, 194, 201, 312  
 of glyphs .....88  
 of image brush .....115  
 of linear gradient brush .....137  
 of path .....61  
 of pixel formats .....195, 196, 197  
 of radial gradient brush .....143  
 of solid color brush .....113

of stroke .....258  
 of visual brush .....118  
 pre-multiplied alpha .....256  
 superluminous colors .....256  
 transparent brush tiling .....274  
 value range .....254  
 opacity mask  
 brush, filling with ..... *See* brush  
 described .....150  
 elements applied to .....155, 156  
 example .....150, 151  
 of canvas .....54, 182  
 of glyphs .....88, 185  
 of path .....61, 183  
 Open Packaging Conventions  
 core properties .....241  
 namespace ..... *See* namespace  
 digital signature ..... *See* digital signature  
 interleaving  
 consumer considerations .....231  
 optimization .....227  
 parsing head-first vs. tail first .....228  
 piece .....8  
 package .....8  
 packaging model .....8, 19  
 relationship .....8  
 physical model .....8, 19  
 Open XML Paper Specification  
 document format ..... *See* OpenXPS Document format  
 organization of .....17  
 OpenType font ..... *See* font:OpenType  
 OpenXPS Document format .....8, 17, 21  
 content types .....398  
 described .....1, 47  
 example .....23  
 extensibility ..... *See* markup compatibility  
 fixed payload .....7, 21  
 fixed payload root .....7, 21  
 illustrated .....19  
 language ..... *See* language  
 markup elements ..... *See* OpenXPS elements  
 parts .....19, 21  
 payload .....21  
 properties  
 attribute syntax .....44  
 composability .....44, 155  
 described .....43  
 element syntax .....44  
 model .....43  
 ordering .....44, 410  
 property attribute .....9  
 property element .....9  
 property value .....9, 43  
 property .....8  
 relationship types .....399  
 relationships .....19, 24  
 RELAX NG schema

- 3D-Graphic Content ..... 390
- discard control ..... 389
- document structure ..... 385
- driver
  - DiscardControl\_Part ..... 365
  - DocumentStructure\_Part ..... 365
  - FixedDocument\_Part ..... 366
  - FixedDocumentSequence\_Part ..... 366
  - FixedPage\_Part ..... 366
  - SignatureDefinitions\_Part ..... 366
  - StoryFragments\_Part ..... 367
- General Attribute Specification ..... 365
- OpenXPS Document ..... 371
- resource dictionary key ..... 383
- signature definitions ..... 369
- root ..... 47
- versioning ..... *See* markup compatibility
- XML
  - DTDs prohibited ..... 42
  - markup design ..... 41
  - markup model ..... 43–45
  - namespaces ..... 43, 397
  - Unicode encodings permitted ..... 42
  - usage ..... 42
  - whitespace ..... 45
  - XML and XSI namespace usage ..... 43
- XML schema (XSD)
  - 3D-Graphic Content ..... 362
  - characteristics ..... 43
  - discard control ..... 361
  - document structure ..... 355
  - OpenXPS Document ..... 329
  - resource dictionary key ..... 353
  - signature definitions ..... 327
  - validity requirement ..... 43
- OpenXPS elements
  - digital signature
    - <Intent> ..... 240, 293
    - <SignatureDefinition> ..... 238, 316
    - <SignatureDefinitions> ..... 238, 317
    - <SignBy> ..... 240, 316
    - <SigningLocation> ..... 240, 317
    - <SpotLocation> ..... 239, 318
  - discard control
    - <Discard> ..... 233, 279
    - <DiscardControl> ..... 232, 280
  - document structure
    - <DocumentOutline> ..... 205, 280
    - <DocumentStructure.Outline> ..... 205, 281
    - <DocumentStructure> ..... 204, 281
    - <FigureStructure> ..... 220, 282
    - <ListItemStructure> ..... 220, 297
    - <ListStructure> ..... 219, 297
    - <NamedElement> ..... 221, 298
    - <OutlineEntry> ..... 206, 299
    - <ParagraphStructure> ..... 217, 301
    - <SectionStructure> ..... 217, 315
  - <Story> ..... 207, 319
  - <StoryBreak> ..... 217, 319
  - <StoryFragment> ..... 214, 320
  - <StoryFragmentReference> ..... 208, 321
  - <StoryFragments> ..... 213, 321
  - <TableCellStructure> ..... 219, 321
  - <TableRowGroupStructure> ..... 218, 322
  - <TableRowStructure> ..... 218, 322
  - <TableStructure> ..... 218, 323
- document-level
  - <DocumentReference> ..... 47, 281
  - <FixedDocument> ..... 48, 282
  - <FixedDocumentSequence> ..... 47, 282
  - <LinkTarget> ..... 50, 296
  - <PageContent.LinkTargets> ..... 49, 300
  - <PageContent> ..... 48, 300
- page-level
  - <ArcSegment> ..... 72, 275
  - <Brush3D> ..... 459
  - <Canvas.Clip> ..... 164, 278
  - <Canvas.OpacityMask> ..... 182, 278
  - <Canvas.RenderTransform> ..... 171, 279
  - <Canvas.Resources> ..... 158, 279
  - <Canvas> ..... 54, 276
  - <FixedPage.Resources> ..... 157, 284
  - <FixedPage> ..... 51, 283
  - <Glyphs.Clip> ..... 167, 289
  - <Glyphs.Fill> ..... 111, 289
  - <Glyphs.OpacityMask> ..... 185, 290
  - <Glyphs.RenderTransform> ..... 173, 290
  - <Glyphs> ..... 88, 285
  - <GradientStop> ..... 149, 290
  - <ImageBrush.Transform> ..... 175, 293
  - <ImageBrush> ..... 115, 291
  - <LinearGradientBrush.GradientStops> ..... 142, 295
  - <LinearGradientBrush.Transform> ..... 179, 296
  - <LinearGradientBrush> ..... 137, 294
  - <MatrixTransform> ..... 168, 298
  - <Path.Clip> ..... 165, 306
  - <Path.Data> ..... 64, 306
  - <Path.Fill> ..... 65, 306
  - <Path.OpacityMask> ..... 183, 307
  - <Path.RenderTransform> ..... 172, 307
  - <Path.Stroke> ..... 66, 307
  - <Path> ..... 60, 302
  - <PathFigure> ..... 70, 308
  - <PathGeometry.Transform> ..... 174, 310
  - <PathGeometry> ..... 68, 309
  - <PolyBezierSegment> ..... 76, 310
  - <PolyLineSegment> ..... 77, 311
  - <PolyQuadraticBezierSegment> ..... 78, 311
  - <RadialGradientBrush.GradientStops> ..... 149, 314
  - <RadialGradientBrush.Transform> ..... 180, 314
  - <RadialGradientBrush> ..... 143, 312
  - <ResourceDictionary> ..... 159, 315
  - <SolidColorBrush> ..... 113, 317
  - <VisualBrush.Transform> ..... 176, 325

<VisualBrush.Visual>.....120, 326  
 <VisualBrush> .....118, 324  
 optimization  
   for streaming consumption.....*See* Open Packaging Conventions, interleaving  
   of composition rules.....258  
   of digital signatures .....233  
   of glyphs .....107  
   of interleaving .....228–31  
   of named element location .....204  
   of pixel placement rules .....245  
 outline.....*See* document structure, outline

---

## P

packaging model.....*See* Open Packaging Conventions  
 page  
   bleed area .....51, 52  
   content area .....51, 53, 243  
   height of .....51, 243  
   height, advisory .....49  
   layout .....*See also* layout  
   markup grouping.....*See* canvas  
   namespace .....*See* namespace  
   order of pages .....48  
   orientation of .....53  
   reference to .....48  
   root of .....51  
   scaling for print .....53  
   uniqueness of .....49  
   width of .....51, 243  
   width, advisory .....49  
 paragraph .....*See* document structure, paragraph  
 part .....**8**  
   part name.....**8**  
   PrintTicket .....37  
 parts.....*See also* OpenXPS Document format  
   core properties *See* Open Packaging Conventions, Standard  
   digital signature  
     certificate  
       part..... *See* Open Packaging Conventions, Standard  
   digital signature origin.....*See* Open Packaging Conventions, Standard  
   DiscardControl.....22, 232  
   DocumentStructure.....22, 38, 203  
   FixedDocument .....21, 25  
   FixedDocumentSequence.....21, 25  
   FixedPage .....21, 26  
   font.....22, 33–37  
   ICC profile.....22  
   image.....22, 26–33  
   naming recommendations .....39–41  
   PrintTicket .....22  
   remote resource dictionary.....22, 37  
   SignatureDefinitions.....22, 38  
   StoryFragments .....22, 39, 209

thumbnail .....22, 32  
 thumbnail, package ..... *See* Open Packaging Conventions, Standard  
 XML digital signature ..... *See* Open Packaging Conventions, Standard  
 path  
   clipping ..... *See* clipping  
   described .....59, 60  
   fill brush .....61  
   geometry, reference to .....61, 64  
   opacity .....*See* opacity  
   opacity mask.....*See* opacity mask  
   shape ..... *See* geometry  
   stroke brush .....61  
   stroke control .....*See* stroke  
   transformation..... *See* transformation  
   usage described .....64  
 payload.....**8**, *See* OpenXPS Document format  
 physical model..... *See* Open Packaging Conventions  
 physical organization..... *See* Open Packaging Conventions, interleaving; ZIP  
 pixel ..... *See* layout, pixel  
 pixel snapping..... *See* stroke, line  
 PNG ..... *See* image, PNG  
 positioning content ..... *See* layout; transformation, matrix  
 primary fixed payload root.....**8**  
 printing  
   bleed area ..... *See* page, bleed area  
   content area ..... *See* page, content area  
   device fonts ..... *See* font, device font  
   digital signature ..... *See* digital signature  
   discard control ..... *See* discard control  
   font, print and preview restricted.. *See* font, licensing rights  
   interleaving. *See* Open Packaging Conventions, interleaving  
   layout.....*See* layout  
   orientation ..... *See* PrintTicket keywords  
   PrintTicket.....*See* PrintTicket; PrintTicket keywords  
   resource constraints ..... *See* discard control  
   scaling ..... *See* PrintTicket keywords  
 PrintTicket .....**8**  
   empty PrintTicket, markup of .....228  
   mapping content levels to parts .....38  
   parts..... *See* parts  
   relationships ..... *See* relationships  
 producer .....**8**  
   implementation burden.....399–451  
 property ..... *See* OpenXPS Document format, properties

---

## R

radial gradient ..... *See* brush, radial gradient brush  
 raster graphics..... *See* image  
 reading order..... *See* accessibility, reading order  
 relationship .....**9**  
   StartPart.....**8**  
 relationships..... *See also* OpenXPS Document format

- core properties ..... 24
  - digital signature ..... 24
  - digital signature certificate ..... 24
  - digital signature definitions ..... 24
  - digital signature origin ..... 24
  - DiscardControl ..... 24
  - DocumentStructure ..... 24
  - external prohibited ..... 24
  - namespace ..... *See namespace*
  - PrintTicket ..... 24
  - purpose of ..... 24
  - relationship types, reference table ..... 399
  - required resource ..... 25
  - restricted font ..... 25, 34, 36
  - StartPart ..... 21, 25
  - StoryFragments ..... 25
  - thumbnail ..... 25
  - usage of ..... 25
  - relationships part ..... **9**
  - rendering ..... *See also layout*
  - rules described ..... 243–74
  - required part ..... **9**
  - resource ..... *See resource dictionary, resource definition*
  - resource constraints ..... *See discard control*
  - resource definition ..... *See resource dictionary, resource definition*
  - resource dictionary ..... **9**
  - described ..... 156, **159**
  - example ..... 157, 158, 160, 161, 162
  - markup compatibility usage ..... 164
  - remote .... **9**, *See resource part, remote resource dictionary*
  - resource definition ..... **9**
  - described ..... 156, 159
  - key
    - described ..... 156
    - namespace ..... *See namespace*
    - on canvas ..... 54
    - on geometry ..... 68
    - on glyphs ..... 88
    - on image brush ..... 115
    - on linear gradient brush ..... 137
    - on matrix transformation ..... 168
    - on path ..... 61
    - on radial gradient brush ..... 143
    - on solid color brush ..... 113
    - on visual brush ..... 118
    - uniqueness ..... 163
  - language ..... 160
  - locating ..... 163
  - namespace prefixes, interpreting ..... 160
  - referencing previously-defined resources ... 160, 161, 163
  - usefulness of path, glyphs, and canvas as ..... 157
  - sharing ..... *See resource part, remote resource dictionary*
  - specifying ..... 156, 157–61
  - where usable ..... 157
  - resource part
    - color profile ..... *See color, color profile*
    - font ..... *See font*
    - image ..... *See image*
    - reference to ..... 24, 26
    - relationships to ..... *See relationships*
    - remote resource dictionary ..... 22, 24, 157, **161**
    - required resource ..... 24
    - usage of ..... 24
  - resource reference ..... **9**
  - described ..... 156, 162
  - example ..... 162
  - scope ..... 163
  - syntax ..... 162
  - rotating content ..... *See transformation, matrix*
- 
- ## S
- scalable vector graphics (SVG) ..... *See geometry, abbreviated syntax*
  - scaling
    - content ..... *See transformation, matrix*
    - for print ..... *See page:scaling for print*
  - scRGB ..... *See color, color space, scRGB*
  - search ..... *See find section*
  - section ..... *See document structure, section*
  - segment ..... *See geometry, segment*
  - selection
    - behavior ..... 224
    - caret stop ..... 88, 107
    - document structure, enabled by ..... 203, 224
    - fragment type, behavior depending on ..... 224
    - mentioned ..... 100, 107, 203
    - order ..... 224
    - recommended ..... 224
  - shear ..... *See transformation, matrix*
  - signature definitions ..... *See digital signature*
  - signature spot ... **9**, *See digital signature, signature definitions*
  - skewing content ..... *See transformation, matrix*
  - sRGB ..... *See color, color space, sRGB*
  - starting part ..... *See relationships, StartPart*
  - story ..... *See document structure, story*
  - story fragment ..... *See document structure, story fragment*
  - stream ..... **9**
  - stretching content ..... *See transformation, matrix*
  - stroke
    - brush ..... *See path, stroke brush*
    - consistent nominal width ..... *See stroke, hairline*
    - contour rendering ..... 262
    - dash
      - cap ..... 263
      - flat ..... 263
      - round ..... 264
      - square ..... 263
      - style ..... 61
      - triangle ..... 264
    - offset ..... 61
    - overlapping ..... 265

- style .....61  
 drawing algorithm, symmetry of .....262  
 edge parallelization .....262  
 fill rule, independence from .....272  
 hairline .....272  
 line  
   cap .....265  
   end .....61  
   flat .....266  
   for dashed stroke .....266  
   round .....266  
   square .....266  
   start .....61  
   triangle .....266  
 join  
   bevel .....268  
   miter .....269–71  
   round .....267  
   style .....61  
 miter limit .....61  
 pixel snapping .....61  
 thin stroke anti-aliasing behavior .....245  
 zero-length, avoided .....71  
 multi-figure path, behavior with .....272  
 phase control .....262  
 segments, mixed stroked and non-stroked .....272  
 thickness .....61
- 
- T**  
 table *See* document structure, table, *See* document structure,  
 table  
 table of contents ..... *See* document structure, outline  
 text  
   baseline ..... *See* text, glyph, baseline  
   bidirectional .....88, 103  
   bold ..... *See* text, style simulation  
   clipping ..... *See* clipping  
   fill brush .....88, 111  
   font ..... *See also* font  
   device font, reference to .....88, 106  
   reference to .....88  
   glyph  
     advance width .....93, 94, 98, 99  
     baseline .....93  
     black box .....93  
     cluster map .....94–97, 97, 99, 100, 423  
     indices  
       described .....97, 98  
       reference to non-existent glyph .....98  
       restriction of length .....98  
       specifying .....88  
       syntax .....97  
     metrics .....93  
     offset .....94, 97, 99, 103, 423  
     origin .....93, 94  
     origin, sideways .....93  
     side-bearing, bottom .....94  
     side-bearing, left .....93  
     side-bearing, right .....93  
     side-bearing, top .....94  
   glyphs usage for .....87  
   italic ..... *See* text, style simulation  
   markup .....88  
   markup examples .....108  
   markup optimization .....107  
   opacity ..... *See* opacity  
   opacity mask ..... *See* opacity mask  
   position ..... *See also* text, glyph, offset  
     horizontal text .....88  
     vertical text .....101  
   sideways (vertical) .....88  
     advance width .....98, 102  
     bidirectional text, intersection with .....102  
     described .....101  
     example, sideways .....104  
     example, vertical .....104, 105  
     horizontal text, including .....101  
     origin calculation .....101  
     vertical glyphs, preference for .....101  
   size .....88  
   style simulation .....88, 100  
   transformation ..... *See* transformation  
   underline ..... *See* path  
   Unicode string ..... *See also* text, glyph  
     escaping open brace character .....100  
     mapping code units to glyphs .....94  
     normalization prohibited .....100  
     specifying .....88  
     Unicode control marks, inclusion of .....100  
     Unicode scalar value, split into code units .....94  
     unmappable code unit behavior .....100  
     usage of .....100  
     UTF-16 code units, consisting of .....94  
     vertical ..... *See* text, sideways (vertical)  
   thread ..... *See* document structure, story  
   thumbnail .....9  
     described .....22, 32  
     formats ..... *See* image  
     parts ..... *See* parts  
     relationship .....25  
     usage .....32  
   TIFF ..... *See* image, TIFF  
   transformation  
     composability .....244  
     described .....167, 244  
     effective transform ..... *See* transformation, composability  
     elements applied to .....155, 156  
     matrix  
       abbreviated syntax .....168  
       abbreviated syntax example .....171  
       described .....168  
       example .....170

inverting x-axis ..... 169  
 inverting y-axis ..... 169  
 multiplying ..... 168  
 positioning ..... 169  
 rotating ..... 169  
 scaling ..... 169  
 skewing ..... 169  
 specifying ..... 168  
 mentioned ..... 243  
 non-invertible transform, rendering of elements with ... 244  
 of brush ..... 113  
 of canvas ..... 54, 171  
 of geometry ..... 68, 174  
 of glyphs ..... 88, 173  
 of image brush ..... 115, 175  
 of linear gradient brush ..... 137, 179  
 of path ..... 61, 172  
 of radial gradient brush ..... 143, 180  
 of tiles ..... 176  
 of tiles, example ..... 178  
 of visual brush ..... 118, 176  
 transparency ..... *See opacity*  
 TrueType collection (TTC) font ... *See font:TrueType collection (TTC)*  
 TrueType font ..... *See font:TrueType*

---

**V**

vector graphics ..... *See path*  
 versioning ..... *See markup compatibility*

---

**W**

whitespace *See OpenXPS Document format, XML, whitespace*  
 Windows Color System (WCS) ..... *See color, color profile, Windows Color System (WCS) profile*

---

**X**

XML ..... *See OpenXPS Document format, XML*  
 XML namespaces ..... *See namespace; OpenXPS Document format, XML, namespaces*

---

**Z**

ZIP  
   archive ..... 19  
   utilities ..... 35