

# System.RuntimeFieldHandle Structure

```
[ILASM]
.class public sequential sealed serializable
RuntimeFieldHandle extends System.ValueType

[C#]
public struct RuntimeFieldHandle
```

## Assembly Info:

- *Name:* mscorlib
- *Public Key:* [00 00 00 00 00 00 00 00 04 00 00 00 00 00 00]
- *Version:* 1.0.x.x
- *Attributes:*
  - CLSCompliantAttribute(true)

## Summary

Serves as a metadata token for a field.

## Inherits From: System.ValueType

**Library:** RuntimeInfrastructure

**Thread Safety:** All public static members of this type are safe for multithreaded operations. No instance members are guaranteed to be thread safe.

## Description

**System.RuntimeFieldHandle** objects are created only through the use of IL instruction **ldtoken**.

[*Note:* For more information on **ldtoken**, see Partition III of the CLI Specification.]

# 1 RuntimeFieldHandle.Value Property

```
2 [ILASM]
3 .property valuetype System.IntPtr Value { public hidebysig
4 specialname instance valuetype System.IntPtr get_Value() }

5 [C#]
6 public IntPtr Value { get; }
```

## 7 Summary

8 Gets a **System.IntPtr** that contains the value of the current  
9 **System.RuntimeFieldHandle**.

## 10 Property Value

11

12 A **System.IntPtr** that contains the value of the current  
13 **System.RuntimeFieldHandle**.

## 14 Description

15 This property is read-only.

16