

System.Collections.Generic.ISet<T> Interface

```
[ILAsm]
.class public interface abstract ISet<T> implements
System.Collections.Generic ICollection`1<!0>,
System.Collections.Generic IEnumerable`1<!0>,
System.Collections.IEnumerable

[C#]
public interface ISet<T>: System.Collections.Generic.ICollection<T>,
System.Collections.Generic.IEnumerable<T>
```

Assembly Info:

- *Name:* System
- *Public Key:* [00 00 00 00 00 00 00 00 04 00 00 00 00 00 00 00]
- *Version:* 4.0.0.0
- *Attributes:*
 - CLSCompliantAttribute(true)

Implements:

- System.Collections.Generic.ICollection<T>
- System.Collections.Generic.IEnumerable<T>

Summary

Provides the base interface for the abstraction of sets.

Library: BCL

Description

This interface provides methods for implementing sets, which are collections that have unique elements and specific operations.

[*Note:* The definition of uniqueness is defined by a class implementing this interface.

]

ISet<T>.Add(T) Method

```
[ILAsm]  
.method public hidebysig newslot abstract virtual instance bool Add(!0  
item) cil managed  
  
[C#]  
public bool Add (T item)
```

Summary

Adds an element to the current set and returns a value to indicate if the element was successfully added.

Parameters

Parameter	Description
<i>item</i>	The element to add to the set.

Return Value

true if the element is added to the set; false if the element is already in the set.

ISet<T>.ExceptWith(System.Collections.Generic.IEnumerable<T>) Method

```
[ILAsm]  
.method public hidebysig newslot abstract virtual instance void  
ExceptWith(class System.Collections.Generic.IEnumerable`1<!0> other) cil  
managed
```

```
[C#]  
public void ExceptWith (System.Collections.Generic.IEnumerable<T> other)
```

Summary

Removes all elements from the current set that are in the specified collection *other*

Parameters

Parameter	Description
<i>other</i>	The collection of items to remove from the set.

Description

This method is an $O(n)$ operation, where n is the number of elements in the *other* parameter.

Exceptions

Exception	Condition
System.ArgumentNullException	<i>other</i> is null.

ISet<T>.IntersectWith(System.Collections.Generic.IEnumerable<T>) Method

```
[ILAsm]
.method public hidebysig newslot abstract virtual instance void
IntersectWith(class System.Collections.Generic.IEnumerable`1<T> other)
cil managed

[C#]
public void IntersectWith (System.Collections.Generic.IEnumerable<T>
other)
```

Summary

Removes all elements from the current set that are not in the specified collection *other*

Parameters

Parameter	Description
<i>other</i>	The collection to compare to the current set.

Description

This method ignores any duplicate elements in *other*.

Exceptions

Exception	Condition
System.ArgumentNullException	<i>other</i> is null.

ISet<T>.IsProperSubsetOf(System.Collections.Generic.IEnumerable<T>) Method

```
[ILAsm]
.method public hidebysig newslot abstract virtual instance bool
IsProperSubsetOf(class System.Collections.Generic.IEnumerable`1<T> other)
cil managed

[C#]
public bool IsProperSubsetOf (System.Collections.Generic.IEnumerable<T>
other)
```

Summary

Determines whether the current set is a property (strict) subset of a specified collection.

Parameters

Parameter	Description
<i>other</i>	The collection to compare to the current set.

Return Value

true if the current set is a correct subset of *other*; otherwise, false.

Description

If the current set is a proper subset of *other*, *other* must have at least one element that the current set does not have.

An empty set is a correct subset of any other collection. Therefore, this method returns true if the current set is empty, unless the *other* parameter is also an empty set.

Exceptions

Exception	Condition
System.ArgumentNullException	<i>other</i> is null.

ISet<T>.IsProperSupersetOf(System.Collections.Generic.IEnumerable<T>) Method

```
[ILAsm]
.method public hidebysig newslot abstract virtual instance bool
IsProperSupersetOf(class System.Collections.Generic.IEnumerable`1<T>
other) cil managed

[C#]
public bool IsProperSupersetOf (System.Collections.Generic.IEnumerable<T>
other)
```

Summary

Determines whether the current set is a correct superset of a specified collection.

Parameters

Parameter	Description
<i>other</i>	The collection to compare to the current set.

Return Value

true if the current set is a correct superset of *other*; otherwise, false.

Description

If the current set is considered a proper superset of *other*, the current set must have at least one element that *other* does not have.

Exceptions

Exception	Condition
System.ArgumentNullException	<i>other</i> is null.

ISet<T>.IsSubsetOf(System.Collections.Generic.IEnumerable<T>) Method

```
[ILAsm]
.method public hidebysig newslot abstract virtual instance bool
IsSubsetOf(class System.Collections.Generic.IEnumerable`1<!0> other) cil
managed

[C#]
public bool IsSubsetOf (System.Collections.Generic.IEnumerable<T> other)
```

Summary

Determines whether a set is a subset of a specified collection.

Parameters

Parameter	Description
<i>other</i>	The collection to compare to the current set.

Return Value

true if the current set is a subset of *other*; otherwise, false.

Description

If *other* contains the same elements as the current set, the current set is still considered a subset of *other*.

This method always returns false if the current set has elements that are not in *other*.

Exceptions

Exception	Condition
System.ArgumentNullException	<i>other</i> is null.

ISet<T>.IsSupersetOf(System.Collections.Generic.IEnumerable<T>) Method

```
[ILAsm]
.method public hidebysig newslot abstract virtual instance bool
IsSupersetOf(class System.Collections.Generic.IEnumerable`1<!0> other) cil
managed

[C#]
public bool IsSupersetOf (System.Collections.Generic.IEnumerable<T> other)
```

Summary

Determines whether the current set is a superset of a specified collection.

Parameters

Parameter	Description
<i>other</i>	The collection to compare to the current set.

Return Value

true if the current set is a superset of *other*; otherwise, false.

Description

If *other* contains the same elements as the current set, the current set is still considered a superset of *other*.

This method always returns false if the current set has fewer elements than *other*.

Exceptions

Exception	Condition
System.ArgumentNullException	<i>other</i> is null.

ISet<T>.Overlaps(System.Collections.Generic.IEnumerable<T>) Method

```
[ILAsm]
.method public hidebysig newslot abstract virtual instance bool
Overlaps(class System.Collections.Generic.IEnumerable`1<T> other) cil
managed

[C#]
public bool Overlaps (System.Collections.Generic.IEnumerable<T> other)
```

Summary

Determines whether the current set overlaps with the specified collection.

Parameters

Parameter	Description
<i>other</i>	The collection to compare to the current set.

Return Value

true if the current set and *other* share at least one common element; otherwise, false.

Description

Any duplicate elements in *other* are ignored.

Exceptions

Exception	Condition
System.ArgumentNullException	<i>other</i> is null.

ISet<T>.SetEquals(System.Collections.Generic.IEnumerable<T>) Method

```
[ILAsm]
.method public hidebysig newslot abstract virtual instance bool
SetEquals(class System.Collections.Generic.IEnumerable`1<!0> other) cil
managed

[C#]
public bool SetEquals (System.Collections.Generic.IEnumerable<T> other)
```

Summary

Determines whether the current set and the specified collection contain the same elements.

Parameters

Parameter	Description
<i>other</i>	The collection to compare to the current set.

Return Value

true if the current set is equal to *other*; otherwise, false.

Description

This method ignores the order of elements and any duplicate elements in *other*.

Exceptions

Exception	Condition
System.ArgumentNullException	<i>other</i> is null.

ISet<T>.SymmetricExceptWith(System.Collections.Generic.IEnumerable<T>) Method

```
[ILAsm]
.method public hidebysig newslot abstract virtual instance void
SymmetricExceptWith(class System.Collections.Generic.IEnumerable`1<T>
other) cil managed

[C#]
public void SymmetricExceptWith (System.Collections.Generic.IEnumerable<T>
other)
```

Summary

Modifies the current set so that it contains only elements that are present either in the current set or in the specified collection, but not both.

Parameters

Parameter	Description
<i>other</i>	The collection to compare to the current set.

Description

Any duplicate elements in *other* are ignored.

Exceptions

Exception	Condition
System.ArgumentNullException	<i>other</i> is null.

ISet<T>.UnionWith(System.Collections.Generic.IEnumerable<T>) Method

```
[ILAsm]
.method public hidebysig newslot abstract virtual instance void
UnionWith(class System.Collections.Generic.IEnumerable`1<!0> other) cil
managed

[C#]
public void UnionWith (System.Collections.Generic.IEnumerable<T> other)
```

Summary

Modifies the current set so that it contains all elements that are present in both the current set and in the specified collection.

Parameters

Parameter	Description
<i>other</i>	The collection to compare to the current set.

Description

Any duplicate elements in *other* are ignored.

Exceptions

Exception	Condition
System.ArgumentNullException	<i>other</i> is null.