

System.RuntimeFieldHandle Structure

```
[ILAsm]  
.class public sequential sealed serializable RuntimeFieldHandle extends  
System.ValueType  
  
[C#]  
public struct RuntimeFieldHandle
```

Assembly Info:

- *Name:* mscorlib
- *Public Key:* [00 00 00 00 00 00 00 00 04 00 00 00 00 00 00 00]
- *Version:* 2.0.x.x
- *Attributes:*
 - CLSCompliantAttribute(true)

Summary

Serves as a metadata token for a field.

Inherits From: System.ValueType

Library: RuntimeInfrastructure

Thread Safety: All public static members of this type are safe for multithreaded operations. No instance members are guaranteed to be thread safe.

Description

System.RuntimeFieldHandle objects are created through the use of the CIL instruction `ldtoken`.

[*Note:* For more information on `ldtoken`, see Partition III of the CLI Specification.]

RuntimeFieldHandle.Value Property

```
[ILAsm]  
.property valuetype System.IntPtr Value { public hidebysig specialname  
instance valuetype System.IntPtr get_Value() }  
  
[C#]  
public IntPtr Value { get; }
```

Summary

Gets a System.IntPtr that contains the value of the current System.RuntimeFieldHandle.

Property Value

A System.IntPtr that contains the value of the current System.RuntimeFieldHandle.

Description

This property is read-only.